
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/11188181/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	A clinical research priority setting study for issues related to the use of methamphetamine and emerging drugs of concern in Australia. Drug and Alcohol Review, 2022, 41, 309-319.	1.1	8
2	Outcomes of a single-arm implementation trial of extended-release subcutaneous buprenorphine depot injections in people with opioid dependence. International Journal of Drug Policy, 2022, 100, 103492.	1.6	22
3	End compulsory drug treatment in the Asia-Pacific region. Lancet, The, 2022, 399, 419-421.	6.3	1
4	Examining the cost and impact of dosing fees among clients in opioid agonist treatment: Results from a crossâ€sectional survey of Australian treatment clients. Drug and Alcohol Review, 2022, 41, 841-850.	1.1	7
5	â€~The Drug Survey App': a protocol for developing and validating an interactive population survey tool for drug use among Aboriginal and Torres Strait Islander Australians. Addiction Science & Clinical Practice, 2022, 17, 17.	1.2	2
6	The impact of opioid agonist treatment on fatal and non-fatal drug overdose among people with a history of opioid dependence in NSW, Australia, 2001–2018: Findings from the OATS retrospective linkage study. Drug and Alcohol Dependence, 2022, 236, 109464.	1.6	7
7	Data Resource Profile: The Opioid Agonist Treatment and Safety (OATS) Study, New South Wales, Australia. International Journal of Epidemiology, 2021, 49, 1774-1775.	0.9	10
8	Quality of life as a predictor of time to heroin relapse among male residents following release from compulsory rehabilitation centres in Vietnam. Drug and Alcohol Review, 2021, 40, 296-306.	1.1	5
9	Hospitalisations for non-fatal overdose among people with a history of opioid dependence in New South Wales, Australia, 2001–2018: Findings from the OATS retrospective cohort study. Drug and Alcohol Dependence, 2021, 218, 108354.	1.6	5
10	Retention of opioid agonist treatment prescribers across New South Wales, Australia, 2001–2018: Implications for treatment systems and potential impact on client outcomes. Drug and Alcohol Dependence, 2021, 219, 108464.	1.6	10
11	The effect of person, treatment and prescriber characteristics on retention in opioid agonist treatment: a 15â€year retrospective cohort study. Addiction, 2021, 116, 3139-3152.	1.7	14
12	Perceptions of injectable opioid agonist treatment (iOAT) among people who regularly use opioids in Australia: findings from a crossâ€sectional study in three Australian cities. Addiction, 2021, 116, 1482-1494.	1.7	3
13	Brief Intervention for Illicit Drug Use. , 2021, , 655-671.		Ο
14	Perceptions of extendedâ€release buprenorphine injections for opioid use disorder among people who regularly use opioids in Australia. Addiction, 2020, 115, 1295-1305.	1.7	46
15	The contribution of methamphetamine use to crime: Evidence from Australian longitudinal data. Drug and Alcohol Dependence, 2020, 216, 108262.	1.6	15
16	Open-label, multicentre, single-arm trial of monthly injections of depot buprenorphine in people with opioid dependence: protocol for the CoLAB study. BMJ Open, 2020, 10, e034389.	0.8	9
17	Global opioid agonist treatment: a review of clinical practices by country. Addiction, 2020, 115, 2243-2254.	1.7	50
18	Response to commentaries. Addiction, 2019, 114, 1357-1358.	1.7	0

#	Article	IF	CITATIONS
19	Responding to global stimulant use: challenges and opportunities. Lancet, The, 2019, 394, 1652-1667.	6.3	169
20	Measurementâ€based care using DSMâ€5 for opioid use disorder: can we make opioid medication treatment more effective?. Addiction, 2019, 114, 1346-1353.	1.7	45
21	Outcomes of compulsory detention compared to community-based voluntary methadone maintenance treatment in Vietnam. Journal of Substance Abuse Treatment, 2018, 87, 9-15.	1.5	14
22	The effect of a potentially tamper-resistant oxycodone formulation on opioid use and harm: main findings of the National Opioid Medications Abuse Deterrence (NOMAD) study. Lancet Psychiatry,the, 2018, 5, 155-166.	3.7	28
23	Latent Psychotic Symptom Profiles Amongst People Who Use Methamphetamine: What Do They Tell Us About Existing Diagnostic Categories?. Frontiers in Psychiatry, 2018, 9, 578.	1.3	8
24	Participant perspectives on the Australian WHO ASSIST Phase III brief intervention for illicit drug use in a primary healthcare setting. Australian Journal of Primary Health, 2018, 24, 518.	0.4	0
25	A randomised controlled trial of a brief intervention for illicit drug use linked to ASSIST screening in a primary healthcare setting: results from the Australian component of the World Health Organization Phase III ASSIST studies. Australian Journal of Primary Health, 2018, 24, 149.	0.4	8
26	Using routinely collected data to understand and predict adverse outcomes in opioid agonist treatment: Protocol for the Opioid Agonist Treatment Safety (OATS) Study. BMJ Open, 2018, 8, e025204.	0.8	31
27	Global statistics on alcohol, tobacco and illicit drug use: 2017 status report. Addiction, 2018, 113, 1905-1926.	1.7	685
28	LiMA: a study protocol for a randomised, double-blind, placebo controlled trial of lisdexamfetamine for the treatment of methamphetamine dependence. BMJ Open, 2018, 8, e020723.	0.8	11
29	Buprenorphine for managing opioid withdrawal. The Cochrane Library, 2017, 2017, CD002025.	1.5	66
30	Strengthening advocacy efforts with empirical evidence: A case example of the conduct, uptake and utilisation of research in drug policy decision-making in Vietnam. International Journal of Drug Policy, 2017, 49, 41-47.	1.6	1
31	The political and scientific challenges in evaluating compulsory drug treatment centers in Southeast Asia. Harm Reduction Journal, 2017, 14, 2.	1.3	18
32	The Ultrarapid Alcohol, Smoking, and Substance Involvement Screening Test (ASSIST-Lite) and Implications for Neuropathology. , 2016, , 649-659.		1
33	Cost-effectiveness of center-based compulsory rehabilitation compared to community-based voluntary methadone maintenance treatment in Hai Phong City, Vietnam. Drug and Alcohol Dependence, 2016, 168, 147-155.	1.6	22
34	Same-day use of opioids and other central nervous system depressants amongst people who tamper with pharmaceutical opioids: A retrospective 7-day diary study. Drug and Alcohol Dependence, 2016, 166, 125-133.	1.6	11
35	Diversion and injection of buprenorphine-naloxone film two years post-introduction in Australia. Drug and Alcohol Review, 2016, 35, 83-91.	1.1	15
36	The extramedical use and diversion of opioid substitution medications and other medications in prison settings in <scp>A</scp> ustralia following the introduction of buprenorphine–naloxone film. Drug and Alcohol Review, 2016, 35, 76-82.	1.1	21

#	Article	IF	CITATIONS
37	Correlates of transient versus persistent psychotic symptoms among dependent methamphetamine users. Psychiatry Research, 2016, 238, 166-171.	1.7	28
38	Facilitating a transition from compulsory detention of people who use drugs towards voluntary community-based drug dependence treatment and support services in Asia. Harm Reduction Journal, 2015, 12, 31.	1.3	28
39	The introduction of buprenorphine-naloxone film in opioid substitution therapy in Australia: Uptake and issues arising from changing buprenorphine formulations. Drug and Alcohol Review, 2015, 34, 603-610.	1.1	8
40	Injecting buprenorphineâ€naloxone film: Findings from an explorative qualitative study. Drug and Alcohol Review, 2015, 34, 623-629.	1.1	6
41	Jurisdictional differences in opioid use, other licit and illicit drug use, and harms associated with substance use among people who tamper with pharmaceutical opioids. Drug and Alcohol Review, 2015, 34, 611-622.	1.1	10
42	A typology of people who tamper with pharmaceutical opioids: responses to introduction of a tamperâ€resistant formulation of controlledâ€release oxycodone. Pharmacoepidemiology and Drug Safety, 2015, 24, 1321-1333.	0.9	4
43	Brief Intervention for Illicit Drug Users. , 2015, , 293-312.		0
44	The introduction of a potentially abuse deterrent oxycodone formulation: Early findings from the Australian National Opioid Medications Abuse Deterrence (NOMAD) study. Drug and Alcohol Dependence, 2015, 151, 56-67.	1.6	29
45	Evaluating the potential impact of a reformulated version of oxycodone upon tampering, nonâ€edherence and diversion of opioids: the <scp>N</scp> ational <scp>O</scp> pioid <scp>M</scp> edications <scp>A</scp> buse <scp>D</scp> eterrence (<scp>NOMAD</scp>) study protocol. Addiction. 2015. 110. 226-237.	1.7	19
46	The characteristics of a cohort who tamper with prescribed and diverted opioid medications. Journal of Substance Abuse Treatment, 2015, 58, 51-61.	1.5	20
47	The diversion and injection of a buprenorphine-naloxone soluble film formulation. Drug and Alcohol Dependence, 2014, 136, 21-27.	1.6	43
48	Development of the Addiction Dimensions for Assessment and Personalised Treatment (ADAPT). Drug and Alcohol Dependence, 2014, 139, 121-131.	1.6	22
49	A latent class analysis of self-reported clinical indicators of psychosocial stability and adherence among opioid substitution therapy patients: Do stable patients receive more unsupervised doses?. Drug and Alcohol Dependence, 2014, 142, 46-55.	1.6	14
50	Ultra-rapid screening for substance-use disorders: The Alcohol, Smoking and Substance Involvement Screening Test (ASSIST-Lite). Drug and Alcohol Dependence, 2013, 132, 352-361.	1.6	95
51	Investigation of the Alcohol, Smoking, and Substance Involvement Screening Test (the ASSIST) Version 3.0 in Pregnancy. Addictive Disorders and Their Treatment, 2013, 12, 123-135.	0.5	9
52	Predictive factors for treatment retention in methadone programs in Indonesia. Journal of Substance Abuse Treatment, 2012, 42, 239-246.	1.5	52
53	Drug policy in Vietnam: A decade of change?. International Journal of Drug Policy, 2012, 23, 319-326.	1.6	42
54	A randomized controlled trial of a brief intervention for illicit drugs linked to the Alcohol, Smoking and Substance Involvement Screening Test (ASSIST) in clients recruited from primary health are settings in four countries. Addiction, 2012, 107, 957-966.	1.7	167

#	Article	IF	CITATIONS
55	Evaluating the impact of communityâ€based treatment options on methamphetamine use: findings from the <scp>M</scp> ethamphetamine <scp>T</scp> reatment <scp>E</scp> valuation <scp>S</scp> tudy (<scp>MATES</scp>). Addiction, 2012, 107, 1998-2008.	1.7	108
56	Post-marketing surveillance of buprenorphine-naloxone in Australia: Diversion, injection and adherence with supervised dosing. Drug and Alcohol Dependence, 2011, 118, 265-273.	1.6	62
57	Comparisons of methamphetamine psychotic and schizophrenic symptoms: A differential item functioning analysis. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2011, 35, 959-964.	2.5	77
58	Oral substitution treatment of injecting opioid users for prevention of HIV infection. The Cochrane Library, 2011, , CD004145.	1.5	197
59	Prescribers' perceptions of the diversion and injection of medication by opioid substitution treatment patients. Drug and Alcohol Review, 2011, 30, 613-620.	1.1	21
60	Opioid antagonists under heavy sedation or anaesthesia for opioid withdrawal. The Cochrane Library, 2010, , CD002022.	1.5	41
61	Methamphetamine Psychosis in Australia, Philippines, and Thailand. Addictive Disorders and Their Treatment, 2010, 9, 143-149.	0.5	10
62	The rise of methamphetamine in Southeast and East Asia. Drug and Alcohol Review, 2008, 27, 220-228.	1.1	128
63	Pregnancyâ€related changes in tobacco, alcohol and cannabis use reported by antenatal patients at two public hospitals in South Australia. Australian and New Zealand Journal of Obstetrics and Gynaecology, 2008, 48, 248-254.	0.4	35
64	Exposure to opioid maintenance treatment reduces longâ€ŧerm mortality. Addiction, 2008, 103, 462-468.	1.7	161
65	Validation of the alcohol, smoking and substance involvement screening test (ASSIST). Addiction, 2008, 103, 1039-1047.	1.7	825
66	Key findings from the WHO collaborative study on substitution therapy for opioid dependence and HIV/AIDS. Addiction, 2008, 103, 1484-1492.	1.7	192
67	Flexible dosing of Tincture of Opium in the management of opioid withdrawal: pharmacokinetics and pharmacodynamics. British Journal of Clinical Pharmacology, 2008, 66, 640-7.	1.1	17
68	Substitution treatment of injecting opioid users for prevention of HIV infection. , 2008, , CD004145.		98
69	One year outcomes for heroin dependence: Findings from the Australian Treatment Outcome Study (ATOS). Drug and Alcohol Dependence, 2006, 83, 174-180.	1.6	118
70	Opioid antagonists under heavy sedation or anaesthesia for opioid withdrawal. , 2006, , CD002022.		10
71	Short-term Outcomes for the Treatment of Heroin Dependence. Addictive Disorders and Their Treatment, 2006, 5, 133-143.	0.5	23
72	Validation of the World Health Organization Alcohol, Smoking and Substance Involvement Screening Test (ASSIST): report of results from the Australian site. Drug and Alcohol Review, 2005, 24, 217-226.	1,1	220

#	Article	IF	CITATIONS
73	The characteristics of heroin users entering treatment: findings from the Australian Treatment Outcome Study (ATOS). Drug and Alcohol Review, 2005, 24, 411-418.	1.1	204
74	Effectiveness of drug dependence treatment in HIV prevention. International Journal of Drug Policy, 2005, 16, 67-75.	1.6	55
75	Factors associated with 12 months continuous heroin abstinence: findings from the Australian Treatment Outcome Study (ATOS). Journal of Substance Abuse Treatment, 2005, 28, 255-263.	1.5	76
76	Short-term outcomes of five heroin detoxification methods in the Australian NEPOD Project. Addictive Behaviors, 2005, 30, 443-456.	1.7	23
77	Comparison of tincture of opium and methadone to control opioid withdrawal in a Thai treatment centre. British Journal of Clinical Pharmacology, 2004, 58, 536-541.	1.1	17
78	Antagonist-precipitated heroin withdrawal under anaesthetic prior to maintenance naltrexone treatment: determinants of withdrawal severity. Drug and Alcohol Review, 2003, 22, 425-431.	1.1	11
79	Prevalence and correlates of intravenous methadone syrup administration in Adelaide, Australia. Addiction, 2003, 98, 413-418.	1.7	33
80	Buprenorphine versus methadone maintenance therapy: a randomized double-blind trial with 405 opioid-dependent patients. Addiction, 2003, 98, 441-452.	1.7	246
81	Psychotic symptoms in methamphetamine psychotic in-patients. International Journal of Neuropsychopharmacology, 2003, 6, 347-352.	1.0	164
82	Accidental Fatalities Among Heroin Users in South Australia, 1994-1997: Toxicological Findings and Circumstances of Death. Addiction Research and Theory, 2002, 10, 335-346.	1.2	18
83	A comparison of antagonist-precipitated withdrawal under anesthesia to standard inpatient withdrawal as a precursor to maintenance naltrexone treatment in heroin users: outcomes at 6 and 12 months. Drug and Alcohol Dependence, 2002, 68, 5-14.	1.6	41
84	Methamphetamine: drug use and psychoses becomes a major public health issue in the Asia Pacific region. Addiction, 2002, 97, 771-772.	1.7	101
85	Overdose Among Heroin Users: Evaluation of an Intervention in South Australia. Addiction Research and Theory, 2001, 9, 481-501.	1.2	15
86	Correlates of retention on the South Australian Methadone Program 1981-91. Australian and New Zealand Journal of Public Health, 1998, 22, 771-776.	0.8	11
87	Experience of non-fatal overdose among heroin users in Adelaide, Australia: circumstances and risk perceptions. Addiction, 1998, 93, 701-711.	1.7	175
88	HIV infection among injecting drug users in the South Australian methadone program. Medical Journal of Australia, 1995, 162, 242-244.	0.8	4
89	Hepatitis C and the history of injecting drug use in South Australia. Medical Journal of Australia, 1994, 161, 286-286.	0.8	7
90	The prescription of methadone for opiate dependence in Australia, 1985â€1991. Medical Journal of Australia, 1993, 159, 107-108.	0.8	6

#	Article	IF	CITATIONS
91	Bloody needles. Aids, 1991, 5, 1025-1028.	1.0	50
92	HIV prevalence and risk behaviours for HIV transmission in South Australian prisons. Aids, 1991, 5, 845-852.	1.0	34