
## Ha Yong Song

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/11509144/publications.pdf Version: 2024-02-01



HA YONG SONG

#	Article	IF	CITATIONS
1	NQO1 regulates mitotic progression and response to mitotic stress through modulating SIRT2 activity. Free Radical Biology and Medicine, 2018, 126, 358-371.	2.9	12
2	Inhibition of Sirtuin 6 Induces Neuroblastoma Differentiation. Anticancer Research, 2018, 38, 647-654.	1.1	13
3	SIRT2-Mediated Deacetylation and Tetramerization of Pyruvate Kinase Directs Glycolysis and Tumor Growth. Cancer Research, 2016, 76, 3802-3812.	0.9	92
4	Deacetylation Assays to Unravel the Interplay between Sirtuins (SIRT2) and Specific Protein-substrates. Journal of Visualized Experiments, 2016, , 53563.	0.3	1
5	SIRT2 deletion enhances KRAS-induced tumorigenesis <i>in vivo</i> by regulating K147 acetylation status. Oncotarget, 2016, 7, 80336-80349.	1.8	35
6	RNAi Screen Identifies a Synthetic Lethal Interaction between PIM1 Overexpression and PLK1 Inhibition. Clinical Cancer Research, 2014, 20, 3211-3221.	7.0	18
7	SIRT3 deacetylates and increases pyruvate dehydrogenase activity in cancer cells. Free Radical Biology and Medicine, 2014, 76, 163-172.	2.9	156
8	Celastrol induces expression of heme oxygenase-1 through ROS/Nrf2/ARE signaling in the HaCaT cells. Biochemical and Biophysical Research Communications, 2011, 407, 535-540.	2.1	63
9	Nox2-based NADPH oxidase mediates HIV-1 Tat-induced up-regulation of VCAM-1/ICAM-1 and subsequent monocyte adhesion in human astrocytes. Free Radical Biology and Medicine, 2011, 50, 576-584.	2.9	33
10	Suppression of TNF-alpha-induced MMP-9 expression by a cell-permeable superoxide dismutase in keratinocytes. BMB Reports, 2011, 44, 462-467.	2.4	18
11	Suppression of Inducible Nitric Oxide Synthase and Cyclooxygenase-2 by Cell-Permeable Superoxide Dismutase in Lipopolysaccharide-Stimulated BV-2 Microglial Cells. Molecules and Cells, 2010, 29, 245-250.	2.6	20
12	Amelioration of Streptozotocin-Induced Diabetes by Agrocybe chaxingu Polysaccharide. Molecules and Cells, 2010, 29, 349-354.	2.6	32
13	Celastrol suppresses IFN-gamma-induced ICAM-1 expression and subsequent monocyte adhesiveness via the induction of heme oxygenase-1 in the HaCaT cells. Biochemical and Biophysical Research Communications, 2010, 398, 140-145.	2.1	28
14	Extracellular HIV-1 Tat up-regulates expression of matrix metalloproteinase-9 via a MAPK-NF-κB dependent pathway in human astrocytes. Experimental and Molecular Medicine, 2009, 41, 86.	7.7	67
15	Differential regulation of inducible nitric oxide synthase and cyclooxygenase-2 expression by superoxide dismutase in lipopolysaccharide stimulated RAW 264.7 cells. Experimental and Molecular Medicine, 2009, 41, 629.	7.7	40
16	Suppression of thymus- and activation-regulated chemokine (TARC/CCL17) production by 1,2,3,4,6-penta-O-galloyl-β-d-glucose via blockade of NF-κB and STAT1 activation in the HaCaT cells. Biochemical and Biophysical Research Communications, 2009, 387, 115-120.	2.1	72
17	Agrocybe chaxingu polysaccharide prevent inflammation through the inhibition of COX-2 and NO production. BMB Reports, 2009, 42, 794-799.	2.4	15
18	Topical transduction of superoxide dismutase mediated by HIV-1 Tat protein transduction domain ameliorates 12-O-tetradecanoylphorbol-13-acetate (TPA)-induced inflammation in mice. Biochemical Pharmacology, 2008, 75, 1348-1357.	4.4	76

HA YONG SONG

#	Article	IF	CITATIONS
19	Suppression of HIV-1 Tat-induced monocyte adhesiveness by a cell-permeable superoxide dismutase in astrocytes. Experimental and Molecular Medicine, 2007, 39, 778-786.	7.7	9
20	Extracellular HIV-1 Tat enhances monocyte adhesion by up-regulation of ICAM-1 and VCAM-1 gene expression via ROS-dependent NF-κB activation in astrocytes. Experimental and Molecular Medicine, 2007, 39, 27-37.	7.7	48
21	The Enhanced Monocyte Adhesiveness after UVB Exposure Requires ROS and NF-κB Signaling in Human Keratinocyte. BMB Reports, 2006, 39, 618-625.	2.4	19