

Gianni Forti

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/11559850/gianni-forti-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

92
papers

7,426
citations

44
h-index

86
g-index

94
ext. papers

8,343
ext. citations

4
avg, IF

5.09
L-index

#	Paper	IF	Citations
92	Reproductive hormone levels, androgen receptor CAG repeat length and their longitudinal relationships with decline in cognitive subdomains in men: The European Male Ageing Study.. <i>Physiology and Behavior</i> , 2022 , 252, 113825	3.5	0
91	European Academy of Andrology (EAA) guidelines on investigation, treatment and monitoring of functional hypogonadism in males: Endorsing organization: European Society of Endocrinology. <i>Andrology</i> , 2020 , 8, 970-987	4.2	98
90	Reproductive Hormone Levels Predict Changes in Frailty Status in Community-Dwelling Older Men: European Male Ageing Study Prospective Data. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2018 , 103, 701-709	5.6	20
89	Massive Weight Loss Obtained by Bariatric Surgery Affects Semen Quality in Morbid Male Obesity: a Preliminary Prospective Double-Armed Study. <i>Obesity Surgery</i> , 2018 , 28, 69-76	3.7	36
88	Elevated luteinizing hormone despite normal testosterone levels in older men-natural history, risk factors and clinical features. <i>Clinical Endocrinology</i> , 2018 , 88, 479-490	3.4	18
87	Symptomatic androgen deficiency develops only when both total and free testosterone decline in obese men who may have incident biochemical secondary hypogonadism: Prospective results from the EMAS. <i>Clinical Endocrinology</i> , 2018 , 89, 459-469	3.4	30
86	Evaluation of cognitive subdomains, 25-hydroxyvitamin D, and 1,25-dihydroxyvitamin D in the European Male Ageing Study. <i>European Journal of Nutrition</i> , 2017 , 56, 2093-2103	5.2	10
85	Glycemia but not the Metabolic Syndrome is Associated with Cognitive Decline: Findings from the European Male Ageing Study. <i>American Journal of Geriatric Psychiatry</i> , 2017 , 25, 662-671	6.5	13
84	Nonandrogenic Anabolic Hormones Predict Risk of Frailty: European Male Ageing Study Prospective Data. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2017 , 102, 2798-2806	5.6	14
83	Changes in prevalence of obesity and high waist circumference over four years across European regions: the European male ageing study (EMAS). <i>Endocrine</i> , 2017 , 55, 456-469	4	16
82	DNA fragmentation in two cytometric sperm populations: relationship with clinical and ultrasound characteristics of the male genital tract. <i>Asian Journal of Andrology</i> , 2017 , 19, 272-279	2.8	17
81	Late-Onset Hypogonadism. <i>Endocrinology</i> , 2017 , 921-943	0.1	
80	Late-Onset Hypogonadism. <i>Endocrinology</i> , 2017 , 1-23	0.1	
79	Natural history, risk factors and clinical features of primary hypogonadism in ageing men: Longitudinal Data from the European Male Ageing Study. <i>Clinical Endocrinology</i> , 2016 , 85, 891-901	3.4	27
78	Searching for Classical Brown Fat in Humans: Development of a Novel Human Fetal Brown Stem Cell Model. <i>Stem Cells</i> , 2016 , 34, 1679-91	5.8	23
77	Low Free Testosterone Is Associated with Hypogonadal Signs and Symptoms in Men with Normal Total Testosterone. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2016 , 101, 2647-57	5.6	100
76	The Economic Burden of Hyponatremia: Systematic Review and Meta-Analysis. <i>American Journal of Medicine</i> , 2016 , 129, 823-835.e4	2.4	48

75	The androgen receptor gene CAG repeat ?in relation to 4-year changes in ?androgen-sensitive endpoints in ?community-dwelling older European men. <i>European Journal of Endocrinology</i> , 2016 , 175, 583-593	6.5	9
74	Prevalence of endocrine and metabolic disorders in subjects with erectile dysfunction: a comparative study. <i>Journal of Sexual Medicine</i> , 2015 , 12, 956-65	1.1	58
73	Development of and Recovery from Secondary Hypogonadism in Aging Men: Prospective Results from the EMAS. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2015 , 100, 3172-82	5.6	95
72	Hyponatremia improvement is associated with a reduced risk of mortality: evidence from a meta-analysis. <i>PLoS ONE</i> , 2015 , 10, e0124105	3.7	70
71	Investigation on the Origin of Sperm DNA Fragmentation: Role of Apoptosis, Immaturity and Oxidative Stress. <i>Molecular Medicine</i> , 2015 , 21, 109-22	6.2	149
70	Associations between sex steroids and the development of metabolic syndrome: a longitudinal study in European men. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2015 , 100, 1396-404	5.6	73
69	Effect of liraglutide on proliferation and differentiation of human adipose stem cells. <i>Molecular and Cellular Endocrinology</i> , 2015 , 402, 43-50	4.4	16
68	Managing infertility in patients with Klinefelter syndrome. <i>Expert Review of Endocrinology and Metabolism</i> , 2014 , 9, 239-250	4.1	1
67	Acrosome reaction is impaired in spermatozoa of obese men: a preliminary study. <i>Fertility and Sterility</i> , 2014 , 102, 1274-1281.e2	4.8	39
66	Association of 25-hydroxyvitamin D, 1,25-dihydroxyvitamin D and parathyroid hormone with mortality among middle-aged and older European men. <i>Age and Ageing</i> , 2014 , 43, 528-35	3	16
65	Metabolic syndrome and prostate abnormalities in male subjects of infertile couples. <i>Asian Journal of Andrology</i> , 2014 , 16, 295-304	2.8	48
64	Androgen receptor polymorphism-dependent variation in prostate-specific antigen concentrations of European men. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2014 , 23, 2048-56	4	7
63	Hypogonadism as an additional indication for bariatric surgery in male morbid obesity?. <i>European Journal of Endocrinology</i> , 2014 , 171, 555-60	6.5	32
62	Low prolactin is associated with sexual dysfunction and psychological or metabolic disturbances in middle-aged and elderly men: the European Male Aging Study (EMAS). <i>Journal of Sexual Medicine</i> , 2014 , 11, 240-53	1.1	46
61	Characteristics of compensated hypogonadism in patients with sexual dysfunction. <i>Journal of Sexual Medicine</i> , 2014 , 11, 1823-34	1.1	32
60	Serum PSA as a predictor of testosterone deficiency. <i>Journal of Sexual Medicine</i> , 2013 , 10, 2518-28	1.1	73
59	Dehydroepiandrosterone supplementation in elderly men: a meta-analysis study of placebo-controlled trials. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2013 , 98, 3615-26	5.6	53
58	Sexual function of the ageing male. <i>Best Practice and Research in Clinical Endocrinology and Metabolism</i> , 2013 , 27, 581-601	6.5	83

57	Risk factors associated with primary and secondary reduced libido in male patients with sexual dysfunction. <i>Journal of Sexual Medicine</i> , 2013 , 10, 1074-89	1.1	70
56	Body weight loss reverts obesity-associated hypogonadotropic hypogonadism: a systematic review and meta-analysis. <i>European Journal of Endocrinology</i> , 2013 , 168, 829-43	6.5	259
55	Determinants of testosterone recovery after bariatric surgery: is it only a matter of reduction of body mass index?. <i>Fertility and Sterility</i> , 2013 , 99, 1872-9.e1	4.8	24
54	Comparisons of immunoassay and mass spectrometry measurements of serum estradiol levels and their influence on clinical association studies in men. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2013 , 98, E1097-102	5.6	43
53	Frailty and sexual health in older European men. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2013 , 68, 837-44	6.4	28
52	The identification of prediabetes condition with ARIC algorithm predicts long-term CV events in patients with erectile dysfunction. <i>Journal of Sexual Medicine</i> , 2013 , 10, 1114-23	1.1	19
51	Cohort profile: the European Male Ageing Study. <i>International Journal of Epidemiology</i> , 2013 , 42, 391-401	7.8	33
50	Moderate hyponatremia is associated with increased risk of mortality: evidence from a meta-analysis. <i>PLoS ONE</i> , 2013 , 8, e80451	3.7	161
49	Androgen deprivation therapy in prostate cancer: focusing on sexual side effects. <i>Journal of Sexual Medicine</i> , 2012 , 9, 887-902	1.1	27
48	Hormonal association and sexual dysfunction in patients with impaired fasting glucose: a cross-sectional and longitudinal study. <i>Journal of Sexual Medicine</i> , 2012 , 9, 1669-80	1.1	39
47	SIEDY scale 3, a new instrument to detect psychological component in subjects with erectile dysfunction. <i>Journal of Sexual Medicine</i> , 2012 , 9, 2017-26	1.1	60
46	"It takes two to tango": the relational domain in a cohort of subjects with erectile dysfunction (ED). <i>Journal of Sexual Medicine</i> , 2012 , 9, 3126-36	1.1	40
45	Characteristics of androgen deficiency in late-onset hypogonadism: results from the European Male Aging Study (EMAS). <i>Journal of Clinical Endocrinology and Metabolism</i> , 2012 , 97, 1508-16	5.6	207
44	Comparison of serum testosterone and estradiol measurements in 3174 European men using platform immunoassay and mass spectrometry; relevance for the diagnostics in aging men. <i>European Journal of Endocrinology</i> , 2012 , 166, 983-91	6.5	135
43	Association of hypogonadism with vitamin D status: the European Male Ageing Study. <i>European Journal of Endocrinology</i> , 2012 , 166, 77-85	6.5	138
42	Male late-onset hypogonadism: pathogenesis, diagnosis and treatment. <i>Nature Reviews Urology</i> , 2011 , 8, 335-44	5.5	54
41	Testosterone and Other Hormonal Therapies (Anti-estrogen, DHEA, Thyroid Hormones) for Erectile Dysfunction 2011 , 42-54		
40	Risk and Benefit of Androgen Deprivation Therapy in Prostate Cancer 2011 , 55-71		

39	Subjective Perception of Ejaculate Volume Reflects Objective Changes in Ejaculate Volume. <i>Journal of Andrology</i> , 2011 , 32, 341-342		1
38	Frailty in relation to variations in hormone levels of the hypothalamic-pituitary-testicular axis in older men: results from the European male aging study. <i>Journal of the American Geriatrics Society</i> , 2011 , 59, 814-21	5.6	49
37	Pulse pressure independently predicts major cardiovascular events in younger but not in older subjects with erectile dysfunction. <i>Journal of Sexual Medicine</i> , 2011 , 8, 247-54	1.1	18
36	Testosterone and metabolic syndrome: a meta-analysis study. <i>Journal of Sexual Medicine</i> , 2011 , 8, 272-83	1.1	254
35	Is metabolic syndrome a useless category in subjects with high cardiovascular risk? Results from a cohort study in men with erectile dysfunction. <i>Journal of Sexual Medicine</i> , 2011 , 8, 504-11	1.1	10
34	Update in testosterone therapy for men. <i>Journal of Sexual Medicine</i> , 2011 , 8, 639-54; quiz 655	1.1	87
33	Perceived reduced sleep-related erections in subjects with erectile dysfunction: psychobiological correlates. <i>Journal of Sexual Medicine</i> , 2011 , 8, 1780-8	1.1	19
32	Body mass index regulates hypogonadism-associated CV risk: results from a cohort of subjects with erectile dysfunction. <i>Journal of Sexual Medicine</i> , 2011 , 8, 2098-105	1.1	42
31	Poor response to alprostadil ICI test is associated with arteriogenic erectile dysfunction and higher risk of major adverse cardiovascular events. <i>Journal of Sexual Medicine</i> , 2011 , 8, 3433-45	1.1	23
30	Elevated levels of gonadotrophins but not sex steroids are associated with musculoskeletal pain in middle-aged and older European men. <i>Pain</i> , 2011 , 152, 1495-1501	8	18
29	Influence of insulin-like growth factor binding protein (IGFBP)-1 and IGFBP-3 on bone health: results from the European Male Ageing Study. <i>Calcified Tissue International</i> , 2011 , 88, 503-10	3.9	20
28	Hypogonadism as a risk factor for cardiovascular mortality in men: a meta-analytic study. <i>European Journal of Endocrinology</i> , 2011 , 165, 687-701	6.5	305
27	Influence of bone remodelling rate on quantitative ultrasound parameters at the calcaneus and DXA BMDa of the hip and spine in middle-aged and elderly European men: the European Male Ageing Study (EMAS). <i>European Journal of Endocrinology</i> , 2011 , 165, 977-86	6.5	24
26	The ESR1 (6q25) locus is associated with calcaneal ultrasound parameters and radial volumetric bone mineral density in European men. <i>PLoS ONE</i> , 2011 , 6, e22037	3.7	6
25	Characteristics of secondary, primary, and compensated hypogonadism in aging men: evidence from the European Male Ageing Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2010 , 95, 1810-8	5.6	402
24	Endogenous hormones, androgen receptor CAG repeat length and fluid cognition in middle-aged and older men: results from the European Male Ageing Study. <i>European Journal of Endocrinology</i> , 2010 , 162, 1155-64	6.5	23
23	Effect of polymorphisms in selected genes involved in pituitary-testicular function on reproductive hormones and phenotype in aging men. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2010 , 95, 1898-908	5.6	32
22	Identification of late-onset hypogonadism in middle-aged and elderly men. <i>New England Journal of Medicine</i> , 2010 , 363, 123-35	59.2	1005

21	Ipogonadismo maschile, sindrome metabolica e disfunzione erettile: dove comincia il bandolo della matassa. <i>L Endocrinologo</i> , 2010 , 11, 151-158	0	
20	Autoeroticism, mental health, and organic disturbances in patients with erectile dysfunction. <i>Journal of Sexual Medicine</i> , 2010 , 7, 182-91	1.1	27
19	Age-related changes in general and sexual health in middle-aged and older men: results from the European Male Ageing Study (EMAS). <i>Journal of Sexual Medicine</i> , 2010 , 7, 1362-80	1.1	290
18	Low testosterone is associated with an increased risk of MACE lethality in subjects with erectile dysfunction. <i>Journal of Sexual Medicine</i> , 2010 , 7, 1557-64	1.1	101
17	The effect of statin therapy on testosterone levels in subjects consulting for erectile dysfunction. <i>Journal of Sexual Medicine</i> , 2010 , 7, 1547-56	1.1	67
16	Male sexuality and cardiovascular risk. A cohort study in patients with erectile dysfunction. <i>Journal of Sexual Medicine</i> , 2010 , 7, 1918-27	1.1	93
15	Is obesity a further cardiovascular risk factor in patients with erectile dysfunction?. <i>Journal of Sexual Medicine</i> , 2010 , 7, 2538-46	1.1	25
14	Increased estrogen rather than decreased androgen action is associated with longer androgen receptor CAG repeats. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2009 , 94, 277-84	5.6	116
13	Vitamin D, parathyroid hormone and the metabolic syndrome in middle-aged and older European men. <i>European Journal of Endocrinology</i> , 2009 , 161, 947-54	6.5	88
12	Pulse pressure, an index of arterial stiffness, is associated with androgen deficiency and impaired penile blood flow in men with ED. <i>Journal of Sexual Medicine</i> , 2009 , 6, 285-93	1.1	54
11	The European Male Ageing Study (EMAS): design, methods and recruitment. <i>Journal of Developmental and Physical Disabilities</i> , 2009 , 32, 11-24		109
10	Association between psychiatric symptoms and erectile dysfunction. <i>Journal of Sexual Medicine</i> , 2008 , 5, 458-68	1.1	66
9	Assessment of sexual health in aging men in Europe: development and validation of the European Male Ageing Study sexual function questionnaire. <i>Journal of Sexual Medicine</i> , 2008 , 5, 1374-85	1.1	63
8	Low levels of androgens in men with erectile dysfunction and obesity. <i>Journal of Sexual Medicine</i> , 2008 , 5, 2454-63	1.1	92
7	Penile doppler ultrasound in patients with erectile dysfunction (ED): role of peak systolic velocity measured in the flaccid state in predicting arteriogenic ED and silent coronary artery disease. <i>Journal of Sexual Medicine</i> , 2008 , 5, 2623-34	1.1	104
6	Hypothalamic-pituitary-testicular axis disruptions in older men are differentially linked to age and modifiable risk factors: the European Male Aging Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2008 , 93, 2737-45	5.6	639
5	Testosterone regulates RhoA/Rho-kinase signaling in two distinct animal models of chemical diabetes. <i>Journal of Sexual Medicine</i> , 2007 , 4, 620-632	1.1	100
4	A comparison of NCEP-ATPIII and IDF metabolic syndrome definitions with relation to metabolic syndrome-associated sexual dysfunction. <i>Journal of Sexual Medicine</i> , 2007 , 4, 789-796	1.1	68

3	NCEP-ATPIII-defined metabolic syndrome, type 2 diabetes mellitus, and prevalence of hypogonadism in male patients with sexual dysfunction. <i>Journal of Sexual Medicine</i> , 2007 , 4, 1038-45	1.1	78
2	Psychobiologic correlates of the metabolic syndrome and associated sexual dysfunction. <i>European Urology</i> , 2006 , 50, 595-604; discussion 604	10.2	193
1	Spermatid and peripheral venous plasma concentrations of progesterone, 17 alpha-hydroxyprogesterone, and 20 alpha-dihydroprogesterone in prepubertal boys. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1983 , 56, 831-4	5.6	2