

# Gilles Landman

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1168666/publications.pdf>

Version: 2024-02-01

68  
papers

1,546  
citations

304743

22  
h-index

330143

37  
g-index

71  
all docs

71  
docs citations

71  
times ranked

2172  
citing authors

#	ARTICLE	IF	CITATIONS
1	Birth cohort-specific trends of sun-related behaviors among individuals from an international consortium of melanoma-prone families. <i>BMC Public Health</i> , 2021, 21, 692.	2.9	4
2	Impact of Next-generation Sequencing on Interobserver Agreement and Diagnosis of Spitzoid Neoplasms. <i>American Journal of Surgical Pathology</i> , 2021, 45, 1597-1605.	3.7	16
3	IMP dehydrogenase rod/ring structures in acral melanomas. <i>Pigment Cell and Melanoma Research</i> , 2020, 33, 490-497.	3.3	8
4	IMPDH-Based Cytoophidium Structures as Potential Theranostics in Cancer. <i>Molecular Therapy</i> , 2020, 28, 1557-1558.	8.2	7
5	Intratumor Heterogeneity of KIT Gene Mutations in Acral Lentiginous Melanoma. <i>American Journal of Dermatopathology</i> , 2020, 42, 265-271.	0.6	4
6	Pigmented epithelioid melanocytoma: A case report. <i>Journal of Cutaneous Pathology</i> , 2020, 47, 109-112.	1.3	2
7	Demographic, Clinical, and Pathologic Features of Patients With Cutaneous Melanoma: Final Analysis of the Brazilian Melanoma Group Database. <i>JCO Global Oncology</i> , 2020, 6, 575-582.	1.8	5
8	Estimating CDKN2A mutation carrier probability among global familial melanoma cases using GenoMELPREDICT. <i>Journal of the American Academy of Dermatology</i> , 2019, 81, 386-394.	1.2	17
9	Th17/Treg imbalance in COPD progression: A temporal analysis using a CS-induced model. <i>PLoS ONE</i> , 2019, 14, e0209351.	2.5	30
10	Association between frontal fibrosing alopecia and linear scleroderma "coup de sabre". <i>Australasian Journal of Dermatology</i> , 2019, 60, e256-e258.	0.7	1
11	Acral Lentiginous Melanomas Harbour Intratumor Heterogeneity in BRAF Exon 15, With Mutations Distinct From V600E/V600K. <i>American Journal of Dermatopathology</i> , 2019, 41, 733-740.	0.6	4
12	Î²7 Expression Increases With the Extent of Cutaneous Involvement in Mycosis Fungoides. <i>American Journal of Dermatopathology</i> , 2019, 41, 630-636.	0.6	0
13	Targeting the polarization of tumor-associated macrophages and modulating mir-155 expression might be a new approach to treat diffuse large B-cell lymphoma of the elderly. <i>Cancer Immunology, Immunotherapy</i> , 2019, 68, 269-282.	4.2	19
14	BRAFV600E and KIT immunoeexpression in early-stage melanoma. <i>Anais Brasileiros De Dermatologia</i> , 2019, 94, 458-460.	1.1	3
15	Immunoeexpression of BAP1, ROS1, and ALK in Spitzoid Melanocytic Tumors. <i>International Journal of Surgical Pathology</i> , 2018, 26, 514-520.	0.8	1
16	Radiotherapy-induced Pemphigus Foliaceus: a rare adverse effect of breast cancer therapy. <i>International Journal of Dermatology</i> , 2018, 57, e165-e167.	1.0	3
17	Marker Protein Expression Combined With Expression Heterogeneity is a Powerful Indicator of Malignancy in Acral Lentiginous Melanomas. <i>American Journal of Dermatopathology</i> , 2017, 39, 114-120.	0.6	5
18	Germline Variation at CDKN2A and Associations with Nevus Phenotypes among Members of Melanoma Families. <i>Journal of Investigative Dermatology</i> , 2017, 137, 2606-2612.	0.7	18

#	ARTICLE	IF	CITATIONS
19	Evaluation of the Melanocytic Pathology Assessment Tool and Hierarchy for Diagnosis (MPATH-Dx) classification scheme for diagnosis of cutaneous melanocytic neoplasms: Results from the International Melanoma Pathology Study Group. <i>Journal of the American Academy of Dermatology</i> , 2016, 75, 356-363.	1.2	30
20	Hypomelanotic melanoma mimicking pigmented Bowen disease. <i>Journal of the American Academy of Dermatology</i> , 2016, 74, e11-e13.	1.2	3
21	Phenotypic and Histopathological Tumor Characteristics According to CDKN2A Mutation Status among Affected Members of Melanoma Families. <i>Journal of Investigative Dermatology</i> , 2016, 136, 1066-1069.	0.7	13
22	Characterization of individuals at high risk of developing melanoma in Latin America: bases for genetic counseling in melanoma. <i>Genetics in Medicine</i> , 2016, 18, 727-736.	2.4	31
23	Absence of Tumor-Infiltrating Lymphocyte Is a Reproducible Predictive Factor for Sentinel Lymph Node Metastasis: A Multicenter Database Study by the Brazilian Melanoma Group. <i>PLoS ONE</i> , 2016, 11, e0148160.	2.5	15
24	Grape juice concentrate (G8000, C) modulates apoptosis but not oxidative stress following rat colon carcinogenesis induced by azoxymethane. <i>Toxicology Mechanisms and Methods</i> , 2015, 25, 91-97.	2.7	4
25	Germline CDKN2A mutations in Brazilian patients of hereditary cutaneous melanoma. <i>Familial Cancer</i> , 2014, 13, 645-649.	1.9	18
26	Expression of E-cadherin and $\beta$ -catenin in basaloid and conventional squamous cell carcinoma of the oral cavity: are potential prognostic markers?. <i>BMC Cancer</i> , 2014, 14, 395.	2.6	10
27	TNF-alpha and melphalan modulate a specific group of early expressed genes in a murine melanoma model. <i>Cytokine</i> , 2013, 62, 217-225.	3.2	8
28	Tungiasis under dermoscopy: in vivo and ex vivo examination of the cutaneous infestation due to <i>Tunga penetrans</i> . <i>Anais Brasileiros De Dermatologia</i> , 2013, 88, 649-651.	1.1	17
29	Eosinophils may predict occult lymph node metastasis in early oral cancer. <i>Clinical Oral Investigations</i> , 2012, 16, 1523-1528.	3.0	32
30	Primary Cutaneous Melanoma Arising in Agminated Melanocytic Nevi: CDKN2A and CDK4 Mutation Screening. <i>Acta Dermato-Venereologica</i> , 2012, 92, 98-99.	1.3	8
31	Tricoadenoma palpebral: tratamento cirúrgico associado à blefaroplastia estética. <i>Revista Brasileira De Cirurgia Plastica</i> , 2012, 27, 160-164.	0.0	1
32	Dermatitis herpetiformis: relevance of the physical examination to diagnosis suspicion. <i>Canadian Family Physician</i> , 2012, 58, 843-7.	0.4	5
33	Cell adhesion and communication proteins are differentially expressed in melanoma progression model. <i>Human Pathology</i> , 2011, 42, 409-418.	2.0	37
34	Atypical mole syndrome and dysplastic nevi: identification of populations at risk for developing melanoma - review article. <i>Clinics</i> , 2011, 66, 493-499.	1.5	36
35	A review of the epidemiology and treatment of Merkel cell carcinoma. <i>Clinics</i> , 2011, 66, 1817-1823.	1.5	38
36	Gene network analyses point to the importance of human tissue kallikreins in melanoma progression. <i>BMC Medical Genomics</i> , 2011, 4, 76.	1.5	22

#	ARTICLE	IF	CITATIONS
37	Fractal dimension of chromatin is an independent prognostic factor for survival in melanoma. <i>BMC Cancer</i> , 2010, 10, 260.	2.6	68
38	The 434(G>C) polymorphism in the eosinophil cationic protein gene and its association with tissue eosinophilia in oral squamous cell carcinomas. <i>Journal of Oral Pathology and Medicine</i> , 2010, 39, 56-62.	2.7	6
39	Vulvar melanoma: report on eleven cases and review of the literature. <i>Sao Paulo Medical Journal</i> , 2010, 128, 38-41.	0.9	16
40	Primary Cutaneous Melanoma: An 18-Year Study. <i>Clinics</i> , 2010, 65, 257-263.	1.5	12
41	Proteins involved in pRb and p53 pathways are differentially expressed in thin and thick superficial spreading melanomas. <i>Melanoma Research</i> , 2009, 19, 135-141.	1.2	19
42	Tissue Eosinophilia and its Association with Tumoral Invasion of Oral Cancer. <i>International Journal of Surgical Pathology</i> , 2009, 17, 244-249.	0.8	37
43	Primary Oral Mucosal Melanoma: A Series of 35 New Cases From South America. <i>American Journal of Dermatopathology</i> , 2009, 31, 323-330.	0.6	65
44	E-cadherin abnormalities resulting from CPG methylation promoter in metastatic and nonmetastatic oral cancer. <i>Head and Neck</i> , 2008, 30, 85-92.	2.0	35
45	Expression of vascular endothelial growth factor-C does not predict occult lymph-node metastasis in early oral squamous cell carcinoma. <i>International Journal of Oral and Maxillofacial Surgery</i> , 2008, 37, 372-378.	1.5	22
46	Alpha-v-beta3 integrin expression in melanocytic nevi and cutaneous melanoma. <i>Journal of Cutaneous Pathology</i> , 2007, 34, 851-856.	1.3	12
47	Histologic subtypes of oral squamous cell carcinoma: prognostic relevance. <i>Journal of the Canadian Dental Association</i> , 2007, 73, 339-44.	0.6	60
48	Structural Correlations Between Dermoscopic Features of Cutaneous Melanomas and Histopathology Using Transverse Sections. <i>American Journal of Dermatopathology</i> , 2006, 28, 13-20.	0.6	20
49	Oral verrucous carcinoma: a retrospective study in São Paulo Region, Brazil. <i>Clinical Oral Investigations</i> , 2006, 10, 205-209.	3.0	59
50	Sentinel Lymph Node Biopsy in Cutaneous Melanoma: Analysis of 240 Consecutive Cases. <i>Plastic and Reconstructive Surgery</i> , 2005, 115, 1944-1951.	1.4	20
51	Expression of PCNA, p53, Bax, and Bcl-X in oral poorly differentiated and basaloid squamous cell carcinoma: Relationships with prognosis. <i>Head and Neck</i> , 2005, 27, 982-989.	2.0	34
52	Vitiligo: analysis of grafting versus curettage alone, using melanocyte morphology and reverse transcriptase polymerase chain reaction for tyrosinase mRNA. <i>Sao Paulo Medical Journal</i> , 2005, 123, 187-191.	0.9	18
53	Dupla drenagem para cadeias linfonodais distintas, detectada por técnica de biópsia de linfonodo sentinela em pacientes com melanoma cutâneo: relato de dois casos. <i>Anais Brasileiros De Dermatologia</i> , 2005, 80, 499-502.	1.1	0
54	Estrogen and progesterone receptors in human papilloma virus-related cervical neoplasia. <i>Brazilian Journal of Medical and Biological Research</i> , 2004, 37, 83-88.	1.5	18

#	ARTICLE	IF	CITATIONS
55	Prognoses of Oral Basaloid Squamous Cell Carcinoma and Squamous Cell Carcinoma. JAMA Otolaryngology, 2004, 130, 83.	1.2	46
56	Cutaneous melanoma in childhood and adolescence: retrospective study of 32 patients. Melanoma Research, 2004, 14, 487-492.	1.2	30
57	Eotaxin expression in oral squamous cell carcinomas with and without tumour associated tissue eosinophilia. Oral Diseases, 2003, 9, 279-283.	3.0	52
58	Morphometric analysis of the tumor associated tissue eosinophilia in the oral squamous cell carcinoma using different staining techniques. Histology and Histopathology, 2003, 18, 709-13.	0.7	24
59	Tumour-associated tissue eosinophilia as a prognostic factor in oral squamous cell carcinomas. Histopathology, 2002, 41, 152-157.	2.9	132
60	Case Report. Bilateral sporotrichosis. Mycoses, 2002, 45, 415-417.	4.0	5
61	Clinicopathologic Features and Human Papillomavirus DNA Prevalence of Warty and Squamous Cell Carcinoma of the Penis. American Journal of Surgical Pathology, 2001, 25, 673-678.	3.7	103
62	Opportunistic actinomycosis in osteoradionecrosis of the jaws in patients affected by head and neck cancer: incidence and clinical significance. Oral Oncology, 2000, 36, 294-299.	1.5	60
63	Rat allotransplantation of epigastric microsurgical flaps: a study of rejection and the immunosuppressive effect of cyclosporin A. Revista Do Hospital Das Clinicas, 2000, 55, 21-28.	0.5	2
64	Primary cutaneous mucoepidermoid carcinoma: report of a case. Journal of Cutaneous Pathology, 1991, 18, 56-59.	1.3	38
65	Endothelial cells transformed by SV40 T antigen cause Kaposi's sarcomalike tumors in nude mice. American Journal of Pathology, 1991, 139, 743-9.	3.8	15
66	Cutaneous papillary squamous cell carcinoma. A report of two cases. Journal of Cutaneous Pathology, 1990, 17, 105-110.	1.3	22
67	Crossed-antigenicity between the etiologic agents of lobomycosis and paraccoccidioidomycosis evidenced by an immunoenzymatic method (PAP). Allergologia Et Immunopathologia, 1988, 16, 215-8.	1.7	7
68	Identification of Trypanosoma cruzi in human tissues using an immunoperoxidase method: study of acute Chagas disease, congenital form. Allergologia Et Immunopathologia, 1986, 14, 509-13.	1.7	0