Naohisa Nishida

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/11719624/publications.pdf Version: 2024-02-01



Νλομιέλ Νιεμισλ

#	Article	IF	CITATIONS
1	Onset of Mediterranean outflow into the North Atlantic. Science, 2014, 344, 1244-1250.	12.6	144
2	The Cretaceous Tetori biota in Japan and its evolutionary significance for terrestrial ecosystems in Asia. Cretaceous Research, 2006, 27, 199-225.	1.4	47
3	Paleoclimatic and paleoceanographic records through Marine Isotope Stage 19â€at the Chiba composite section, central Japan: A key reference for the Early–Middle Pleistocene Subseries boundary. Quaternary Science Reviews, 2018, 191, 406-430.	3.0	37
4	Distinctive erosional and depositional structures formed at a canyon mouth: A lower Pleistocene deepâ€water succession in the Kazusa forearc basin on the Boso Peninsula, Japan. Sedimentology, 2014, 61, 2042-2062.	3.1	34
5	Clay fabric of fluid-mud deposits from laboratory and field observations: Potential application to the stratigraphic record. Marine Geology, 2013, 337, 1-8.	2.1	26
6	Sedimentary processes and depositional environments of a continuous marine succession across the Lower–Middle Pleistocene boundary: Kokumoto Formation, Kazusa Group, central Japan. Quaternary International, 2016, 397, 3-15.	1.5	20
7	Holocene evolution of depositional processes off southwest Japan: Response to the Tsushima Warm Current and sea-level rise. Sedimentary Geology, 2013, 290, 138-148.	2.1	19
8	The use of microstructures for discriminating turbiditic and hemipelagic muds and mudstones. Sedimentology, 2016, 63, 2066-2086.	3.1	15
9	Constraining sediment provenance for tsunami deposits using distributions of grain size and foraminifera from the Kujukuri coastline and shelf, Japan. Sedimentology, 2020, 67, 1373-1392.	3.1	15
10	Microstructure of muddy contourites from the Gulf of CÃidiz. Marine Geology, 2016, 377, 110-117.	2.1	10
11	Fluid mud: Distinctive features and implications for genetic stratigraphy. Journal of the Geological Society of Japan, 2009, 115, 149-167.	0.6	9
12	Reply to the Discussion of Sano etÂal Cretaceous Research, 2008, 29, 174-181.	1.4	8
13	Multiproxy sedimentological and geochemical analyses across the Lower–Middle Pleistocene boundary: chemostratigraphy and paleoenvironment of the Chiba composite section, central Japan. Progress in Earth and Planetary Science, 2021, 8, .	3.0	7
14	Spatial and temporal variations in depositional systems in the Kazusa Group: insights into the origins of deep-water massive sandstones in a Pleistocene forearc basin on the Boso Peninsula, Japan. Progress in Earth and Planetary Science, 2020, 7, .	3.0	7
15	Paleoecology and evolution of Jurassic–Cretaceous corbiculoids from Japan. Palaeogeography, Palaeoclimatology, Palaeoecology, 2013, 369, 239-252.	2.3	5
16	Mid-Holocene forcing of the Tsushima Warm Current to the coastal environments in southwestern Japan with a view to foraminiferal faunas. Quaternary International, 2018, 482, 56-66.	1.5	4
17	Anatomy and dynamics of a mixed contourite sand sheet, Ryukyu Island Arc, northwestern Pacific Ocean. Marine Geology, 2022, 444, 106707.	2.1	4
18	Postglacial stratigraphic evolution of a currentâ€influenced sandy shelf: offshore Kujukuri strandplain, central Japan. Sedimentology, 2020, 67, 559-575.	3.1	3

NAOHISA NISHIDA

#	Article	IF	CITATIONS
19	Characteristics and depositional pattern of fluvial-flood deposits on the river mouth: case study of a fluvial-flooding event at 2009 in the Kushida River Delta, Ise Bay, central Japan. Journal of the Sedimentological Society of Japan, 2011, 70, 81-92.	0.3	3
20	Spatial and temporal distribution patterns of fluid-mud deposits in a sandy flat: An example from the Banzu sandy flat, Obitsu River mouth, Tokyo Bay, Japan. Journal of the Sedimentological Society of Japan, 2011, 70, 3-14.	0.3	3
21	Identification of fluid-mud deposits in sandy shelf successions and its implications. Journal of the Sedimentological Society of Japan, 2011, 70, 37-42.	0.3	1
22	Geometry and microstructures of muddy turbidites in the Plio-Pleistocene deep-watersuccessions on the Boso Peninsula, central Japan. Journal of the Sedimentological Society of Japan, 2013, 72, 31-37.	0.3	1