

Michael C Quist

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/11767651/publications.pdf>

Version: 2024-02-01

114
papers

1,719
citations

304368

22
h-index

395343

33
g-index

114
all docs

114
docs citations

114
times ranked

1194
citing authors

#	ARTICLE	IF	CITATIONS
1	Proposed Standard Weight (W_{std}) Equation and Length Categories for Utah Chub. North American Journal of Fisheries Management, 2021, 41, 1299-1308.	0.5	2
2	Population Ecology and Evaluation of Suppression Scenarios for Introduced Utah Chub. North American Journal of Fisheries Management, 2020, 40, 133-144.	0.5	5
3	Life history structure of westslope cutthroat trout: Inferences from otolith microchemistry. Fisheries Research, 2020, 222, 105416.	0.9	4
4	Movement Dynamics of Nonnative Burbot in the Upper Green River System and Implications for Management. North American Journal of Fisheries Management, 2020, 40, 1161-1173.	0.5	2
5	Ontogenetic diet shifts with potential ramifications for resource competition in a kokanee "Mysis diluviana system. Hydrobiologia, 2020, 847, 3951-3966.	1.0	1
6	Movement Dynamics of Smallmouth Bass in a Large Western River System. North American Journal of Fisheries Management, 2020, 40, 154-162.	0.5	8
7	Influence of Population Density and Length Structure on Angler Catch Rate in Kokanee Fisheries. North American Journal of Fisheries Management, 2020, 40, 182-189.	0.5	0
8	Distribution and Abundance of Westslope Cutthroat Trout in Relation to Habitat Characteristics at Multiple Spatial Scales. North American Journal of Fisheries Management, 2020, 40, 893-909.	0.5	3
9	Understanding Fish Assemblage Structure in Lentic Ecosystems: Relative Effects of Abiotic Factors and Management Legacies. North American Journal of Fisheries Management, 2019, 39, 607-624.	0.5	9
10	Population Dynamics and Evaluation of Management Scenarios for White Sturgeon in the Sacramento-San Joaquin River Basin. North American Journal of Fisheries Management, 2019, 39, 896-912.	0.5	5
11	Distribution and Movement of Steelhead and Anglers in the Clearwater River, Idaho. North American Journal of Fisheries Management, 2019, 39, 1056-1072.	0.5	7
12	Size Selectivity of Sampling Gears Used to Sample Kokanee. North American Journal of Fisheries Management, 2019, 39, 343-352.	0.5	8
13	Growth Disparity in Sympatric Kokanee Breeding Groups. North American Journal of Aquaculture, 2019, 81, 169-177.	0.7	0
14	Population Characteristics and Management of Lentic Populations of Nonnative Burbot in the Green River System, Wyoming. North American Journal of Fisheries Management, 2019, 39, 45-57.	0.5	5
15	Influences of Lake Trout (<i>Salvelinus namaycush</i>) and <i>Mysis diluviana</i> on kokanee (<i>Oncorhynchus</i>) Tj ETQq1 1 0.784314 rgBT /Overloc	1.0	1
16	Effects of Air Exposure During Simulated Catch-and-Release Angling on Survival and Fitness of Yellowstone Cutthroat Trout. North American Journal of Fisheries Management, 2019, 39, 191-204.	0.5	8
17	Effects of Air Exposure on Survival of Yellowstone Cutthroat Trout Angled from a Stream with Warm Water Temperatures. Journal of Fish and Wildlife Management, 2019, 10, 509-516.	0.4	1
18	Efficacy of Using Data from Angler-Caught Burbot to Estimate Population Rate Functions. North American Journal of Fisheries Management, 2018, 38, 346-354.	0.5	2

#	ARTICLE	IF	CITATIONS
19	Using Genetic and Phenotypic Comparisons to Evaluate Apparent Segregation among Kokanee Spawning Groups. <i>Transactions of the American Fisheries Society</i> , 2018, 147, 43-60.	0.6	4
20	Floods, drying, habitat connectivity, and fish occupancy dynamics in restored and unrestored oxbows of West Central Iowa, USA. <i>Aquatic Conservation: Marine and Freshwater Ecosystems</i> , 2018, 28, 630-640.	0.9	13
21	Patterns in Fish Assemblage Structure in a Small Western Stream. <i>Copeia</i> , 2018, 106, 589-599.	1.4	2
22	Commercial Fisheries of the Upper Mississippi River: A Century of Sustained Harvest. <i>Fisheries</i> , 2018, 43, 563-574.	0.6	11
23	Microhabitat use of native fishes in the Kootenai River: A fine-scale evaluation of large-scale habitat rehabilitation efforts. <i>River Research and Applications</i> , 2018, 34, 1267-1277.	0.7	3
24	Comparison of a Prepositioned Areal Electrofishing Device and Fixed Underwater Videography for Sampling Riverine Fishes. <i>Western North American Naturalist</i> , 2018, 78, 65.	0.2	5
25	Effects of Water-Level Management and Hatchery Supplementation on Kokanee Recruitment in Lake Pend Oreille, Idaho. <i>Northwest Science</i> , 2018, 92, 136-148.	0.1	2
26	Fight and air exposure times of caught and released salmonids from the South Fork Snake River. <i>Fisheries Research</i> , 2018, 201, 38-43.	0.9	15
27	Effects of Air Exposure in Summer on the Survival of Caught and Released Salmonids. <i>North American Journal of Fisheries Management</i> , 2018, 38, 886-895.	0.5	9
28	Stable isotope evaluation of population and individual level diet variability in a large, oligotrophic lake with non-native lake trout. <i>Ecology of Freshwater Fish</i> , 2017, 26, 271-279.	0.7	3
29	Response of Fish Population Dynamics to Mitigation Activities in a Large Regulated River. <i>Transactions of the American Fisheries Society</i> , 2017, 146, 703-715.	0.6	8
30	Habitat Associations of Juvenile Burbot in a Tributary of the Kootenai River. <i>Transactions of the American Fisheries Society</i> , 2017, 146, 1008-1015.	0.6	1
31	Precision and Accuracy of Age Estimates Obtained from Anal Fin Spines, Dorsal Fin Spines, and Sagittal Otoliths for Known-Age Largemouth Bass. <i>Southeastern Naturalist</i> , 2017, 16, 225-234.	0.2	16
32	Population Characteristics and the Influence of Discharge on Bluehead Sucker and Flannelmouth Sucker. <i>Copeia</i> , 2017, 105, 375-388.	1.4	0
33	Survival, Movement, and Distribution of Juvenile Burbot in a Tributary of the Kootenai River. <i>North American Journal of Fisheries Management</i> , 2017, 37, 1274-1288.	0.5	5
34	Estimating Ages of Utah Chubs by Use of Pectoral Fin Rays, Otoliths, and Scales. <i>Western North American Naturalist</i> , 2017, 77, 189-194.	0.2	2
35	Influences of Summer Water Temperatures on the Movement, Distribution, and Resource Use of Fluvial Westslope Cutthroat Trout in the South Fork Clearwater River Basin. <i>North American Journal of Fisheries Management</i> , 2016, 36, 549-567.	0.5	9
36	Evaluation of Hard Structures Used to Estimate Age of Common Carp. <i>Northwest Science</i> , 2016, 90, 195-205.	0.1	11

#	ARTICLE	IF	CITATIONS
37	Electrofishing Effort Requirements for Estimating Species Richness in the Kootenai River, Idaho. Northwest Science, 2016, 90, 315-327.	0.1	3
38	Population Characteristics and the Suppression of Nonnative Burbot. North American Journal of Fisheries Management, 2016, 36, 1006-1017.	0.5	12
39	Population Dynamics and Evaluation of Alternative Management Strategies for Nonnative Lake Trout in Priest Lake, Idaho. North American Journal of Fisheries Management, 2016, 36, 40-54.	0.5	21
40	Influence of Sectioning Location on Age Estimates from Common Carp Dorsal Spines. North American Journal of Fisheries Management, 2015, 35, 690-697.	0.5	8
41	Patterns of Fish Assemblage Structure and Habitat Use among Main and Side Channel Environments in the Lower Kootenai River, Idaho. Transactions of the American Fisheries Society, 2015, 144, 1340-1355.	0.6	13
42	Habitat use of non-native burbot in a western river. Hydrobiologia, 2015, 757, 61-71.	1.0	8
43	Status of the Topeka Shiner in West-Central Iowa. American Midland Naturalist, 2015, 174, 350-358.	0.2	7
44	Incubation success and habitat selection of shore-spawning kokanee <i>Oncorhynchus nerka</i> : effects of water level regulation and habitat characteristics. Ecology of Freshwater Fish, 2015, 24, 412-423.	0.7	5
45	Trophic Ecology of Nonnative Northern Pike and their Effect on Conservation of Native Westslope Cutthroat Trout. North American Journal of Fisheries Management, 2015, 35, 158-177.	0.5	9
46	Population Structure and Dynamics of Northern Pike and Smallmouth Bass in Coeur d'Alene Lake, Idaho. Northwest Science, 2015, 89, 280-296.	0.1	4
47	Precision of Hard Structures Used to Estimate Age of Mountain Whitefish (<i>Prosopium williamsoni</i>). Western North American Naturalist, 2015, 75, 1-7.	0.2	6
48	Sustainable inland fisheries " perspectives from the recreational, commercial and subsistence sectors from around the globe. , 2015, , 467-505.		6
49	Detection Probabilities of Electrofishing, Hoop Nets, and Benthic Trawls for Fishes in Two Western North American Rivers. Journal of Fish and Wildlife Management, 2015, 6, 371-391.	0.4	16
50	Effects of Gill-Net Trauma, Barotrauma, and Deep Release on Postrelease Mortality of Lake Trout. Journal of Fish and Wildlife Management, 2015, 6, 265-277.	0.4	10
51	Influence of Habitat Characteristics on Shore-Spawning Kokanee. Transactions of the American Fisheries Society, 2014, 143, 1404-1418.	0.6	7
52	Historical Changes in Nebraska's Lotic Fish Assemblages: Implications of Anthropogenic Alterations. American Midland Naturalist, 2014, 172, 160-184.	0.2	6
53	Effects of Management Legacies on Stream Fish and Aquatic Benthic Macroinvertebrate Assemblages. Environmental Management, 2014, 54, 449-464.	1.2	8
54	Characterizing lentic freshwater fish assemblages using multiple sampling methods. Environmental Monitoring and Assessment, 2014, 186, 4461-4474.	1.3	30

#	ARTICLE	IF	CITATIONS
55	Gear and Seasonal Bias Associated with Abundance and Size Structure Estimates for Lentic Freshwater Fishes. <i>Journal of Fish and Wildlife Management</i> , 2014, 5, 394-412.	0.4	18
56	Habitat, Fish Species, and Fish Assemblage Associations of the Topeka Shiner in West-Central Iowa. <i>North American Journal of Fisheries Management</i> , 2013, 33, 1258-1268.	0.5	24
57	Creel Survey Sampling Designs for Estimating Effort in Short-Duration Chinook Salmon Fisheries. <i>North American Journal of Fisheries Management</i> , 2013, 33, 977-993.	0.5	4
58	Self-Reporting Bias in Chinook Salmon Sport Fisheries in Idaho: Implications for Roving Creel Surveys. <i>North American Journal of Fisheries Management</i> , 2013, 33, 723-731.	0.5	17
59	Using variance components to estimate power in a hierarchically nested sampling design. <i>Environmental Monitoring and Assessment</i> , 2013, 185, 405-414.	1.3	3
60	Influences of native and non-native benthivorous fishes on aquatic ecosystem degradation. <i>Hydrobiologia</i> , 2013, 711, 187-199.	1.0	38
61	Fish Species of Greatest Conservation Need in Wadeable Iowa Streams: Current Status and Effectiveness of Aquatic Gap Program Distribution Models. <i>North American Journal of Fisheries Management</i> , 2012, 32, 135-146.	0.5	9
62	Evaluation of Otoliths of Salt Creek Pupfish (<i>Cyprinodon salinus</i>) for use in Analyses of Age and Growth. <i>Southwestern Naturalist</i> , 2012, 57, 412-416.	0.1	1
63	Habitat Associations of Fish Species of Greatest Conservation Need at Multiple Spatial Scales in Wadeable Iowa Streams. <i>North American Journal of Fisheries Management</i> , 2012, 32, 1046-1061.	0.5	24
64	Effect of Survey Design and Catch Rate Estimation on Total Catch Estimates in Chinook Salmon Fisheries. <i>North American Journal of Fisheries Management</i> , 2012, 32, 1090-1101.	0.5	17
65	Development and evaluation of a boat-mounted RFID antenna for monitoring freshwater mussels. <i>Freshwater Science</i> , 2012, 31, 148-153.	0.9	10
66	Comparison of Boat Electrofishing, Trawling, and Seining for Sampling Fish Assemblages in Iowa's Nonwadeable Rivers. <i>North American Journal of Fisheries Management</i> , 2011, 31, 390-402.	0.5	28
67	Accuracy and Precision of Visual Estimates and Photogrammetric Measurements of the Length of a Small-bodied Fish. <i>North American Journal of Fisheries Management</i> , 2011, 31, 138-143.	0.5	12
68	Common carp (<i>Cyprinus carpio</i>), sport fishes, and water quality: Ecological thresholds in agriculturally eutrophic lakes. <i>Lake and Reservoir Management</i> , 2010, 26, 14-22.	0.4	58
69	Assemblage and Population-Level Responses of Stream Fish to Riparian Buffers at Multiple Spatial Scales. <i>Transactions of the American Fisheries Society</i> , 2010, 139, 185-200.	0.6	44
70	Precision of Scales and Pectoral Fin Rays for Estimating Age of Highfin Carpsucker, Quillback Carpsucker, and River Carpsucker. <i>Journal of Freshwater Ecology</i> , 2010, 25, 271-278.	0.5	16
71	A Comparison of Modified Fyke Nets for Evaluating Fish Assemblages and Population Structure. <i>Journal of Freshwater Ecology</i> , 2010, 25, 555-563.	0.5	13
72	An Evaluation of Angler Harvest of Walleye and Saugeye in a Kansas Reservoir. <i>Journal of Freshwater Ecology</i> , 2010, 25, 1-7.	0.5	11

#	ARTICLE	IF	CITATIONS
73	Population Characteristics of Black Bullhead (<i>Ameiurus melas</i>) in Iowa Natural Lakes. <i>Journal of Freshwater Ecology</i> , 2009, 24, 635-644.	0.5	5
74	Effects of Commercial Harvest on Shovelnose Sturgeon Populations in the Upper Mississippi River. <i>North American Journal of Fisheries Management</i> , 2009, 29, 84-100.	0.5	31
75	Morphometric and Meristic Differences among Bluehead Suckers, Flannelmouth Suckers, White Suckers, and Their Hybrids: Tools for the Management of Native Species in the Upper Colorado River Basin. <i>North American Journal of Fisheries Management</i> , 2009, 29, 460-467.	0.5	9
76	Precision of Hard Structures Used to Estimate Age of Bowfin in the Upper Mississippi River. <i>North American Journal of Fisheries Management</i> , 2009, 29, 506-511.	0.5	4
77	Influences of Fragmentation on Three Species of Native Warmwater Fishes in a Colorado River Basin Headwater Stream System, Wyoming. <i>North American Journal of Fisheries Management</i> , 2008, 28, 1733-1743.	0.5	40
78	Infection by a black spot-causing species of <i>Uvulifer</i> and associated opercular alterations in fishes from a high-desert stream in Wyoming. <i>Diseases of Aquatic Organisms</i> , 2007, 78, 129-136.	0.5	7
79	An Evaluation of Techniques Used to Index Recruitment Variation and Year-Class Strength. <i>North American Journal of Fisheries Management</i> , 2007, 27, 30-42.	0.5	20
80	Precision of Scales and Dorsal Spines for Estimating Age of Common Carp. <i>Journal of Freshwater Ecology</i> , 2007, 22, 231-239.	0.5	12
81	Sample Size Requirements for Estimating Species Richness of Aquatic Vegetation in Iowa Lakes. <i>Journal of Freshwater Ecology</i> , 2007, 22, 477-491.	0.5	5
82	Precision of Hard Structures Used to Estimate Age of Riverine Catostomids and Cyprinids in the Upper Colorado River Basin. <i>North American Journal of Fisheries Management</i> , 2007, 27, 643-649.	0.5	37
83	A Technique for Preparing Fin Rays and Spines for Age and Growth Analysis. <i>North American Journal of Fisheries Management</i> , 2007, 27, 782-784.	0.5	85
84	Random versus Fixed-Size Sampling When Monitoring Relative Abundance of Fishes in Headwater Streams of the Upper Colorado River Basin. <i>North American Journal of Fisheries Management</i> , 2006, 26, 1011-1019.	0.5	25
85	Temperature and kairomone induced life history plasticity in coexisting <i>Daphnia</i> . <i>Aquatic Ecology</i> , 2006, 40, 361-372.	0.7	31
86	SUMMER FOOD HABITS AND TROPHIC OVERLAP OF ROUNDTAIL CHUB AND CREEK CHUB IN MUDDY CREEK, WYOMING. <i>Southwestern Naturalist</i> , 2006, 51, 22-27.	0.1	19
87	Spatial Patterns of Fish Assemblage Structure in a Tributary System of the Upper Colorado River Basin. <i>Journal of Freshwater Ecology</i> , 2006, 21, 673-680.	0.5	5
88	Relative Effects of Biotic and Abiotic Processes: A Test of the Biotic-Abiotic Constraining Hypothesis as Applied to Cutthroat Trout. <i>Transactions of the American Fisheries Society</i> , 2005, 134, 676-686.	0.6	24
89	The Wyoming Habitat Assessment Methodology (WHAM). <i>Fisheries</i> , 2005, 30, 75-81.	0.6	0
90	Relations among Habitat Characteristics, Exotic Species, and Turbid-River Cyprinids in the Missouri River Drainage of Wyoming. <i>Transactions of the American Fisheries Society</i> , 2004, 133, 727-742.	0.6	43

#	ARTICLE	IF	CITATIONS
91	Anti-predator behavior of larval walleyes and saugeyes. Transactions of the Kansas Academy of Science, 2004, 107, 69-76.	0.0	1
92	Spatial and Temporal Variability of Zooplankton in a Great Plains Reservoir. Hydrobiologia, 2004, 525, 101-112.	1.0	26
93	Larval fish-induced phenotypic plasticity of coexisting Daphnia: an enclosure experiment. Freshwater Biology, 2004, 49, 87-97.	1.2	7
94	Bioinvasive species and the preservation of cutthroat trout in the western United States: ecological, social, and economic issues. Environmental Science and Policy, 2004, 7, 303-313.	2.4	52
95	Fish assemblage structure and relations with environmental conditions in a Rocky Mountain watershed. Canadian Journal of Zoology, 2004, 82, 1554-1565.	0.4	31
96	Age Structure and Mortality of Walleyes in Kansas Reservoirs: Use of Mortality Caps to Establish Realistic Management Objectives. North American Journal of Fisheries Management, 2004, 24, 990-1002.	0.5	14
97	Elevation and Stream-Size Thresholds Affect Distributions of Native and Exotic Warmwater Fishes in Wyoming. Journal of Freshwater Ecology, 2004, 19, 227-236.	0.5	24
98	MILITARY TRAINING EFFECTS ON TERRESTRIAL AND AQUATIC COMMUNITIES ON A GRASSLAND MILITARY INSTALLATION. , 2003, 13, 432-442.		72
99	Latitudinal Comparisons of Walleye Growth in North America and Factors Influencing Growth of Walleyes in Kansas Reservoirs. North American Journal of Fisheries Management, 2003, 23, 677-692.	0.5	64
100	Recruitment dynamics of walleyes (<i>Stizostedion vitreum</i>) in Kansas reservoirs: generalities with natural systems and effects of a centrarchid predator. Canadian Journal of Fisheries and Aquatic Sciences, 2003, 60, 830-839.	0.7	47
101	Potential Influence of Harvest on Shovelnose Sturgeon Populations in the Missouri River System. North American Journal of Fisheries Management, 2002, 22, 537-549.	0.5	67
102	Ecology of Larval White Bass in a Large Kansas Reservoir. North American Journal of Fisheries Management, 2002, 22, 637-642.	0.5	11
103	Efficiency of Removing Food Items from Walleyes Using Acrylic Tubes. Journal of Freshwater Ecology, 2002, 17, 179-184.	0.5	6
104	Seasonal Variation in Population Characteristics of Gizzard Shad. Journal of Freshwater Ecology, 2001, 16, 641-646.	0.5	3
105	Age and Growth of Four Centrarchid Species in Southeastern Kansas Streams. Journal of Freshwater Ecology, 2000, 15, 475-478.	0.5	5
106	Proposed Standard Weight (Ws) Equations and Standard Length Categories for 18 Warmwater Nongame and Riverine Fish Species. North American Journal of Fisheries Management, 2000, 20, 570-574.	0.5	88
107	Overwinter Habitat Use of Shovelnose Sturgeon in the Kansas River. Transactions of the American Fisheries Society, 1999, 128, 522-527.	0.6	33
108	Population Characteristics of Channel Catfish from the Kansas River, Kansas. Journal of Freshwater Ecology, 1998, 13, 351-359.	0.5	14

#	ARTICLE	IF	CITATIONS
109	Standard Weight (Ws) Equation and Length Categories for Shovelnose Sturgeon. North American Journal of Fisheries Management, 1998, 18, 992-997.	0.5	25
110	Using Genetic and Phenotypic Comparisons to Evaluate Apparent Segregation among Kokanee Spawning Groups. Transactions of the American Fisheries Society, 0, , .	0.6	0
111	Occurrence, Abundance, Movement, and Habitat Associations of Bonneville Cutthroat Trout in Tributaries to Bear Lake, Idaho&Utah. North American Journal of Fisheries Management, 0, , .	0.5	0
112	Population Dynamics and Harvest Management of the Bonneville Cutthroat Trout Fishery in Bear Lake, Idaho&Utah. North American Journal of Fisheries Management, 0, , .	0.5	0
113	Population dynamics of Yellowstone Cutthroat Trout in Henrys Lake, Idaho. Journal of Fish and Wildlife Management, 0, , .	0.4	3
114	Resource selection and species interactions between native and non&native fishes in a simulated stream system. Fisheries Management and Ecology, 0, , .	1.0	0