
John K Snyder

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/11882871/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Interfacial hydration determines orientational and functional dimorphism of sterol-derived Raman tags in lipid-coated nanoparticles. Proceedings of the National Academy of Sciences of the United States of America, 2021, 118, .	7.1	10
2	Metabolic Dynamics and Prediction of Gestational Age and Time to Delivery in Pregnant Women. Cell, 2020, 181, 1680-1692.e15.	28.9	154
3	Canvass: A Crowd-Sourced, Natural-Product Screening Library for Exploring Biological Space. ACS Central Science, 2018, 4, 1727-1741.	11.3	32
4	Inhibiting the oncogenic translation program is an effective therapeutic strategy in multiple myeloma. Science Translational Medicine, 2017, 9, .	12.4	53
5	Gallium(III)-Promoted Halocyclizations of 1,6-Diynes. Organic Letters, 2015, 17, 2126-2129.	4.6	17
6	Remodeling of Fumagillol: Discovery of an Oxygen-Directed Oxidative Mannich Reaction. Organic Letters, 2014, 16, 792-795.	4.6	26
7	Identification of a Broad-Spectrum Inhibitor of Viral RNA Synthesis: Validation of a Prototype Virus-Based Approach. Chemistry and Biology, 2013, 20, 424-433.	6.0	21
8	An intramolecular inverse electron demand Diels–Alder approach to annulated α-carbolines. Beilstein Journal of Organic Chemistry, 2012, 8, 829-840.	2.2	21
9	Truncated Aspidosperma Alkaloid-Like Scaffolds: Unique Structures for the Discovery of New, Bioactive Compounds. Heterocycles, 2012, 84, 135.	0.7	5
10	Direct Binding of a Hepatitis C Virus Inhibitor to the Viral Capsid Protein. PLoS ONE, 2012, 7, e32207.	2.5	20
11	Indium(III)-Catalyzed Hydrative Cyclization of 1,7-Diynyl Ethers. Organic Letters, 2011, 13, 4280-4283.	4.6	16
12	Remodelling of the natural product fumagillol employing a reaction discovery approach. Nature Chemistry, 2011, 3, 969-973.	13.6	83
13	Potent inhibitors of hepatitis C core dimerization as new leads for anti-hepatitis C agents. Bioorganic and Medicinal Chemistry Letters, 2011, 21, 2198-2202.	2.2	20
14	Discovery of new antimalarial chemotypes through chemical methodology and library development. Proceedings of the National Academy of Sciences of the United States of America, 2011, 108, 6775-6780.	7.1	42
15	Enantioselective syntheses of candenatenins B and C using a chiral anthracene auxiliary. Tetrahedron Letters, 2010, 51, 1091-1094.	1.4	12
16	Core as a Novel Viral Target for Hepatitis C Drugs. Viruses, 2010, 2, 1734-1751.	3.3	31
17	Synthesis of Unique Scaffolds via Dielsâ^'Alder Cycloadditions of Tetrasubstituted Cyclohexadienes. Organic Letters, 2010, 12, 1592-1595.	4.6	21
18	A Time-Resolved Fluorescence–Resonance Energy Transfer Assay for Identifying Inhibitors of Hepatitis C Virus Core Dimerization. Assay and Drug Development Technologies, 2010, 8, 96-105.	1.2	24

#	Article	IF	CITATIONS
19	New small molecule inhibitors of hepatitis C virus. Bioorganic and Medicinal Chemistry Letters, 2009, 19, 6926-6930.	2.2	23
20	Intramolecular Rhodium-Catalyzed [2+2+2] Cyclizations of Diynes with Enones. Journal of Organic Chemistry, 2009, 74, 2907-2910.	3.2	32
21	PtCl2-Mediated Cyclopropane Opening: A Mechanistic Study. Organometallics, 2008, 27, 410-417.	2.3	12
22	Anthracene Cycloadducts as Highly Selective Chiral Auxiliaries. Journal of Organic Chemistry, 2008, 73, 2935-2938.	3.2	19
23	Library Synthesis Using 5,6,7,8-Tetrahydro-1,6-naphthyridines as Scaffolds. ACS Combinatorial Science, 2008, 10, 534-540.	3.3	24
24	Synthesis of 5,6,7,8-Tetrahydro-1,6-naphthyridines and Related Heterocycles by Cobalt-Catalyzed [2 + 2 + 2] Cyclizations. Organic Letters, 2007, 9, 393-396.	4.6	108
25	1,2,3,4-Tetrahydro-1,5-naphthyridines and related heterocyclic scaffolds: exploration of suitable chemistry for library development. Tetrahedron, 2007, 63, 5649-5655.	1.9	11
26	PtCl2-Promoted cyclopropane opening in [4+2+2] homo Diels–Alder cycloadducts. Tetrahedron Letters, 2006, 47, 675-678.	1.4	10
27	Chiral anthracene and anthrone templates as stereocontrolling elements in Diels–Alder/retro Diels–Alder sequences. Bioorganic and Medicinal Chemistry, 2005, 13, 5299-5309.	3.0	31
28	Homo Diels–Alder chemistry in the synthesis of portulal: construction of the functionalized hydroazulene core. Tetrahedron Letters, 2005, 46, 703-706.	1.4	11
29	A new, chiral aminoanthracene for the Diels–Alder/retro-Diels–Alder sequence in lactam and butenolide synthesis. Tetrahedron Letters, 2005, 46, 2475-2478.	1.4	35
30	Convergent Synthesis of a Complex Oxime Library Using Chemical Domain Shuffling. Organic Letters, 2005, 7, 2751-2754.	4.6	30
31	Intramolecular Inverse-Electron-Demand Diels?Alder Reactions of Imidazoles with 1,2,4-Triazines: A New Route to 1,2,3,4-Tetrahydro-1,5-naphthyridines and Related Heterocycles ChemInform, 2005, 36, no.	0.0	0
32	A New Chiral Anthracene for the Asymmetric Dielsâ^'Alder/Retro-Dielsâ^'Alder Sequence. Organic Letters, 2005, 7, 31-34.	4.6	57
33	Intramolecular Inverse-Electron-Demand Dielsâ^'Alder Reactions of Imidazoles with 1,2,4-Triazines:  A New Route to 1,2,3,4-Tetrahydro-1,5-naphthyridines and Related Heterocycles. Journal of Organic Chemistry, 2004, 69, 7171-7182.	3.2	62
34	Dienophilicity of Imidazole in Inverse Electron Demand Diels—Alder Reactions. Part 4. Intermolecular Reactions with 1,2,4-Triazines ChemInform, 2003, 34, no.	0.0	0
35	Cycloadditions of chiral anthracenes: effect of the trifluoromethyl group. Tetrahedron Letters, 2003, 44, 931-935.	1.4	37
36	Dienophilicity of Imidazole in Inverse Electron Demand Dielsâ^'Alder Reactions. 4. Intermolecular Reactions with 1,2,4-Triazines. Journal of Organic Chemistry, 2003, 68, 4345-4354.	3.2	28

#	Article	IF	CITATIONS
37	Development of a New Cobalt Catalyst System for the [4 + 2 + 2] Cycloadditions of Functionalized Norbornadienes and Butadiene. Organometallics, 2002, 21, 4688-4695.	2.3	34
38	Chapter 6.2 Six-membered ring systems: Diazines and benzo derivatives. Progress in Heterocyclic Chemistry, 2002, , 279-309.	0.5	41
39	A Homo Dielsâ^ Alder Approach to Bicyclo[4.2.1]nonanes. Organic Letters, 2002, 4, 2731-2734.	4.6	14
40	Transition Metal-Catalyzed [4 + 2 + 2] Cycloadditions of Bicyclo[2.2.1]hepta-2,5-dienes (Norbornadienes) and Bicyclo[2.2.2]octa-2,5-dienes1. Journal of Organic Chemistry, 2001, 66, 6932-6942.	3.2	37
41	Opening the [4 + 2 + 2] Cycloadducts of Bicyclo[2.2.1]hepta-2,5-dienes (Norbornadienes) to Cis-Fused Bicyclo[5.3.0]decanes1. Journal of Organic Chemistry, 2001, 66, 6943-6957.	3.2	17
42	Inverse electron-demand Diels–Alder chemistry in the synthesis of a regioselectively protected analogue of the staurosporine aglycone. Tetrahedron Letters, 2001, 42, 7929-7933.	1.4	30
43	Dienophilicity of imidazole in inverse electron demand Diels–Alder reactions: cycloadditions with 1,2,4,5-tetrazines and the structure of zarzissine. Tetrahedron, 2001, 57, 5497-5507.	1.9	40
44	Remangilone D, a New Bisnoroleanane Triterpene, and a New Flavone from Physena madagascariensis [1]. Zeitschrift Fur Naturforschung - Section B Journal of Chemical Sciences, 2001, 56, 1079-1083.	0.7	3
45	Guaianolide Sesquiterpene Lactones From Cichorium Intybus (Asteraceae) [1]. Zeitschrift Fur Naturforschung - Section B Journal of Chemical Sciences, 2001, 56, 787-796.	0.7	8
46	Intramolecular Inverse Electron Demand Diels–Alder Reactions of Tryptamine with Tethered Heteroaromatic Azadienes. Tetrahedron, 2000, 56, 1165-1180.	1.9	75
47	New Antimicrobial Flavanones fromPhysena madagascariensis. Journal of Natural Products, 2000, 63, 1082-1089.	3.0	63
48	Stereoselective Dielsâ 'Alder Reactions of Chiral Anthracenes. Organic Letters, 2000, 2, 2527-2530.	4.6	44
49	Cobalt-catalyzed [4 + 2 + 2] cycloadditions of bicyclo[2.2.2]octadienes. Tetrahedron Letters, 1999, 40, 1079-1082.	1.4	14
50	Remangilones Aâ^'C, New Cytotoxic Triterpenes fromPhysenamadagascariensis. Journal of Natural Products, 1999, 62, 471-476.	3.0	21
51	Indole as a dienophile in inverse electron demand diels-alder and related reactions. Advances in Cycloaddition, 1999, , 119-171.	0.5	33
52	Inverse electron demand Diels-Alder reactions of indole. VI. A fully removable tether for intramolecular reactions with 1,2,4-triazines. Tetrahedron Letters, 1998, 39, 2487-2490.	1.4	21
53	Metal-Catalyzed [4 + 2 + 2] Cycloadditions:Â Cycloadducts of Substituted Norbornadienes and Their Opening with Zeise's Dimer. Journal of Organic Chemistry, 1998, 63, 2060-2061.	3.2	25
54	Direct Conversion of Heteroaromatic Esters to Methyl Ketones with Trimethylaluminum:Â Nonsymmetrically Disubstituted 1,2,4,5-Tetrazines. Journal of Organic Chemistry, 1998, 63, 10063-10068.	3.2	35

#	Article	IF	CITATIONS
55	Opening norbornadiene homo Diels-Alder adducts to bicyclic systems. Tetrahedron Letters, 1997, 38, 1477-1480.	1.4	11
56	Dienophilicity of Imidazole in Inverse Electron Demand Diels-Alder Reactions; Intermolecular Reactions with 1,2,4-Triazines Tetrahedron Letters, 1997, 38, 7495-7498.	1.4	17
57	Dienophilicity of Imidazole in Inverse Electron Demand Diels-Alder Reactions; Intramolecular Reactions with 1,2,4-Triazines Tetrahedron Letters, 1997, 38, 7499-7502.	1.4	20
58	A facile preparation of pyrrolo[3,4-b]indoles. Tetrahedron Letters, 1997, 38, 8611-8614.	1.4	31
59	O-nitromandelic acid: A chiral solvating agent for the NMR determination of chiral diamine enantiomeric purity. Chirality, 1997, 9, 556-562.	2.6	9
60	Inverse electron demand Diels-Alder reactions of indole V. Reactions of 3-substituted indoles with heteroaromatic azadienes. Tetrahedron Letters, 1996, 37, 5061-5064.	1.4	28
61	Inverse electron demand diels-alder reactions of indole IV. A new route to β-carbolines. Tetrahedron Letters, 1995, 36, 6591-6594.	1.4	26
62	Selective oxidation of canthines to canthin-6-ones with triethylbenzylammonium permanganate. Tetrahedron Letters, 1994, 35, 1485-1488.	1.4	37
63	A new triterpenoid saponin from the chinese traditional medicine Nothopanax davidii harms (Araliaceae). Tetrahedron, 1994, 50, 11601-11612.	1.9	10
64	Pyrrole as a dienophile in intramolecular inverse electron-demand Diels-Alder reactions with 1,2,4-triazines. Journal of Organic Chemistry, 1993, 58, 516-519.	3.2	53
65	Indole as a dienophile in inverse electron demand Diels-Alder reactions. 3. Intramolecular reactions with 1,2,4-triazines to access the canthine skeleton. Journal of Organic Chemistry, 1992, 57, 5285-5287.	3.2	79
66	Notizen: Two New Phloroglucinol Derivatives with Phosphodiesterase Inhibitory Activity from the Leaves of Eucalyptus robusta. Zeitschrift Fur Naturforschung - Section B Journal of Chemical Sciences, 1991, 46, 1275-1277.	0.7	13
67	Homoerythrina alkaloids of Phelline comosa. Phytochemistry, 1991, 30, 3497-3498.	2.9	11
68	Optically pure chiral sulfoxides using ephedrine as a chiral auxiliary. Tetrahedron Letters, 1991, 32, 5885-5888.	1.4	53
69	Asymmetric oxidation of Î ² -ketoesters with benzoyl peroxide; enantioselective formation of protected tertiary alcohols. Tetrahedron Letters, 1991, 32, 5899-5902.	1.4	24
70	Proton and carbon-13 nmr studies of delpheline, 8,9-methylenedioxylappaconitine and dictyzine. Tetrahedron, 1991, 47, 4299-4316.	1.9	17
71	Preparation, reactivity, and neurotoxicity of tryptamine-4,5-dione. Tetrahedron Letters, 1990, 31, 969-972.	1.4	22
72	Tatsidine, a norditerpenoid alkaloid from Delphinium tatsienense. Phytochemistry, 1990, 29, 357-358.	2.9	12

#	Article	IF	CITATIONS
73	Asymmetric syntheses of Salvia miltiorrhiza abietanoid o-quinones: methyl tanshinonate, tanshinone IIB, tanshindiol B and 3-hydroxytanshinone. Journal of Organic Chemistry, 1990, 55, 5008-5013.	3.2	50
74	Indole as a dienophile in inverse electron demand Diels-Alder reactions: reactions with 1,2,4-triazines and 1,2-diazines. Journal of Organic Chemistry, 1990, 55, 3257-3269.	3.2	90
75	Ultrasound-promoted cycloadditions in the synthesis of Salvia miltiorrhiza abietanoid o-quinones. Journal of Organic Chemistry, 1990, 55, 4995-5008.	3.2	69
76	Complete spectral assignments of tatsidine by two-dimensional NMR techniques. Magnetic Resonance in Chemistry, 1989, 27, 1057-1064.	1.9	13
77	Diosgenin-bearing, molluscicidal saponins from Allium vineale: an NMR approach for the structural assignment of oligosaccharide units. Journal of Organic Chemistry, 1989, 54, 3679-3689.	3.2	59
78	Camphanylboronic acid, a chiral derivatizing agent for optical purity determination of diols. Tetrahedron Letters, 1988, 29, 6063-6065.	1.4	20
79	Lenticellarine, a molluscicidal alkaloid from Dysoxylum lenticellare. Phytochemistry, 1988, 27, 3789-3792.	2.9	22
80	Use of carboxylic acids as chiral solvating agents for the determination of optical purity of chiral amines by NMR spectroscopy. Journal of Organic Chemistry, 1988, 53, 5335-5341.	3.2	102
81	Indole as a dienophile in inverse electron demand Diels-Alder reactions. 5H-Pyridazino[4,5-b]indoles as cycloadducts with 3,6-dicarbomethoxy-1,2,4,5-tetrazine. Journal of Organic Chemistry, 1987, 52, 4610-4614.	3.2	58
82	Preparation and dienophilicity of 3-methyl-4,5-benzofurandione. Tetrahedron Letters, 1987, 28, 3427-3430.	1.4	24
83	Asymmetric oxidation of olefins to vicinal diols with osmium tetroxide. Tetrahedron Letters, 1986, 27,	1.4	98