

Martin W G Brinkhof

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/11912408/publications.pdf>

Version: 2024-02-01

18
papers

3,358
citations

471509

17
h-index

839539

18
g-index

18
all docs

18
docs citations

18
times ranked

3189
citing authors

#	ARTICLE	IF	CITATIONS
1	Kinetics of maternally acquired anti-hepatitis A antibodies: Prediction of waning based on maternal or cord blood antibody levels. <i>Vaccine</i> , 2013, 31, 1490-1495.	3.8	22
2	Correcting Mortality for Loss to Follow-Up: A Nomogram Applied to Antiretroviral Treatment Programmes in Sub-Saharan Africa. <i>PLoS Medicine</i> , 2011, 8, e1000390.	8.4	136
3	Universal Definition of Loss to Follow-Up in HIV Treatment Programs: A Statistical Analysis of 111 Facilities in Africa, Asia, and Latin America. <i>PLoS Medicine</i> , 2011, 8, e1001111.	8.4	167
4	Mortality after failure of antiretroviral therapy in sub-Saharan Africa. <i>Tropical Medicine and International Health</i> , 2010, 15, 251-258.	2.3	71
5	Early Mortality and Loss to Follow-up in HIV-Infected Children Starting Antiretroviral Therapy in Southern Africa. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2010, 54, 524-532.	2.1	88
6	Derivation of parameters used in Spectrum for eligibility for antiretroviral therapy and survival on antiretroviral therapy. <i>Sexually Transmitted Infections</i> , 2010, 86, ii28-ii34.	1.9	24
7	Adjusting Mortality for Loss to Follow-Up: Analysis of Five ART Programmes in Sub-Saharan Africa. <i>PLoS ONE</i> , 2010, 5, e14149.	2.5	85
8	Mortality of Patients Lost to Follow-Up in Antiretroviral Treatment Programmes in Resource-Limited Settings: Systematic Review and Meta-Analysis. <i>PLoS ONE</i> , 2009, 4, e5790.	2.5	409
9	Mortality of HIV-Infected Patients Starting Antiretroviral Therapy in Sub-Saharan Africa: Comparison with HIV-Unrelated Mortality. <i>PLoS Medicine</i> , 2009, 6, e1000066.	8.4	161
10	Switching to second-line antiretroviral therapy in resource-limited settings: comparison of programmes with and without viral load monitoring. <i>Aids</i> , 2009, 23, 1867-1874.	2.2	136
11	Antiretroviral therapy in resource-limited settings 1996 to 2006: patient characteristics, treatment regimens and monitoring in sub-Saharan Africa, Asia and Latin America. <i>Tropical Medicine and International Health</i> , 2008, 13, 870-879.	2.3	162
12	Early loss of HIV-infected patients on potent antiretroviral therapy programmes in lower-income countries. <i>Bulletin of the World Health Organization</i> , 2008, 86, 559-567.	3.3	275
13	Gender and the Use of Antiretroviral Treatment in Resource-Constrained Settings: Findings from a Multicenter Collaboration. <i>Journal of Women's Health</i> , 2008, 17, 47-55.	3.3	178
14	Long-term immunologic response to antiretroviral therapy in low-income countries: a collaborative analysis of prospective studies. <i>Aids</i> , 2008, 22, 2291-2302.	2.2	152
15	Public-Health and Individual Approaches to Antiretroviral Therapy: Township South Africa and Switzerland Compared. <i>PLoS Medicine</i> , 2008, 5, e148.	8.4	113
16	Electronic medical record systems, data quality and loss to follow-up: survey of antiretroviral therapy programmes in resource-limited settings. <i>Bulletin of the World Health Organization</i> , 2008, 86, 939-947.	3.3	139
17	Mortality of HIV-1-infected patients in the first year of antiretroviral therapy: comparison between low-income and high-income countries. <i>Lancet, The</i> , 2006, 367, 817-824.	13.7	1,030
18	Evaluation of p24-based Antiretroviral Treatment Monitoring in Pediatric HIV-1 Infection. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2006, 41, 557-562.	2.1	10