Cheryl L Kirstein

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/11941486/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Adolescents differ from adults in cocaine conditioned place preference and cocaine-induced dopamine in the nucleus accumbens septi. European Journal of Pharmacology, 2006, 550, 95-106.	3.5	182
2	Fetal and maternal brain and plasma levels of cocaine and benzoylecgonine following chronic subcutaneous administration of cocaine during gestation in rats. Psychopharmacology, 1989, 97, 427-431.	3.1	136
3	Effects of novelty on behavior in the adolescent and adult rat. Developmental Psychobiology, 2006, 48, 10-15.	1.6	124
4	Anterior and posterior, but not cheek, intraoral canulation procedures elevate serum corticosterone levels in neonatal rat pups. Developmental Psychobiology, 1989, 22, 401-411.	1.6	90
5	Cocaine reward and MPTP toxicity: alteration by regional variant dopamine transporter overexpression. Molecular Brain Research, 1999, 73, 37-49.	2.3	89
6	Repeated ethanol exposure during adolescence alters the developmental trajectory of dopaminergic output from the nucleus accumbens septi. International Journal of Developmental Neuroscience, 2009, 27, 805-815.	1.6	76
7	Alcohol during adolescence selectively alters immediate and long-term behavior and neurochemistry. Alcohol, 2010, 44, 57-66.	1.7	74
8	Chronic Ethanol Exposure During Adolescence Increases Basal Dopamine in the Nucleus Accumbens Septi During Adulthood. Alcoholism: Clinical and Experimental Research, 2007, 31, 895-900.	2.4	63
9	Extracellular dopamine increases in the neonatal olfactory bulb during odor preference training. Brain Research, 1991, 564, 149-153.	2.2	61
10	Repeated binge ethanol administration during adolescence enhances voluntary sweetened ethanol intake in young adulthood in male and female rats. Pharmacology Biochemistry and Behavior, 2010, 96, 476-487.	2.9	61
11	Gestational cocaine exposure increases opiate receptor binding in weanling offspring. Developmental Brain Research, 1991, 59, 179-185.	1.7	52
12	Social interaction and partner familiarity differentially alter voluntary ethanol intake in adolescent male and female rats. Alcohol, 2008, 42, 641-648.	1.7	38
13	An Animal Model of Sensation Seeking: The Adolescent Rat. Annals of the New York Academy of Sciences, 2004, 1021, 453-458.	3.8	37
14	Developmental Differences in Nicotine Place Conditioning. Annals of the New York Academy of Sciences, 2004, 1021, 399-403.	3.8	36
15	Voluntary Ethanol Consumption Differs in Adolescent and Adult Male Rats Using a Modified Sucroseâ€Fading Paradigm. Alcoholism: Clinical and Experimental Research, 2008, 32, 1574-1582.	2.4	32
16	Chronic cocaine or ethanol exposure during adolescence alters novelty-related behaviors in adulthood. Pharmacology Biochemistry and Behavior, 2007, 86, 637-642.	2.9	31
17	Neurochemical effects of cocaine in adolescence compared to adulthood. Developmental Brain Research, 2005, 159, 119-125.	1.7	30
18	Reversal learning and experimenter-administered chronic intermittent ethanol exposure in male rats. Psychopharmacology, 2016, 233, 3615-3626.	3.1	29

CHERYL L KIRSTEIN

#	Article	IF	CITATIONS
19	The effects of repeated alcohol exposure on the neurochemistry of the periadolescent nucleus accumbens septi. NeuroReport, 1998, 9, 1359-1363.	1.2	22
20	Nicotine Administration Significantly Alters Accumbal Dopamine in the Adult but Not in the Adolescent Rat. Annals of the New York Academy of Sciences, 2004, 1021, 410-417.	3.8	19
21	Fetal Alcohol Syndrome: Early Olfactory Learning as a Model System to Study Neurobehavioral Deficits. International Journal of Neuroscience, 1997, 89, 119-132.	1.6	12
22	Stereotaxic localization of the developing nucleus accumbens septi. Developmental Brain Research, 2001, 130, 149-153.	1.7	11
23	Odor preferences in neonatal and weanling rats. Developmental Psychobiology, 1998, 33, 157-162.	1.6	8
24	Social Interaction With an Alcoholâ€Intoxicated or Cocaineâ€Injected Peer Selectively Alters Social Behaviors and Drinking in Adolescent Male and Female Rats. Alcoholism: Clinical and Experimental Research, 2019, 43, 2525-2535.	2.4	6
25	The effects of water-odor preference conditioning in the preadolescent nucleus accumbens septi. Developmental Psychobiology, 2001, 38, 46-55.	1.6	4
26	Cocaine-Induced Reinstatement of a Conditioned Place Preference in Developing Rats: Involvement of the D2 Receptor. Brain Sciences, 2012, 2, 573-588.	2.3	3
27	Chronic Ethanol Exposure during Adolescence Increases Voluntary Ethanol Consumption in Adulthood in Female Sprague Dawley Rats. Brain Sciences, 2020, 10, 900.	2.3	3
28	Localization of stereotaxic coordinates for the ventral tegmental area in early adolescent, mid-adolescent and adult rats. Brain Research, 2008, 1218, 215-223.	2.2	2