

Emmanuel Cuny

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/12205824/publications.pdf>

Version: 2024-02-01

19
papers

1,918
citations

516710

16
h-index

752698

20
g-index

20
all docs

20
docs citations

20
times ranked

2110
citing authors

#	ARTICLE	IF	CITATIONS
1	A Phase 2 Randomized Trial of Asleep versus Awake Subthalamic Nucleus Deep Brain Stimulation for Parkinson's Disease. <i>Stereotactic and Functional Neurosurgery</i> , 2021, 99, 230-240.	1.5	22
2	Long-term effects of anterior pallidal deep brain stimulation for tourette's syndrome. <i>Movement Disorders</i> , 2019, 34, 586-588.	3.9	16
3	Anterior pallidal deep brain stimulation for Tourette's syndrome: a randomised, double-blind, controlled trial. <i>Lancet Neurology</i> , The, 2017, 16, 610-619.	10.2	82
4	Short and Long Term Outcome of Bilateral Pallidal Stimulation in Chorea-Acanthocytosis. <i>PLoS ONE</i> , 2013, 8, e79241.	2.5	44
5	Is Deep Brain Stimulation Able to Make Antidepressants Effective in Resistant Obsessive-Compulsive Disorder?. <i>Biological Psychiatry</i> , 2012, 71, e43-e44.	1.3	3
6	The Mamillothalamic Tract Is a Good Landmark for the Anterior Border of the Subthalamic Nucleus on Axial MR Images. <i>Stereotactic and Functional Neurosurgery</i> , 2011, 89, 286-290.	1.5	10
7	Distinct striatal targets in treating obsessive-compulsive disorder and major depression. <i>Journal of Neurosurgery</i> , 2009, 111, 775-779.	1.6	86
8	Bilateral pallidal deep brain stimulation for the treatment of patients with dystonia-choreoathetosis cerebral palsy: a prospective pilot study. <i>Lancet Neurology</i> , The, 2009, 8, 709-717.	10.2	313
9	Lesions in the Associative Striatum Improve Obsessive-Compulsive Disorder. <i>Biological Psychiatry</i> , 2009, 65, e11-e13.	1.3	4
10	Neuronal Correlates of Obsessions in the Caudate Nucleus. <i>Biological Psychiatry</i> , 2008, 63, 557-562.	1.3	77
11	Provocation of obsessive-compulsive symptoms: a quantitative voxel-based meta-analysis of functional neuroimaging studies. <i>Journal of Psychiatry and Neuroscience</i> , 2008, 33, 405-12.	2.4	169
12	Statistical determination of the optimal subthalamic nucleus stimulation site in patients with Parkinson disease. <i>Journal of Neurosurgery</i> , 2007, 106, 101-110.	1.6	43
13	Effects of subthalamic nucleus deep brain stimulation and levodopa on energy production rate and substrate oxidation in Parkinson's disease. <i>British Journal of Nutrition</i> , 2005, 93, 191-198.	2.3	50
14	Deep Brain Stimulation for OCD and Major Depression. <i>American Journal of Psychiatry</i> , 2005, 162, 2192-2192.	7.2	83
15	Updated overview of the putative role of the serotonergic system in obsessive-compulsive disorder. <i>Neuropsychiatric Disease and Treatment</i> , 2005, 1, 231-43.	2.2	39
16	Deep brain stimulation of the ventral caudate nucleus in the treatment of obsessive-compulsive disorder and major depression. <i>Journal of Neurosurgery</i> , 2004, 101, 682-686.	1.6	306
17	Parkinson's disease patients with bilateral subthalamic deep brain stimulation gain weight. <i>Movement Disorders</i> , 2004, 19, 206-212.	3.9	113
18	Pathophysiology of obsessive-compulsive disorder. <i>Progress in Neurobiology</i> , 2004, 72, 195-221.	5.7	303

#	ARTICLE	IF	CITATIONS
19	Lack of agreement between direct magnetic resonance imaging and statistical determination of a subthalamic target: the role of electrophysiological guidance. <i>Journal of Neurosurgery</i> , 2002, 97, 591-597.	1.6	140