
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1316157/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Exploring the gateway hypothesis of e-cigarettes and tobacco: a prospective replication study among adolescents in the Netherlands and Flanders. Tobacco Control, 2023, 32, 170-178.	1.8	30
2	Secondhand Smoke Exposure in European Countries With Different Smoke-Free Legislation: Findings From the EUREST-PLUS ITC Europe Surveys. Nicotine and Tobacco Research, 2022, 24, 85-92.	1.4	5
3	Addiction and Recovery in Dutch Governmental and Practice-Level Drug Policy: What's the Problem Represented to be?. Journal of Drug Issues, 2022, 52, 547-567.	0.6	1
4	Are members of mutual aid groups better equipped for addiction recovery? European cross-sectional study into recovery capital, social networks, and commitment to sobriety. Drugs: Education, Prevention and Policy, 2021, 28, 389-398.	0.8	12
5	Instrumental Mentoring for Young Adults: A Multi-Method Study. Journal of Adolescent Research, 2021, 36, 398-424.	1.3	4
6	Reasons for (not) participating in a communityâ€based health promotion program for lowâ€income multiâ€problem households in the Netherlands: A qualitative study. Health and Social Care in the Community, 2021, 29, 241-249.	0.7	4
7	Is smoking an independent risk factor for developing cervical intra-epithelial neoplasia and cervical cancer? A systematic review and meta-analysis. Expert Review of Anticancer Therapy, 2021, 21, 781-794.	1.1	18
8	The Strengths and Barriers Recovery Scale (SABRS): Relationships Matter in Building Strengths and Overcoming Barriers. Frontiers in Psychology, 2021, 12, 663447.	1.1	20
9	How Financial Incentives Increase Smoking Cessation: A Two-Level Path Analysis. Nicotine and Tobacco Research, 2021, 23, 99-106.	1.4	15
10	†l (really) know what you mean'. Mechanisms of experiential peer support for young people with criminal behavior: a qualitative study. Journal of Crime and Justice, 2021, 44, 535-552.	0.7	6
11	Do e-cigarettes attract youths who are otherwise unlikely to use addictive substances? Cross-sectional analyses of Dutch and Flemish secondary school students. Tobacco Prevention and Cessation, 2021, 7, 1-14.	0.2	0
12	"l Need to Do This on My Own―Resilience and Self-Reliance in Urban At-Risk Youths. Deviant Behavior, 2020, 41, 1330-1345.	1.1	15
13	Costâ€effectiveness and cost–utility analysis of a workâ€place smoking cessation intervention with and without financial incentives. Addiction, 2020, 115, 534-545.	1.7	16
14	Quasi-experimentally examining the impact of introducing tobacco pictorial health warnings: Findings from the International Tobacco Control (ITC) 4C and Netherlands surveys in the Netherlands, Australia, Canada, United Kingdom, and the United States. Drug and Alcohol Dependence, 2020, 207, 107818.	1.6	7
15	Drinking until Intoxication: A Qualitative Study among Underage Adolescents Admitted to the Emergency Room. Alcoholism Treatment Quarterly, 2020, 38, 364-378.	0.5	Ο
16	Transitions in product use during the implementation of the European Tobacco Products Directive: cohort study findings from the EUREST-PLUS ITC Europe Surveys. European Journal of Public Health, 2020, 30, iii10-iii17.	0.1	5
17	Differences in smokers' awareness of the health risks of smoking before and after introducing pictorial tobacco health warnings: findings from the 2012–2017 international tobacco control (ITC) Netherlands surveys. BMC Public Health, 2020, 20, 512.	1.2	4
18	Transitions from and to roll-your-own tobacco, perceptions and health beliefs among smokers: findings from the EUREST-PLUS ITC Europe Surveys. European Journal of Public Health, 2020, 30, iii18-iii25.	0.1	4

#	Article	IF	CITATIONS
19	Awareness and correlates of noticing changes to cigarette packaging design after implementation of the European Tobacco Products Directive: findings from the EUREST-PLUS ITC Europe Surveys. European Journal of Public Health, 2020, 30, iii98-iii107.	0.1	4
20	Evaluating the impact of introducing standardized packaging with larger health-warning labels in England: findings from adult smokers within the EUREST-PLUS ITC Europe Surveys. European Journal of Public Health, 2020, 30, iii91-iii97.	0.1	13
21	Effectiveness of tobacco warning labels before and after implementation of the European Tobacco Products Directive—findings from the longitudinal EUREST-PLUS ITC Europe surveys. European Journal of Public Health, 2020, 30, iii84-iii90.	0.1	5
22	Comparing three stages of addiction recovery: long-term recovery and its relation to housing problems, crime, occupation situation, and substance use. Drugs: Education, Prevention and Policy, 2020, 27, 387-396.	0.8	32
23	Language and stigmatization of individuals with mental health problems or substance addiction in the Netherlands: An experimental vignette study. Health and Social Care in the Community, 2020, 28, 1504-1513.	0.7	11
24	Methods of the International Tobacco Control (ITC) EUREST-PLUS ITC Europe Surveys. European Journal of Public Health, 2020, 30, iii4-iii9.	0.1	21
25	How can vulnerable groups be recruited to participate in a community-based smoking cessation program and perceptions of effective elements: A qualitative study among participants and professionals. Tobacco Prevention and Cessation, 2020, 6, 1-9.	0.2	5
26	The Association of Peer Smoking Behavior and Social Support with Quit Success in Employees Who Participated in a Smoking Cessation Intervention at the Workplace. International Journal of Environmental Research and Public Health, 2019, 16, 2831.	1.2	24
27	Did E-Cigarette Users Notice the New European Union's E-Cigarette Legislation? Findings from the 2015–2017 International Tobacco Control (ITC) Netherlands Survey. International Journal of Environmental Research and Public Health, 2019, 16, 2917.	1.2	2
28	Experiential peer support and its effects on desistance from delinquent behavior: protocol paper for a systematic realist literature review. Systematic Reviews, 2019, 8, 119.	2.5	6
29	How the New European Union's (Pictorial) Tobacco Health Warnings Influence Quit Attempts and Smoking Cessation: Findings from the 2016–2017 International Tobacco Control (ITC) Netherlands Surveys. International Journal of Environmental Research and Public Health, 2019, 16, 4260.	1.2	2
30	Implementation of Financial Incentives for Successful Smoking Cessation in Real-Life Company Settings: A Qualitative Needs Assessment among Employers. International Journal of Environmental Research and Public Health, 2019, 16, 5135.	1.2	7
31	How Do Health and Social Networks Compare between Low-Income Multiproblem Households and the General Population?. International Journal of Environmental Research and Public Health, 2019, 16, 4967.	1.2	4
32	Does free or lower cost smoking cessation medication stimulate quitting? Findings from the International Tobacco Control (ITC) Netherlands and UK Surveys. Tobacco Control, 2019, 28, s61-s67.	1.8	6
33	The role of income and psychological distress in the relationship between work loss and smoking cessation: Findings from three International Tobacco Control (ITC) Europe countries. Tobacco Prevention and Cessation, 2019, 5, 42.	0.2	0
34	Construct and Predictive Validity of Three Measures of Intention to Quit Smoking: Findings From the International Tobacco Control (ITC) Netherlands Survey. Nicotine and Tobacco Research, 2018, 20, 1101-1108.	1.4	32
35	Over-Time Impacts of Pictorial Health Warning Labels and their Differences across Smoker Subgroups: Results from Adult Smokers in Canada and Australia. Nicotine and Tobacco Research, 2018, 20, 888-896.	1.4	29
36	Effect of a workplace-based group training programme combined with financial incentives on smoking cessation: a cluster-randomised controlled trial. Lancet Public Health, The, 2018, 3, e536-e544.	4.7	42

#	Article	IF	CITATIONS
37	REC-PATH (Recovery Pathways): Overview of a Four-Country Study of Pathways to Recovery from Problematic Drug Use. Alcoholism Treatment Quarterly, 2018, 36, 517-529.	0.5	28
38	Support for a point-of-sale cigarette display ban among smokers: findings from the international tobacco control (ITC) Netherlands survey. BMC Public Health, 2018, 18, 740.	1.2	2
39	Why Are New Tobacco Control Interventions Needed?. International Journal of Environmental Research and Public Health, 2018, 15, 658.	1.2	3
40	At-risk youths' self-sufficiency: The role of social capital and help-seeking orientation. Children and Youth Services Review, 2018, 91, 263-270.	1.0	14
41	â€~Secretly, it's a competition': a qualitative study investigating what helped employees quit smoking during a workplace smoking cessation group training programme with incentives. BMJ Open, 2018, 8, e023917.	0.8	10
42	A quasi-experimental study evaluating a health promotion program targeting healthy nutrition, physical activity and social network enhancement for low-income multi-problem households: study protocol. International Journal of Clinical Trials, 2018, 5, 132.	0.0	5
43	Quitting activity and use of cessation assistance reported by smokers in eight European countries: Findings from the EUREST-PLUS ITC Europe Surveys. Tobacco Induced Diseases, 2018, 16, .	0.3	31
44	The long road to smokefree bars in the Netherlands: findings from the ITC Netherlands Survey 2008-2016. Tobacco Induced Diseases, 2018, 16, .	0.3	0
45	Does free or lower cost smoking cessation medication stimulate quitting? Findings from the International Tobacco Control (ITC) Netherlands and United Kingdom Surveys. Tobacco Induced Diseases, 2018, 16, .	0.3	0
46	How economic recessions and unemployment affect illegal drug use: A systematic realist literature review. International Journal of Drug Policy, 2017, 44, 69-83.	1.6	102
47	Healthcare financing systems for increasing the use of tobacco dependence treatment. The Cochrane Library, 2017, 2017, CD004305.	1.5	94
48	Barriers and Facilitators for Health Behavior Change among Adults from Multi-Problem Households: A Qualitative Study. International Journal of Environmental Research and Public Health, 2017, 14, 1229.	1.2	18
49	Social Acceptance of Smoking Restrictions During 10 Years of Policy Implementation, Reversal, and Reenactment in the Netherlands: Findings From a National Population Survey. Nicotine and Tobacco Research, 2017, 19, 231-238.	1.4	4
50	Influences of Self-Efficacy, Response Efficacy, and Reactance on Responses to Cigarette Health Warnings: A Longitudinal Study of Adult Smokers in Australia and Canada. Health Communication, 2016, 31, 1517-1526.	1.8	80
51	Attrition analysed in five waves of a longitudinal yearly survey of smokers: findings from the ITC Netherlands survey. European Journal of Public Health, 2016, 26, 693-699.	0.1	25
52	E-cigarette advertisements, and associations with the use of e-cigarettes and disapproval or quitting of smoking: Findings from the International Tobacco Control (ITC) Netherlands Survey. International Journal of Drug Policy, 2016, 29, 73-79.	1.6	17
53	Inequalities in the Impact of National Reimbursement of Smoking Cessation Pharmacotherapy and the Influence of Injunctive Norms: An Explorative Study. Substance Abuse: Research and Treatment, 2016, 10, SART.S32225.	0.5	2
54	Prevalence of hardcore smoking in the Netherlands between 2001 and 2012: a test of the hardening hypothesis. BMC Public Health, 2016, 16, 754.	1.2	20

#	Article	IF	CITATIONS
55	Country Differences and Changes in Focus of Scientific Tobacco Control Publications between 2000 and 2012 in Europe. European Addiction Research, 2016, 22, 52-58.	1.3	8
56	Pictorial Cigarette Warning Labels: Effects of Severity and Likelihood of Risk Messages. Nicotine and Tobacco Research, 2016, 18, 1315-1323.	1.4	7
57	Educational differences in the impact of pictorial cigarette warning labels on smokers: findings from the International Tobacco Control (ITC) Europe surveys. Tobacco Control, 2016, 25, 325-332.	1.8	20
58	Trends and socioeconomic differences in policy triggers for thinking about quitting smoking: Findings from the International Tobacco Control (ITC) Europe Surveys. Drug and Alcohol Dependence, 2015, 155, 154-162.	1.6	8
59	Socioeconomic inequalities in adolescent smoking across 35 countries: a multilevel analysis of the role of family, school and peers. European Journal of Public Health, 2015, 25, 457-463.	0.1	82
60	Do smokers support smoke-free laws to help themselves quit smoking? Findings from a longitudinal study. Tobacco Control, 2015, 24, 233-237.	1.8	18
61	Educational differences in associations of noticing anti-tobacco information with smoking-related attitudes and quit intentions: findings from the International Tobacco Control Europe Surveys. Health Education Research, 2015, 30, 719-730.	1.0	8
62	Effectiveness of a national reimbursement policy and accompanying media attention on use of cessation treatment and on smoking cessation: a real-world study in the Netherlands. Tobacco Control, 2015, 24, 455-461.	1.8	14
63	Trends and socioeconomic differences in roll-your-own tobacco use: findings from the ITC Europe Surveys. Tobacco Control, 2015, 24, iii11-iii16.	1.8	36
64	The U.S. National <i>Tips From Former Smokers</i> Antismoking Campaign. Health Education and Behavior, 2015, 42, 480-486.	1.3	43
65	Was the media campaign that supported Australia's new pictorial cigarette warning labels and plain packaging policy associated with more attention to and talking about warning labels?. Addictive Behaviors, 2015, 49, 64-67.	1.7	12
66	Prevalence and reasons for use of electronic cigarettes among smokers: Findings from the International Tobacco Control (ITC) Netherlands Survey. International Journal of Drug Policy, 2015, 26, 601-608.	1.6	57
67	Population Support Before and After the Implementation of Smoke-Free Laws in the United States: Trends From 1992–2007. Nicotine and Tobacco Research, 2015, 17, 350-355.	1.4	5
68	The Association Between Tobacco Control Policy and Educational Inequalities in Smoking Cessation in the Netherlands from 1988 Through 2011. Nicotine and Tobacco Research, 2015, 17, 1369-1376.	1.4	13
69	Public Health Effects of Restricting Retail Tobacco Product Displays and Ads. Tobacco Regulatory Science (discontinued), 2015, 1, 61-75.	0.2	25
70	Socioeconomic and country variations in cross-border cigarette purchasing as tobacco tax avoidance strategy. Findings from the ITC Europe Surveys. Tobacco Control, 2014, 23, i30-i38.	1.8	32
71	Which smoking cessation aids are proven effective according to smokers who want to quit smoking? A report from the Netherlands: TableÂ1. Tobacco Control, 2014, 23, 525-526.	1.8	6
72	Widening educational inequalities in adolescent smoking following national tobacco control policies in the <scp>N</scp> etherlands in 2003: a time–series analysis. Addiction, 2014, 109, 1750-1759.	1.7	24

#	Article	IF	CITATIONS
73	Mediational pathways of the impact of cigarette warning labels on quit attempts Health Psychology, 2014, 33, 1410-1420.	1.3	102
74	â€~lk wed dat ik het kan!' – Bereik en effect van een televisieprogramma over stoppen met roken bij laag-, middelbaar en hoogopgeleide rokers. TSC: Tijdschrift Voor Gezondheidswetenschappen, 2014, 92, 84-92.	0.1	0
75	Associations between tobacco control policy awareness, social acceptability of smoking and smoking cessation. Findings from the International Tobacco Control (ITC) Europe Surveys. Health Education Research, 2014, 29, 72-82.	1.0	29
76	Are there income differences in the impact of a national reimbursement policy for smoking cessation treatment and accompanying media attention? Findings from the International Tobacco Control (ITC) Netherlands Survey. Drug and Alcohol Dependence, 2014, 140, 183-190.	1.6	7
77	Als de inspecteurs slapen. Tijdschrift Voor Toezicht, 2014, 5, .	0.1	2
78	Behavioural and psychological responses of lower educated smokers to the smoke-free legislation in Dutch hospitality venues: A qualitative study. Psychology and Health, 2013, 28, 49-66.	1.2	7
79	Impact of national smoke-free legislation on home smoking bans: findings from the International Tobacco Control Policy Evaluation Project Europe Surveys. Tobacco Control, 2013, 22, e2-e9.	1.8	118
80	Understanding Smokers' Motivations to Use Evidence-based Smoking Cessation Aids. Nicotine and Tobacco Research, 2013, 15, 167-176.	1.4	18
81	Age and educational inequalities in smoking cessation due to three population-level tobacco control interventions: findings from the International Tobacco Control (ITC) Netherlands Survey. Health Education Research, 2013, 28, 83-91.	1.0	19
82	Evaluating the Effectiveness of France's Indoor Smoke-Free Law 1 Year and 5 Years after Implementation: Findings from the ITC France Survey. PLoS ONE, 2013, 8, e66692.	1.1	32
83	Evaluation of the smoking ban in public places in France one year and five years after its implementation: Findings from the ITC France survey. Bulletin Epidemiologique Hebdomadaire, 2013, 20, 217-223.	0.0	6
84	The influence of newspaper coverage and a media campaign on smokers' support for smoke-free bars and restaurants and on secondhand smoke harm awareness: findings from the International Tobacco Control (ITC) Netherlands Survey. Tobacco Control, 2012, 21, 24-29.	1.8	43
85	Pathways of Change Explaining the Effect of Smoke-Free Legislation on Smoking Cessation in the Netherlands. An Application of the International Tobacco Control Conceptual Model. Nicotine and Tobacco Research, 2012, 14, 1474-1482.	1.4	33
86	Predictors of car smoking rules among smokers in France, Germany and the Netherlands. European Journal of Public Health, 2012, 22, 17-22.	0.1	16
87	Comprehensive smoke-free policies attract more support from smokers in Europe than partial policies. European Journal of Public Health, 2012, 22, 10-16.	0.1	48
88	Comparative impact of smoke-free legislation on smoking cessation in three European countries. European Journal of Public Health, 2012, 22, 4-9.	0.1	45
89	Trends in socioeconomic inequalities in smoking prevalence, consumption, initiation, and cessation between 2001 and 2008 in the Netherlands. Findings from a national population survey. BMC Public Health, 2012, 12, 303.	1.2	105
90	Concern about passive smoking and tobacco control policies in European countries: An ecological study. BMC Public Health, 2012, 12, 876.	1.2	20

#	Article	IF	CITATIONS
91	Does smoke-free legislation and smoking outside bars increase feelings of stigmatization among smokers? Findings from the International Tobacco Control (ITC) Netherlands Survey. Health and Place, 2012, 18, 1436-1440.	1.5	3
92	Effectiveness of the European Union text-only cigarette health warnings: findings from four countries. European Journal of Public Health, 2012, 22, 693-699.	0.1	31
93	The effect of tobacco control policies on smoking prevalence and smokingâ€attributable deaths. Findings from the Netherlands SimSmoke Tobacco Control Policy Simulation Model. Addiction, 2012, 107, 407-416.	1.7	64
94	The population impact of smokeâ€free workplace and hospitality industry legislation on smoking behaviour. Findings from a national population survey. Addiction, 2011, 106, 816-823.	1.7	55
95	Prevalence and predictors of smoking in "smoke-free―bars. Findings from the International Tobacco Control (ITC) Europe Surveys. Social Science and Medicine, 2011, 72, 1643-1651.	1.8	45
96	ls web interviewing a good alternative to telephone interviewing? Findings from the International Tobacco Control (ITC) Netherlands Survey. BMC Public Health, 2010, 10, 351.	1.2	54