

Recep DemirbaÄ

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1356103/publications.pdf>

Version: 2024-02-01

96
papers

5,030
citations

304368

22
h-index

91712

69
g-index

103
all docs

103
docs citations

103
times ranked

6502
citing authors

#	ARTICLE	IF	CITATIONS
1	2014 ESC Guidelines on the diagnosis and treatment of aortic diseases. <i>European Heart Journal</i> , 2014, 35, 2873-2926.	1.0	3,549
2	Relationship between DNA damage, total antioxidant capacity and coronary artery disease. <i>Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis</i> , 2005, 570, 197-203.	0.4	93
3	Paraoxonase and arylesterase activities in coronary artery disease. <i>European Journal of Clinical Investigation</i> , 2006, 36, 779-787.	1.7	76
4	Influence of oxidative stress on the development of collateral circulation in total coronary occlusions. <i>International Journal of Cardiology</i> , 2007, 116, 14-19.	0.8	68
5	Impact of Chronic Obstructive Pulmonary Disease with Pulmonary Hypertension on Both Left Ventricular Systolic and Diastolic Performance. <i>Journal of the American Society of Echocardiography</i> , 2005, 18, 873-881.	1.2	58
6	The relation of serum thiol levels and thiol/disulphide homeostasis with the severity of coronary artery disease. <i>Kardiologia Polska</i> , 2016, 74, 1346-1353.	0.3	58
7	DNA damage in metabolic syndrome and its association with antioxidative and oxidative measurements. <i>International Journal of Clinical Practice</i> , 2006, 60, 1187-1193.	0.8	57
8	The association of serum prolidase activity with the presence and severity of coronary artery disease. <i>Coronary Artery Disease</i> , 2008, 19, 319-325.	0.3	53
9	P-wave dispersion in patients with stable coronary artery disease and its relationship with severity of the disease. <i>Journal of Electrocardiology</i> , 2005, 38, 279-284.	0.4	52
10	The association of total antioxidant capacity with sex hormones. <i>Scandinavian Cardiovascular Journal</i> , 2005, 39, 172-176.	0.4	52
11	Association of paraoxonase activity and coronary blood flow. <i>Atherosclerosis</i> , 2008, 197, 257-263.	0.4	50
12	Serum prolidase activity in patients with hypertension and its relation with left ventricular hypertrophy. <i>Clinical Biochemistry</i> , 2007, 40, 1020-1025.	0.8	49
13	Association of serum uric acid level and coronary blood flow. <i>Coronary Artery Disease</i> , 2007, 18, 607-613.	0.3	41
14	Lymphocyte DNA damage in patients with acute coronary syndrome and its relationship with severity of acute coronary syndrome. <i>Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis</i> , 2005, 578, 298-307.	0.4	39
15	The relationship between potency of oxidative stress and severity of dilated cardiomyopathy. <i>Canadian Journal of Cardiology</i> , 2005, 21, 851-5.	0.8	36
16	The Turkish registry of heart valve disease. <i>Türk Kardiyoloji Dernegi Arsivi</i> , 2013, 41, 1-10.	0.6	35
17	The importance of frontal QRS-T angle for predicting non-dipper status in hypertensive patients without left ventricular hypertrophy. <i>Clinical and Experimental Hypertension</i> , 2018, 40, 318-323.	0.5	33
18	The Inverse Relationship Between Thoracic Aortic Intima Media Thickness and Testosterone Level. <i>Endocrine Research</i> , 2005, 31, 335-344.	0.6	28

#	ARTICLE	IF	CITATIONS
19	Paraoxonase and arylesterase activities in patients with cardiac syndrome X, and their relationship with oxidative stress markers. <i>Coronary Artery Disease</i> , 2007, 18, 89-95.	0.3	27
20	Paraoxonase and arylesterase activities in untreated dipper and non-dipper hypertensive patients. <i>Clinical Biochemistry</i> , 2008, 41, 779-784.	0.8	27
21	The association of elasticity indexes of ascending aorta and the presence and the severity of coronary artery disease. <i>Coronary Artery Disease</i> , 2008, 19, 311-317.	0.3	26
22	Relation of Serum Uric Acid Levels With the Presence and Severity of Angiographic Coronary Artery Disease. <i>Angiology</i> , 2008, 59, 166-171.	0.8	23
23	Evaluation of thiol levels, thiol/disulfide homeostasis and their relation with inflammation in cardiac syndrome X. <i>Coronary Artery Disease</i> , 2016, 27, 295-301.	0.3	22
24	Intrapericardial Streptokinase for Purulent Pericarditis. <i>Surgery Today</i> , 2004, 34, 569-572.	0.7	21
25	Unidirectional communication between the circumflex and right coronary arteries: a very rare coronary anomaly and cause of ischemia. <i>International Journal of Cardiovascular Imaging</i> , 2006, 22, 339-342.	0.7	20
26	Relationship Between Plasma Total Antioxidant Capacity and Thoracic Aortic Intima-Media Thickness. <i>Echocardiography</i> , 2006, 23, 183-188.	0.3	17
27	Increased lymphocyte deoxyribonucleic acid damage in patients with cardiac syndrome X. <i>Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis</i> , 2007, 617, 8-15.	0.4	17
28	Association of Prolidase Activity, Oxidative Parameters, and Presence of Atrial Fibrillation in Patients with Mitral Stenosis. <i>Archives of Medical Research</i> , 2008, 39, 519-524.	1.5	16
29	Effects of treadmill exercise test on oxidative/antioxidative parameters and DNA damage. <i>Anatolian Journal of Cardiology</i> , 2006, 6, 135-40.	0.4	16
30	Association of Stage of Left Ventricular Diastolic Dysfunction with P Wave Dispersion and Occurrence of Atrial Fibrillation after First Acute Anterior Myocardial Infarction. <i>Annals of Noninvasive Electrocardiology</i> , 2004, 9, 330-338.	0.5	15
31	Relationship between impaired elastic properties of aorta with left ventricle geometric patterns and left ventricle diastolic functions in patients with newly diagnosed essential hypertension. <i>International Journal of Clinical Practice</i> , 2006, 60, 1357-1363.	0.8	15
32	Effects of statin use on total oxidant and antioxidant capacity and ceruloplasmin activity. <i>Clinical and Investigative Medicine</i> , 2010, 33, 313.	0.3	15
33	Evaluation of Pulmonary Artery Stiffness in Patients with Obstructive Sleep Apnea Syndrome. <i>Echocardiography</i> , 2016, 33, 362-371.	0.3	14
34	Effects of Ramadan fasting on body composition and arterial stiffness. <i>JPMA the Journal of the Pakistan Medical Association</i> , 2016, 66, 1522-1527.	0.1	14
35	The Association of QT Dispersion and QT Dispersion Ratio with Extent and Severity of Coronary Artery Disease. <i>Annals of Noninvasive Electrocardiology</i> , 2006, 11, 43-51.	0.5	13
36	Association of paraoxonase activity and coronary collateral flow. <i>Coronary Artery Disease</i> , 2008, 19, 441-447.	0.3	13

#	ARTICLE	IF	CITATIONS
37	Relationship between left ventricle geometric patterns and lymphocyte DNA damage in patients with untreated essential hypertension. <i>Clinical Biochemistry</i> , 2007, 40, 454-459.	0.8	12
38	Large atherosclerotic plaque related severe right coronary artery dissection during coronary angiography. <i>International Journal of Cardiovascular Imaging</i> , 2006, 22, 321-325.	0.7	11
39	Effect of Coronary Angiography on Oxidative DNA Damage Observed in Circulating Lymphocytes. <i>Angiology</i> , 2007, 58, 141-147.	0.8	11
40	Relationship between myocardial performance index and aortic distensibility in patients with essential hypertension. <i>International Journal of Clinical Practice</i> , 2007, 62, 138-142.	0.8	11
41	Lymphocyte DNA damage is associated with increased aortic intima-media thickness. <i>Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis</i> , 2007, 617, 111-118.	0.4	11
42	Biventricular myocardial noncompaction presenting with complete atrioventricular block. <i>International Journal of Cardiology</i> , 2009, 132, e34-e36.	0.8	11
43	Thymosin beta 4 is associated with collateral development in coronary artery disease. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2011, 71, 625-630.	0.6	11
44	Serum paraoxonase-1 activity in children: the effects of obesity and insulin resistance. <i>Acta Cardiologica</i> , 2014, 69, 679-685.	0.3	11
45	Relationships between paroxysmal atrial fibrillation, total oxidant status, and DNA damage. <i>Revista Portuguesa De Cardiologia</i> , 2021, 40, 5-10.	0.2	11
46	Coronary Endarterectomy with Beating Heart in Patients with Diffuse Atheromatous Coronary Artery Disease and Poor Ventricular Function: Early and Midterm Results. <i>Heart Surgery Forum</i> , 2005, 8, E124-E128.	0.2	11
47	The relationship between fragmented QRS and non-dipper status in hypertensive patients without left ventricular hypertrophy. <i>Clinical and Experimental Hypertension</i> , 2017, 39, 680-684.	0.5	10
48	The Relationship Between Plasma C-Reactive Protein Levels and Presence and Severity of Coronary Stenosis in Patients With Stable Angina. <i>Angiology</i> , 2007, 58, 657-662.	0.8	9
49	N-terminal pro-brain natriuretic peptide in cases with metabolic syndrome and its relationship with components of metabolic syndrome and left ventricular mass index. <i>Clinical Biochemistry</i> , 2009, 42, 1500-1503.	0.8	9
50	Effects of the shape of coronary arteries on the presence, extent, and severity of their disease. <i>Heart and Vessels</i> , 2005, 20, 224-229.	0.5	8
51	A case of successful six consecutive deliveries in a 41-year-old woman with Uhl's anomaly. <i>International Journal of Cardiology</i> , 2003, 87, 283-285.	0.8	7
52	Clinical and echocardiographic predictors of left atrial appendage dysfunction in patients with mitral stenosis in sinus rhythm. <i>Journal of the American Society of Echocardiography</i> , 2004, 17, 819-823.	1.2	7
53	Relation between P-wave dispersion and left ventricular geometric patterns in newly diagnosed essential hypertension. <i>Journal of Electrocardiology</i> , 2008, 41, 54.e1-54.e6.	0.4	7
54	C-Reactive Protein/Albumin Ratio as a Novel Predictor of Contrast Induced Nephropathy in Patients With Stable Angina Pectoris. <i>Angiology</i> , 2023, 74, 189-196.	0.8	7

#	ARTICLE	IF	CITATIONS
55	Relationship between Slow Coronary Flow and Left Atrial Appendage Blood Flow Velocities. <i>Echocardiography</i> , 2007, 24, 9-13.	0.3	6
56	Association of aortic flow propagation velocity with ankle/brachial blood pressure-index in patients with hypertension: an observational study. <i>Anatolian Journal of Cardiology</i> , 2012, 12, 568-73.	0.4	6
57	Association between the No-Reflow Phenomenon and Soluble CD40 Ligand Level in Patients with Acute ST-Segment Elevation Myocardial Infarction. <i>Medicina (Lithuania)</i> , 2019, 55, 376.	0.8	6
58	Relation of elastic properties of pulmonary artery with left ventricular abnormalities and aortic stiffness in patients with moderate to severe obstructive sleep apnea: A cross-sectional echocardiographic study. <i>Türk Kardiyoloji Dernegi Arsivi</i> , 2016, 44, 289-99.	0.6	6
59	Echocardiographic Diagnosis of a Right Coronary Artery-Coronary Sinus Fistula. <i>International Journal of Cardiovascular Imaging</i> , 2005, 21, 649-654.	0.7	5
60	Serum prolidase activity in patients with left ventricular diastolic dysfunction. <i>Acta Cardiologica</i> , 2015, 70, 51-57.	0.3	5
61	Turkish Registry for Diagnosis and Treatment of Acute Heart Failure: TAKTIK Study. <i>Türk Kardiyoloji Dernegi Arsivi</i> , 2016, 44, 637-646.	0.6	5
62	High aortic pulse-wave velocity may be responsible for elevated red blood cell distribution width in overweight and obese people: a community-based, cross-sectional study. <i>Cardiovascular Journal of Africa</i> , 2016, 27, 246-251.	0.2	5
63	Multiple spontaneous coronary artery dissection presenting in association with coronary ectasia. <i>European Journal of Cardio-thoracic Surgery</i> , 2009, 35, 907-907.	0.6	4
64	The high dose unfractionated heparin is related to less radial artery occlusion rates after diagnostic cardiac catheterisation: a single centre experience. <i>Acta Cardiologica</i> , 2021, 76, 168-174.	0.3	4
65	ST-T changes in patients with acute ischemic stroke. <i>International Journal of Cardiology</i> , 2009, 133, 397.	0.8	3
66	Diagnosis of the left circumflex coronary artery fistula drainage into the left ventricle by echocardiographic color Doppler flow imaging. <i>International Journal of Cardiology</i> , 2009, 134, e85-e86.	0.8	3
67	Paraoxonase and arylesterase activities in stent restenosis in bare metal stent. <i>Coronary Artery Disease</i> , 2011, 22, 289-293.	0.3	3
68	Association of Meteorological Variables and Coronary Blood Flow. <i>Clinical and Applied Thrombosis/Hemostasis</i> , 2015, 21, 570-578.	0.7	3
69	Inferior vena cava assessment can predict contrast-induced nephropathy in patients undergoing cardiac catheterization: A single-center prospective study. <i>Echocardiography</i> , 2018, 35, 1915-1921.	0.3	3
70	Effect of anemia on the frontal QRS-T angle. <i>Minerva Cardiology and Angiology</i> , 2021, 69, 36-42.	0.4	3
71	Systolic Compression of Anomalous Large Septal Branch: an Unusual Cause of Myocardial Ischemia. <i>International Journal of Cardiovascular Imaging</i> , 2005, 21, 487-490.	0.7	2
72	Recurrent Pulmonary Microemboli Secondary to Primary Cardiac Hydatidosis. <i>Heart Lung and Circulation</i> , 2007, 16, 457-459.	0.2	2

#	ARTICLE	IF	CITATIONS
73	Mean platelet volume is not associated with coronary slow flow: A retrospective cohort study. <i>Anatolian Journal of Cardiology</i> , 2015, 15, 18-24.	0.4	2
74	Mean platelet volume in acute coronary syndrome. <i>Indian Heart Journal</i> , 2015, 67, 409-410.	0.2	2
75	Using the D-dimer test in infective endocarditis. <i>Türk Kardiyoloji Dernegi Arsivi</i> , 2013, 41, 595-597.	0.6	2
76	Atrial fibrillation due to licorice root syrup. <i>Türk Kardiyoloji Dernegi Arsivi</i> , 2016, 44, 237-9.	0.6	2
77	The diagnosis of patent ductus arteriosus with Eisenmenger's syndrome by three-dimensional computed tomography: A case report. <i>International Journal of Cardiology</i> , 2005, 105, 96-97.	0.8	1
78	What seals the inflammation in acute coronary syndromes?. <i>International Journal of Cardiology</i> , 2009, 135, 107.	0.8	1
79	Multivesicular intrapericardial hydatidosis. <i>European Journal of Cardio-thoracic Surgery</i> , 2011, 39, 605-605.	0.6	1
80	The relationship between the existence of angiographic coronary artery calcification and the severity of coronary artery disease. <i>Postepy W Kardiologii Interwencyjnej</i> , 2012, 2, 91-95.	0.1	1
81	Investigation of Aortic Elastic Parameters [Aortic Distensibility and Aortic Strain] and Aorta Propagation Velocity in the Coronary Ectasia Patients with or without Critical Coronary Artery Disease. <i>Journal of the American College of Cardiology</i> , 2013, 62, C11.	1.2	1
82	Relationships between paroxysmal atrial fibrillation, total oxidant status, and DNA damage. <i>Revista Portuguesa De Cardiologia (English Edition)</i> , 2021, 40, 5-10.	0.2	1
83	Cardiac autonomic dysfunction and inflammation in type 1 diabetic patients. <i>European Heart Journal</i> , 2007, 28, 2041-2041.	1.0	0
84	Acute chromosomal DNA damage after radiation exposure. <i>European Heart Journal</i> , 2007, 28, 2688-2689.	1.0	0
85	N-terminal pro-brain natriuretic peptide and coronary artery stenosis. <i>European Journal of Clinical Investigation</i> , 2007, 37, 596-596.	1.7	0
86	Rare coronary artery anomaly: left circumflex coronary artery fistula draining into the pulmonary artery. <i>Cardiovascular Revascularization Medicine</i> , 2008, 9, 182-183.	0.3	0
87	The large and multiple spontaneous coronary artery dissections of a 54-year-old man. <i>European Journal of Cardio-thoracic Surgery</i> , 2008, 34, 453-453.	0.6	0
88	De Novo Arteriovenous Fistula as a Cause of Secondary Hypertension. <i>Eurasian Journal of Medicine</i> , 2010, 42, 164-164.	0.2	0
89	PP-046 ASSOCIATION OF CORONARY ARTERY CALCIFICATION AND SERUM PROLIDASE ACTIVITY. <i>International Journal of Cardiology</i> , 2010, 140, S55.	0.8	0
90	Global Left Ventricle Myocardial Deformation Observed by Four-Dimensional Echocardiographic Evaluation was Impaired in Patients with Vitamin B12 Deficiency and Normal Conventional Echocardiographic Findings. <i>Journal of the American College of Cardiology</i> , 2013, 62, C1.	1.2	0

#	ARTICLE	IF	CITATIONS
91	Eggshell-Like Appearance Around the Heart Mimicking Left Ventricular Mass. <i>Circulation</i> , 2013, 127, e660-2.	1.6	0
92	A very rare coronary artery anomaly, intercoronary communication, that may be lucky for some patients. <i>Revista Portuguesa De Cardiologia (English Edition)</i> , 2015, 34, 709-710.	0.2	0
93	A very rare coronary artery anomaly, intercoronary communication, that may be lucky for some patients. <i>Revista Portuguesa De Cardiologia</i> , 2015, 34, 709-710.	0.2	0
94	A curable cause of hypertension: renal artery pseudoaneurysm. <i>Wiener Klinische Wochenschrift</i> , 2015, 127, 893-895.	1.0	0
95	One of every three cases of infective endocarditis followed in our center is <i>Brucella</i> endocarditis. <i>Gaziantep Medical Journal</i> , 2013, 19, 103.	0.2	0
96	Preoperative Evaluation Before Non-Cardiac Surgery in Patients with Percutaneous Coronary Intervention: Review. <i>Turkiye Klinikleri Journal of Medical Sciences</i> , 2015, 35, 118-124.	0.1	0