

Hueih-Ling Ong

List of Publications by Citations

Source: <https://exaly.com/author-pdf/14262/hueih-ling-ong-publications-by-citations.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

8

papers

31

citations

3

h-index

5

g-index

9

ext. papers

48

ext. citations

2.2

avg, IF

1.93

L-index

#	Paper	IF	Citations
8	Predictive factors of adverse events after intravesical suburothelial onabotulinumtoxin A injections for overactive bladder syndrome-A real-life practice of 290 cases in a single center. <i>Neurourology and Urodynamics</i> , 2017 , 36, 142-147	2.3	16
7	Female bladder neck dysfunction-A video-urodynamic diagnosis among women with voiding dysfunction. <i>LUTS: Lower Urinary Tract Symptoms</i> , 2020 , 12, 278-284	1.9	3
6	Predictive Factors for a Satisfactory Treatment Outcome with Intravesical Botulinum Toxin A Injection in Patients with Interstitial Cystitis/Bladder Pain Syndrome. <i>Toxins</i> , 2019 , 11,	4.9	3
5	Bladder dysfunction does not affect long-term success rate of the retropubic suburethral sling procedure in women with stress urinary incontinence. <i>LUTS: Lower Urinary Tract Symptoms</i> , 2019 , 11, O168-O173	1.9	3
4	Repeat retropubic suburethral sling procedure is effective for recurrent female stress urinary incontinence. <i>LUTS: Lower Urinary Tract Symptoms</i> , 2019 , 11, O89-O92	1.9	3
3	Long-term Combination Therapy With α -Blockers and 5 α -Reductase Inhibitors in Benign Prostatic Hyperplasia: Patient Adherence and Causes of Withdrawal From Medication. <i>International Neurourology Journal</i> , 2016 , 20, 356-362	2.6	2
2	Urothelial dysfunction and sensory protein expressions in patients with urological or systemic diseases and hypersensitive bladder. <i>Urological Science</i> , 2017 , 28, 128-134	0.3	1
1	Therapeutic efficacy of mirabegron 25 mg monotherapy in patients with nocturia-predominant hypersensitive bladder. <i>Tzu Chi Medical Journal</i> , 2020 , 32, 30-35	1.1	