## Dani Kerem

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1450853/publications.pdf

Version: 2024-02-01

22 526 11 21 g-index

22 22 22 22 778

22 22 778
all docs docs citations times ranked citing authors

#	Article	IF	CITATIONS
1	Common dolphins, common in neritic waters off southern Israel, demonstrate uncommon dietary habits. Aquatic Conservation: Marine and Freshwater Ecosystems, 2021, 31, 15-21.	2.0	10
2	Respiration Rates, Metabolic Demands and Feeding of Ephyrae and Young Medusae of the Rhizostome Rhopilema nomadica. Diversity, 2021, 13, 320.	1.7	2
3	Rough-Toothed Dolphin Steno bredanensis Lesson, 1828. Handbook of the Mammals of Europe, 2020, , 1-30.	0.3	O
4	Benthic macro-faunal abundance and diversity and sediment distribution in Akhziv submarine canyon and the adjacent slope (eastern Levant Basin, Mediterranean Sea). Mediterranean Marine Science, 2019, 20, 521.	1.6	3
5	Assessing cetacean surveys throughout the Mediterranean Sea: a gap analysis in environmental space. Scientific Reports, 2018, 8, 3126.	3.3	47
6	Whale and dolphin behavioural responses to dead conspecifics. Zoology, 2018, 128, 1-15.	1.2	47
7	The Rough-Toothed Dolphin, Steno bredanensis, in the Eastern Mediterranean Sea. Advances in Marine Biology, 2016, 75, 233-258.	1.4	10
8	Trace elements in striped dolphins ( Stenella coeruleoalba ) from the Eastern Mediterranean: A 10-years perspective. Marine Pollution Bulletin, 2016, 109, 624-632.	5.0	15
9	Trace elements in tissues of cetacean species rarely stranded along the Israeli Mediterranean coast. Marine Pollution Bulletin, 2014, 83, 376-382.	5.0	23
10	Early physical maturation of female common bottlenose dolphin Tursiops truncatus in the eastern Levantine Basin. Israel Journal of Ecology and Evolution, 2013, 59, 154-162.	0.6	6
11	Identified fish remains regurgitated by a solitary Indian Ocean Bottlenose Dolphin, <i>Tursiops aduncus, </i> in the Gulf of Aqaba (Mammalia: Delphinidae). Zoology in the Middle East, 2009, 46, 19-28.	0.6	8
12	Laryngeal Snaring by Ingested Fishing Net in a Common Bottlenose Dolphin (Tursiops truncatus) Off the Israeli Shoreline. Journal of Wildlife Diseases, 2009, 45, 834-838.	0.8	28
13	Persistent organochlorine pollutants and heavy metals in tissues of common bottlenose dolphin (Tursiops truncatus) from the Levantine Basin of the Eastern Mediterranean. Chemosphere, 2009, 77, 621-627.	8.2	34
14	Radiation and speciation of pelagic organisms during periods of global warming: the case of the common minke whale, Balaenoptera acutorostrata. Molecular Ecology, 2007, 16, 1481-1495.	3.9	83
15	Forecasting epilepsy from the heart rate signal. Medical and Biological Engineering and Computing, 2005, 43, 230-239.	2.8	57
16	Heavy metal levels in bottlenose and striped dolphins off the Mediterranean coast of Israel. Marine Pollution Bulletin, 2003, 46, 503-512.	5.0	69
17	SIGHTING OF A SINGLE HUMPBACK DOLPHIN (SOUSA SP.) ALONG THE MEDITERRANEAN COAST OF ISRAEL. Marine Mammal Science, 2001, 17, 170-171.	1.8	11
18	CETACEANS FROM THE ISRAELI COAST OF THE MEDITERRANEAN SEA. Israel Journal of Zoology, 2000, 46, 143-147.	0.2	11

#	Article	IF	CITATIONS
19	Effect of Accumulation of CO2 on the Survival of Immature Pigs in a Confined Atmosphere. B: Blood Gas Exchange. Journal of Basic and Clinical Physiology and Pharmacology, 1995, 6, 1-18.	1.3	7
20	The effect of carbamazepine and ethosuximide on hyperoxic seizures. Epilepsy Research, 1991, 8, 117-121.	1.6	13
21	Vestibulo-Ocular Reflex as a Parameter of Seasickness Susceptibility. Annals of Otology, Rhinology and Laryngology, 1990, 99, 131-136.	1.1	33
22	Pulmonary oxygen toxicity: Lack of tolerance of mice of various ages. Biochemical and Biophysical Research Communications, 1981, 101, 1193-1199.	2.1	9