Peter Langhorne

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1525884/publications.pdf

Version: 2024-02-01

98 papers 8,773 citations

33 h-index 49909 87 g-index

99 all docs 99 docs citations 99 times ranked 12156 citing authors

#	Article	IF	CITATIONS
1	Stroke rehabilitation. Lancet, The, 2011, 377, 1693-1702.	13.7	1,961
2	Global and regional effects of potentially modifiable risk factors associated with acute stroke in 32 countries (INTERSTROKE): a case-control study. Lancet, The, 2016, 388, 761-775.	13.7	1,414
3	Comprehensive geriatric assessment for older adults admitted to hospital. , 2011, , CD006211.		518
4	Interventions for improving upper limb function after stroke. The Cochrane Library, 2014, 2014, CD010820.	2.8	448
5	Comprehensive geriatric assessment for older adults admitted to hospital. The Cochrane Library, 2017, 2017, CD006211.	2.8	383
6	Thyroid Hormone Therapy for Older Adults with Subclinical Hypothyroidism. New England Journal of Medicine, 2017, 376, 2534-2544.	27.0	366
7	Comprehensive geriatric assessment for older hospital patients. British Medical Bulletin, 2005, 71, 45-59.	6.9	281
8	Dealing with missing standard deviation and mean values in meta-analysis of continuous outcomes: a systematic review. BMC Medical Research Methodology, 2018, 18, 25.	3.1	226
9	Prespecified dose-response analysis for A Very Early Rehabilitation Trial (AVERT). Neurology, 2016, 86, 2138-2145.	1.1	170
10	Routine protein energy supplementation in adults: systematic review. BMJ: British Medical Journal, 1998, 317, 495-501.	2.3	155
11	Test Accuracy of Cognitive Screening Tests for Diagnosis of Dementia and Multidomain Cognitive Impairment in Stroke. Stroke, 2014, 45, 3008-3018.	2.0	149
12	Early supported discharge services for people with acute stroke. The Cochrane Library, 2017, 2017, CD000443.	2.8	133
13	A Consensus on Stroke. Stroke, 2011, 42, 1392-1397.	2.0	128
14	Very Early Rehabilitation or Intensive Telemetry after Stroke: A Pilot Randomised Trial. Cerebrovascular Diseases, 2010, 29, 352-360.	1.7	124
15	Domiciliary occupational therapy for patients with stroke discharged from hospital: randomised controlled trial. BMJ: British Medical Journal, 2000, 320, 603-606.	2.3	116
16	Applicability of stroke-unit care to low-income and middle-income countries. Lancet Neurology, The, 2012, 11, 341-348.	10.2	109
17	A Very Early Rehabilitation Trial after stroke (AVERT): a Phase III, multicentre, randomised controlled trial. Health Technology Assessment, 2017, 21, 1-120.	2.8	109
18	Early supported discharge after stroke. Acta Dermato-Venereologica, 2007, 39, 103-108.	1.3	106

#	Article	IF	CITATIONS
19	Organised inpatient (stroke unit) care for stroke: network meta-analysis. The Cochrane Library, 2020, 4, CD000197.	2.8	104
20	An algorithm was developed to assign GRADE levels of evidence to comparisons within systematic reviews. Journal of Clinical Epidemiology, 2016, 70, 106-110.	5.0	102
21	Improving the development, monitoring and reporting of stroke rehabilitation research: Consensus-based core recommendations from the Stroke Recovery and Rehabilitation Roundtable. International Journal of Stroke, 2017, 12, 472-479.	5.9	97
22	Practice patterns and outcomes after stroke across countries at different economic levels (INTERSTROKE): an international observational study. Lancet, The, 2018, 391, 2019-2027.	13.7	96
23	Cognitive and Mood Assessment Tools for Use in Stroke. Stroke, 2018, 49, 483-490.	2.0	81
24	Association Between Levothyroxine Treatment and Thyroid-Related Symptoms Among Adults Aged 80 Years and Older With Subclinical Hypothyroidism. JAMA - Journal of the American Medical Association, 2019, 322, 1977.	7.4	78
25	A conceptual model of treatment burden and patient capacity in stroke. BMC Family Practice, 2018, 19, 9.	2.9	77
26	Is Comprehensive Geriatric Assessment Admission Avoidance Hospital at Home an Alternative to Hospital Admission for Older Persons?. Annals of Internal Medicine, 2021, 174, 889-898.	3.9	69
27	Organized Inpatient (Stroke Unit) Care for Stroke. Stroke, 2008, 39, 2402-2403.	2.0	57
28	Very early versus delayed mobilisation after stroke. The Cochrane Library, 2018, 2018, CD006187.	2.8	48
29	Stroke care in Africa: A systematic review of the literature. International Journal of Stroke, 2018, 13, 797-805.	5.9	45
30	What's in a name? The challenge of describing interventions in systematic reviews: analysis of a random sample of reviews of non-pharmacological stroke interventions. BMJ Open, 2015, 5, e009051-e009051.	1.9	44
31	Clinical risk scores for predicting stroke-associated pneumonia: A systematic review. European Stroke Journal, 2016, 1, 76-84.	5.5	39
32	Repetitive Task Training for Improving Functional Ability After Stroke. Stroke, 2009, 40, .	2.0	38
33	Estimating the impact of stroke unit care in a whole population: an epidemiological study using routine data. Journal of Neurology, Neurosurgery and Psychiatry, 2010, 81, 1301-1305.	1.9	37
34	Oral care after stroke: Where are we now?. European Stroke Journal, 2018, 3, 347-354.	5.5	36
35	Improving the Development, Monitoring and Reporting of Stroke Rehabilitation Research: Consensus-Based Core Recommendations from the Stroke Recovery and Rehabilitation Roundtable. Neurorehabilitation and Neural Repair, 2017, 31, 877-884.	2.9	34
36	Early mobilization and quality of life after stroke. Neurology, 2019, 93, e717-e728.	1.1	34

#	Article	IF	CITATIONS
37	Implementing a Simple Care Bundle Is Associated With Improved Outcomes in a National Cohort of Patients With Ischemic Stroke. Stroke, 2015, 46, 1065-1070.	2.0	33
38	Stroke patients admitted within normal working hours are more likely to achieve process standards and to have better outcomes. Journal of Neurology, Neurosurgery and Psychiatry, 2016, 87, jnnp-2015-311273.	1.9	33
39	Association between patient outcomes and key performance indicators of stroke care quality: A systematic review and meta-analysis. European Stroke Journal, 2017, 2, 287-307.	5.5	33
40	Microbiological Etiologies of Pneumonia Complicating Stroke. Stroke, 2018, 49, 1602-1609.	2.0	31
41	Implementing a complex rehabilitation intervention in a stroke trial: a qualitative process evaluation of AVERT. BMC Medical Research Methodology, 2016, 16, 52.	3.1	28
42	Home-Time Is a Feasible and Valid Stroke Outcome Measure in National Datasets. Stroke, 2019, 50, 1282-1285.	2.0	28
43	Physiotherapy Treatment Approaches for Stroke. Stroke, 2008, 39, 519-520.	2.0	27
44	Derivation and Validation of a Novel Prognostic Scale (Modified–Stroke Subtype, Oxfordshire) Tj ETQq0 0 0 rg Mortality in Acute Stroke. Stroke, 2016, 47, 74-79.	BT /Overlo 2.0	ck 10 Tf 50 4 25
45	Variations in knowledge, awareness and treatment of hypertension and stroke risk by country income level. Heart, 2021, 107, 282-289.	2.9	25
46	Exploring post acute rehabilitation service use and outcomes for working age stroke survivors (â‰\$5) Tj ETQq0 e035850.	0 0 rgBT / 1.9	Overlock 10 T 24
47	The impact of stroke unit care on outcome in a Scottish stroke population, taking into account case mix and selection bias. Journal of Neurology, Neurosurgery and Psychiatry, 2015, 86, 314-318.	1.9	23
48	Approaches to Economic Evaluations of Stroke Rehabilitation. International Journal of Stroke, 2014, 9, 88-100.	5.9	22
49	Statistical Analysis Plan (SAP) for a Very Early Rehabilitation Trial (AVERT): An International Trial to Determine the Efficacy and Safety of Commencing out of Bed Standing and Walking Training (Very) Tj ETQq1 1 (Stroke, 2015, 10, 23-24.).7 <u>84</u> 314	rgBT /Overloc
50	Antibiotic treatment for pneumonia complicating stroke: Recommendations from the pneumonia in stroke consensus (PISCES) group. European Stroke Journal, 2019, 4, 318-328.	5.5	22
51	A multi-centre randomised trial to compare the effectiveness of geriatrician-led admission avoidance hospital at home versus inpatient admission. Trials, 2017, 18, 491.	1.6	21
52	Stroke systems of care in high-income countries: what is optimal?. Lancet, The, 2020, 396, 1433-1442.	13.7	20
53	Predictive Value of Newly Detected Atrial Fibrillation Paroxysms in Patients With Acute Ischemic Stroke, for Atrial Fibrillation After 90 Days. Stroke, 2014, 45, 2134-2136.	2.0	17
54	Exploring threats to generalisability in a large international rehabilitation trial (AVERT). BMJ Open, 2015, 5, e008378.	1.9	17

#	Article	IF	Citations
55	Early mobilisation post-stroke: a systematic review and meta-analysis of individual participant data. Disability and Rehabilitation, 2022, 44, 1156-1163.	1.8	15
56	Agreement between routine electronic hospital discharge and Scottish Stroke Care Audit (SSCA) data in identifying stroke in the Scottish population. BMC Health Services Research, 2015, 15, 583.	2.2	14
57	What is the impact of large-scale implementation of stroke Early Supported Discharge? A mixed methods realist evaluation study protocol. Implementation Science, 2019, 14, 61.	6.9	14
58	Organized Inpatient (Stroke Unit) Care for Stroke. Stroke, 2020, 51, e349-e350.	2.0	14
59	Anger or emotional upset and heavy physical exertion as triggers of stroke: the INTERSTROKE study. European Heart Journal, 2022, 43, 202-209.	2.2	14
60	A multidisciplinary research agenda for stroke rehabilitation. International Journal of Therapy and Rehabilitation, 2000, 7, 319-324.	0.1	13
61	Cochrane Overview. Stroke, 2015, 46, .	2.0	13
62	Early Mobilization After Stroke Is Not Associated With Cognitive Outcome. Stroke, 2018, 49, 2147-2154.	2.0	13
63	A two-part model to estimate inpatient, outpatient, prescribing and care home costs associated with atrial fibrillation in Scotland. BMJ Open, 2020, 10, e028575.	1.9	13
64	The Stroke Unit Story: Where Have We Been and Where Are We Going?. Cerebrovascular Diseases, 2021, 50, 1-8.	1.7	13
65	Clinical and Cost Effectiveness of Enhanced Oral Healthcare in Stroke Care Settings (SOCLE II): A Pilot, Stepped Wedge, Cluster Randomized, Controlled Trial Protocol. International Journal of Stroke, 2015, 10, 979-984.	5.9	11
66	Effectiveness of Stroke Early Supported Discharge. Circulation: Cardiovascular Quality and Outcomes, 2020, 13, e006395.	2.2	11
67	Large-scale implementation of stroke early supported discharge: the WISE realist mixed-methods study. Health Services and Delivery Research, 2021, 9, 1-150.	1.4	10
68	Nonpharmacological Interventions for Caregivers of Stroke Survivors. Stroke, 2012, 43, .	2.0	9
69	Should I stay or should I go? A retrospective propensity score-matched analysis using administrative data of hospital-at-home for older people in Scotland. BMJ Open, 2019, 9, e023350.	1.9	9
70	Cardiovascular risk factors indirectly affect acute post-stroke cognition through stroke severity and prior cognitive impairment: a moderated mediation analysis. Alzheimer's Research and Therapy, 2020, 12, 85.	6.2	9
71	Effect of stroke early supported discharge on length of hospital stay: analysis from a national stroke registry. BMJ Open, 2021, 11, e043480.	1.9	9
72	Comprehensive Geriatric Assessment in hospital and hospital-at-home settings: a mixed-methods study. Health Services and Delivery Research, 2019, 7, 1-206.	1.4	9

#	Article	IF	CITATIONS
73	How do comprehensive and acute stroke units differ? A critical review. International Journal of Therapy and Rehabilitation, 2013, 20, 41-53.	0.3	8
74	Services for helping acute stroke patients avoid hospital admission. The Cochrane Library, 2012, 2012, CD000444.	2.8	7
75	Fatal and Nonfatal Events Within 14 days After Early, Intensive Mobilization Poststroke. Neurology, 2021, 96, .	1.1	7
76	Prognostic rules for predicting cognitive syndromes following stroke: A systematic review. European Stroke Journal, 2021, 6, 18-27.	5 . 5	7
77	Temporal trends and risk factors for readmission for infections, gastrointestinal and immobility complications after an incident hospitalisation for stroke in Scotland between 1997 and 2005. BMC Neurology, 2015, 15, 3.	1.8	6
78	Urinary Sodium and Potassium, and Risk of Ischemic and Hemorrhagic Stroke (INTERSTROKE): A Caseâ€"Control Study. American Journal of Hypertension, 2021, 34, 414-425.	2.0	6
79	Dynamic hand orthoses for the recovery of hand and arm function in adults after stroke: A systematic review and meta-analysis of randomised controlled trials. Topics in Stroke Rehabilitation, 2022, 29, 114-124.	1.9	6
80	Hospital at Home admission avoidance with comprehensive geriatric assessment to maintain living at home for people aged 65 years and over: a RCT., 2022, 10, 1-124.		6
81	A Prospective Stroke Register in Sierra Leone: Demographics, Stroke Type, Stroke Care and Hospital Outcomes. Frontiers in Neurology, 2021, 12, 712060.	2.4	5
82	Statistical analysis plan for the family-led rehabilitation after stroke in India (ATTEND) trial: A multicenter randomized controlled trial of a new model of stroke rehabilitation compared to usual care. International Journal of Stroke, 2017, 12, 208-210.	5.9	4
83	Determining the feasibility and preliminary efficacy of a stroke instructional and educational DVD in a multinational context: a randomized controlled pilot study. Clinical Rehabilitation, 2018, 32, 1086-1097.	2.2	4
84	Propensity score methods for comparative-effectiveness analysis: A case study of direct oral anticoagulants in the atrial fibrillation population. PLoS ONE, 2022, 17, e0262293.	2.5	4
85	Complications following Incident Stroke Resulting in Readmissions: An Analysis of Data from Three Scottish Health Surveys. International Journal of Stroke, 2015, 10, 911-917.	5.9	3
86	The purpose of rating quality of evidence differs in an overview, as compared to guidelines or recommendations. Journal of Clinical Epidemiology, 2016, 74, 238-240.	5.0	3
87	Interventions for Visual Field Defects in People With Stroke. Stroke, 2019, 50, .	2.0	3
88	Very Early Versus Delayed Mobilization After Stroke. Stroke, 2019, 50, .	2.0	3
89	Unreported Summary Statistics in Trial Publications and Risk of Bias in Stroke Rehabilitation Systematic Reviews: An International Survey of Review Authors and Examination of Practical Solutions. Journal of Stroke Medicine, 2019, 2, 136-142.	0.3	3
90	Effectiveness of interventions to support the transition home after acute stroke: a protocol for a systematic review. HRB Open Research, 2021, 4, 105.	0.6	3

#	Article	IF	CITATIONS
91	Evaluating stroke early supported discharge using cost-consequence analysis. Disability and Rehabilitation, 2022, 44, 7127-7133.	1.8	3
92	Renal Impairment and Risk of Acute Stroke: The INTERSTROKE Study. Neuroepidemiology, 2021, 55, 206-215.	2.3	2
93	Mechanical Thrombectomy and Functional Outcomes After Stroke. JAMA - Journal of the American Medical Association, 2016, 315, 1791.	7.4	1
94	<u>S</u> aeboGlove therapy for <u>u</u> pper limb disability and <u>s</u> evere <u>h</u> and <u>i</u> mpairment after stroke (SUSHI): Study protocol for a randomised controlled trial. European Stroke Journal, 2021, 6, 302-310.	5.5	1
95	Maximising Health Outcomes in Stroke. Disease Management and Health Outcomes, 1997, 1, 95-104.	0.4	0
96	Ten-Years of the British Association of Stroke Physicians (BASP). International Journal of Stroke, 2010, 5, 484-485.	5.9	0
97	Early Transfer of Patients With Stroke to Comprehensive Stroke Centers Is Not Necessary. Stroke, 2014, 45, 3750-3751.	2.0	0
98	Stroke Unit Care. , 2010, , 225-251.		0