## Tamami Abe

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1587971/publications.pdf

Version: 2024-02-01

1163117 1281871 13 259 8 11 citations h-index g-index papers 13 13 13 432 citing authors docs citations times ranked all docs

#	Article	IF	CITATIONS
1	The B-Mode Image-Guided Ultrasound Attenuation Parameter Accurately Detects Hepatic Steatosis in Chronic Liver Disease. Ultrasound in Medicine and Biology, 2018, 44, 2223-2232.	1.5	103
2	Change in arterial tumor perfusion is an early biomarker of lenvatinib efficacy in patients with unresectable hepatocellular carcinoma. World Journal of Gastroenterology, 2019, 25, 2365-2372.	3.3	28
3	Visualizing the hepatic vascular architecture using superb microvascular imaging in patients with hepatitis C virus: A novel technique. World Journal of Gastroenterology, 2016, 22, 6057.	3.3	26
4	Evaluation of ballooned hepatocytes as a risk factor for future progression of fibrosis in patients with non-alcoholic fatty liver disease. Journal of Gastroenterology, 2018, 53, 1285-1291.	5.1	24
5	Accuracy of 2D shear wave elastography in the diagnosis of liver fibrosis in patients with chronic hepatitis C. Journal of Clinical Ultrasound, 2018, 46, 319-327.	0.8	21
6	Two-dimensional shear wave elastography and ultrasound-guided attenuation parameter for progressive non-alcoholic steatohepatitis. PLoS ONE, 2021, 16, e0249493.	2.5	17
7	Contrastâ€Enhanced Ultrasonography–Based Hepatic Perfusion for Early Prediction of Prognosis in Acute Liver Failure. Hepatology, 2021, 73, 2455-2467.	7.3	15
8	Comparing the Safety and Efficacy of Microwave Ablation Using ThermosphereTM Technology versus Radiofrequency Ablation for Hepatocellular Carcinoma: A Propensity Score-Matched Analysis. Cancers, 2021, 13, 1295.	3.7	11
9	Diagnostic accuracy of ultrasound-guided attenuation parameter as a noninvasive test for steatosis in non-alcoholic fatty liver disease. Journal of Medical Ultrasonics (2001), 2021, 48, 471-480.	1.3	9
10	Shear wave dispersion to assess liver disease progression in Fontan-associated liver disease. PLoS ONE, 2022, 17, e0271223.	2.5	3
11	The Concept of Indeterminable NASH Inducted by Preoperative Diet and Metabolic Surgery: Analyses of Histopathological and Clinical Features. Biomedicines, 2022, 10, 453.	3.2	2
12	Investigation of a Method for Quantifiying Diffuse Liver Disease Based on Histogra of Ultrasound Signal-to-Noise Ratio. , $2018, \ldots$		0
13	Response to the letter by Sumida et al. regarding our manuscript "Evaluation of ballooned hepatocytes as a risk factor for future progression of fibrosis in patients with non-alcoholic fatty liver diseaseâ€. Journal of Gastroenterology, 2019, 54, 476-477.	5.1	0