

# Xiaoli Meng

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1604281/publications.pdf>

Version: 2024-02-01

41  
papers

1,100  
citations

430874

18  
h-index

414414

32  
g-index

41  
all docs

41  
docs citations

41  
times ranked

1036  
citing authors

#	ARTICLE	IF	CITATIONS
1	Checkpoint Inhibition Reduces the Threshold for Drug-Specific T-Cell Priming and Increases the Incidence of Sulfasalazine Hypersensitivity. <i>Toxicological Sciences</i> , 2022, 186, 58-69.	3.1	13
2	Evaluation of clinical and genetic factors in the population pharmacokinetics of carbamazepine. <i>British Journal of Clinical Pharmacology</i> , 2021, 87, 2572-2588.	2.4	11
3	Drug-specific T-cell responses in patients with liver injury following treatment with the BACE inhibitor atabecestat. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2021, 76, 1825-1835.	5.7	12
4	In-Vitro Approaches to Predict and Study T-Cell Mediated Hypersensitivity to Drugs. <i>Frontiers in Immunology</i> , 2021, 12, 630530.	4.8	13
5	Inhibition mechanism of SARS-CoV-2 main protease by ebsele and its derivatives. <i>Nature Communications</i> , 2021, 12, 3061.	12.8	149
6	Deciphering Adverse Drug Reactions: <i>In Vitro</i> Priming and Characterization of Vancomycin-Specific T Cells From Healthy Donors Expressing HLA-A*32:01. <i>Toxicological Sciences</i> , 2021, 183, 139-153.	3.1	9
7	Drug hapten-specific T-cell activation: Current status and unanswered questions. <i>Proteomics</i> , 2021, 21, e2000267.	2.2	9
8	HLA Class-II-Restricted CD8+ T Cells Contribute to the Promiscuous Immune Response in Dapsone-Hypersensitive Patients. <i>Journal of Investigative Dermatology</i> , 2021, 141, 2412-2425.e2.	0.7	12
9	Definition of the Chemical and Immunological Signals Involved in Drug-Induced Liver Injury. <i>Chemical Research in Toxicology</i> , 2020, 33, 61-76.	3.3	17
10	Immune dysregulation increases the incidence of delayed-type drug hypersensitivity reactions. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2020, 75, 781-797.	5.7	21
11	Characterization of Clozapine-Responsive Human T Cells. <i>Journal of Immunology</i> , 2020, 205, 2375-2390.	0.8	9
12	Safety perspectives on presently considered drugs for the treatment of COVID-19. <i>British Journal of Pharmacology</i> , 2020, 177, 4353-4374.	5.4	17
13	Cell Membrane Transporters Facilitate the Accumulation of Hepatocellular Flucloxacillin Protein Adducts: Implication in Flucloxacillin-Induced Liver Injury. <i>Chemical Research in Toxicology</i> , 2020, 33, 2939-2943.	3.3	7
14	CDDO-imidazole Targets Multiple Amino Acid Residues on the Nrf2 Adaptor, Keap1. <i>Journal of Medicinal Chemistry</i> , 2020, 63, 9965-9976.	6.4	28
15	Identification of Flucloxacillin-Haptenated HLA-B*57:01 Ligands: Evidence of Antigen Processing and Presentation. <i>Toxicological Sciences</i> , 2020, 177, 454-465.	3.1	21
16	HLA DRB1*15:01-DQB1*06:02-Restricted Human CD4+ T Cells Are Selectively Activated With Amoxicillin-Peptide Adducts. <i>Toxicological Sciences</i> , 2020, 178, 115-126.	3.1	14
17	Characterization of amoxicillin and clavulanic acid specific T-cell clones from patients with immediate drug hypersensitivity. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2020, 75, 2562-2573.	5.7	10
18	Definition of Haptens Derived from Sulfamethoxazole: In Vitro and in Vivo. <i>Chemical Research in Toxicology</i> , 2019, 32, 2095-2106.	3.3	14

#	ARTICLE	IF	CITATIONS
19	Exosomal Transport of Hepatocyte-Derived Drug-Modified Proteins to the Immune System. <i>Hepatology</i> , 2019, 70, 1732-1749.	7.3	33
20	Dapsone and nitroso dapsone-specific activation of T cells from hypersensitive patients expressing the risk allele HLA-B*13:01. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2019, 74, 1533-1548.	5.7	37
21	Characterization of Healthy Donor-Derived T-Cell Responses Specific to Telaprevir Diastereomers. <i>Toxicological Sciences</i> , 2019, 168, 597-609.	3.1	3
22	Immune drug-induced liver disease and drugs. <i>Current Opinion in Toxicology</i> , 2018, 10, 46-53.	5.0	8
23	HLA-A*33:03-Restricted Activation of Ticlopidine-Specific T-Cells from Human Donors. <i>Chemical Research in Toxicology</i> , 2018, 31, 1022-1024.	3.3	9
24	Mechanisms leading to T-cell activation in drug hypersensitivity. <i>Current Opinion in Allergy and Clinical Immunology</i> , 2018, 18, 317-324.	2.3	25
25	Definition of the Nature and Hapten Threshold of the Î <sup>2</sup> -Lactam Antigen Required for T Cell Activation In Vitro and in Patients. <i>Journal of Immunology</i> , 2017, 198, 4217-4227.	0.8	54
26	Dapsone and Nitroso Dapsone Activation of Naïve T-Cells from Healthy Donors. <i>Chemical Research in Toxicology</i> , 2017, 30, 2174-2186.	3.3	18
27	Mass Spectrometric Characterization of Circulating Covalent Protein Adducts Derived from Epoxide Metabolites of Carbamazepine in Patients. <i>Chemical Research in Toxicology</i> , 2017, 30, 1419-1435.	3.3	22
28	Assessment of Antipiperacillin IgG Binding to Structurally Related Drug Protein Adducts. <i>Chemical Research in Toxicology</i> , 2017, 30, 2097-2099.	3.3	6
29	From the Cover: Characterization of Isoniazid-Specific T-Cell Clones in Patients with anti-Tuberculosis Drug-Related Liver and Skin Injury. <i>Toxicological Sciences</i> , 2017, 155, 420-431.	3.1	31
30	New Approaches to Investigate Drug-Induced Hypersensitivity. <i>Chemical Research in Toxicology</i> , 2017, 30, 239-259.	3.3	18
31	Mass Spectrometric and Functional Aspects of Drug-Protein Conjugation. <i>Chemical Research in Toxicology</i> , 2016, 29, 1912-1935.	3.3	48
32	Amoxicillin and Clavulanate Form Chemically and Immunologically Distinct Multiple Haptenic Structures in Patients. <i>Chemical Research in Toxicology</i> , 2016, 29, 1762-1772.	3.3	48
33	Detection of Drug-Responsive T-Lymphocytes in a Case of Fatal Antituberculosis Drug-Related Liver Injury. <i>Chemical Research in Toxicology</i> , 2016, 29, 1793-1795.	3.3	11
34	No Evidence for Drug-Specific Activation of Circulating T Cells from Patients with HLA-DRB1*07:01-Restricted Lapatinib-Induced Liver Injury. <i>Chemical Research in Toxicology</i> , 2016, 29, 2111-2113.	3.3	8
35	Auto-oxidation of Isoniazid Leads to Isonicotinic-Lysine Adducts on Human Serum Albumin. <i>Chemical Research in Toxicology</i> , 2015, 28, 51-58.	3.3	33
36	Characterization of Peroxidases Expressed in Human Antigen Presenting Cells and Analysis of the Covalent Binding of Nitroso Sulfamethoxazole to Myeloperoxidase. <i>Chemical Research in Toxicology</i> , 2015, 28, 144-154.	3.3	22

#	ARTICLE	IF	CITATIONS
37	Promiscuous T-cell responses to drugs and drug-haptens. <i>Journal of Allergy and Clinical Immunology</i> , 2015, 136, 474-476.e8.	2.9	41
38	Abacavir Forms Novel Cross-Linking Abacavir Protein Adducts in Patients. <i>Chemical Research in Toxicology</i> , 2014, 27, 524-535.	3.3	21
39	Detection of Drug Bioactivation in Vivo: Mechanism of Nevirapine's Albumin Conjugate Formation in Patients. <i>Chemical Research in Toxicology</i> , 2013, 26, 575-583.	3.3	39
40	Mass Spectrometric Characterization of Circulating and Functional Antigens Derived from Piperacillin in Patients with Cystic Fibrosis. <i>Journal of Immunology</i> , 2011, 187, 200-211.	0.8	101
41	Direct Evidence for the Formation of Diastereoisomeric Benzylpenicilloyl Haptens from Benzylpenicillin and Benzylpenicillenic Acid in Patients. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2011, 338, 841-849.	2.5	78