

# Kyung Sil Yoon

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/167460/publications.pdf>

Version: 2024-02-01

14  
papers

128  
citations

1478505

6  
h-index

1281871

11  
g-index

14  
all docs

14  
docs citations

14  
times ranked

224  
citing authors

#	ARTICLE	IF	CITATIONS
1	25I-NBOMe, a phenethylamine derivative, induces adverse cardiovascular effects in rodents: possible involvement of p21 (CDC42/RAC)-activated kinase 1. <i>Drug and Chemical Toxicology</i> , 2022, 45, 898-906.	2.3	5
2	2-((2-(4-Iodo-2,5-dimethoxyphenyl)ethylamino)methyl)phenol (25I-NBOH) and 2-(((2-(4-chloro-2,5-dimethoxyphenyl)ethyl)amino)methyl)phenol (25C-NBOH) induce adverse effects on the cardiovascular system. <i>Toxicology Letters</i> , 2022, 355, 160-169.	0.8	2
3	Neurotoxic and cardiotoxic effects of <i>N</i> -methyl-1-(naphthalen-2-yl)propan-2-amine (methamnetamine) and 1-phenyl-2-pyrrolidinylpentane (prolintane). <i>Drug and Chemical Toxicology</i> , 2022, , 1-11.	2.3	0
4	<i>In vitro</i> and <i>in vivo</i> estrogenic activity of triclosan. <i>Journal of Toxicology and Environmental Health - Part A: Current Issues</i> , 2021, 84, 800-809.	2.3	10
5	Cardiotoxic effects of [3-[2-(diethylamino)ethyl]-1H-indol-4-yl] acetate and 3-[2-[ethyl(methyl)amino]ethyl]-1H-indol-4-ol. <i>Toxicology Letters</i> , 2020, 319, 40-48.	0.8	7
6	2-(2,5-Dimethoxy-4-methylphenyl)-N-(2-methoxybenzyl)ethanamine (25D-NBOMe) and N-(2-methoxybenzyl)-2,5-dimethoxy-4-chlorophenethylamine (25C-NBOMe) induce adverse cardiac effects <i>in vitro</i> and <i>in vivo</i> . <i>Toxicology Letters</i> , 2019, 304, 50-57.	0.8	14
7	Methoxetamine Induces Cytotoxicity in H9c2 Cells: Possible Role of p21 Protein (Cdc42/Rac)-Activated Kinase 1. <i>Cardiovascular Toxicology</i> , 2019, 19, 229-236.	2.7	7
8	Estrogenic activity of zinc pyrithione: an <i>in vivo</i> and <i>in vitro</i> study. <i>Environmental Health and Toxicology</i> , 2017, 32, e2017004.	1.8	7
9	A Presumptive Identification of New Psychoactive Substances using Coloring Test. <i>Journal of the Pharmaceutical Society of Korea</i> , 2017, 61, 65-74.	0.2	1
10	P21 (Cdc42/Rac)-activated kinase 1 (pak1) is associated with cardiotoxicity induced by antihistamines. <i>Archives of Pharmacal Research</i> , 2016, 39, 1644-1652.	6.3	14
11	Synthetic cannabinoid, JWH-030, induces QT prolongation through hERG channel inhibition. <i>Toxicology Research</i> , 2016, 5, 1663-1671.	2.1	38
12	4-Hydroxynonenal: A Superior Oxidative Biomarker Compared to Malondialdehyde and Carbonyl Content Induced by Carbon Tetrachloride in Rats. <i>Journal of Toxicology and Environmental Health - Part A: Current Issues</i> , 2015, 78, 1051-1062.	2.3	16
13	A One-Generation Reproductive Toxicity Study of 3,4-Methylenedioxy- <i>N</i> -Methamphetamine (MDMA, Ecstasy), an Amphetamine Derivative, in C57BL/6 Mice. <i>Journal of Toxicology and Environmental Health - Part A: Current Issues</i> , 2014, 77, 1431-1442.	2.3	7
14	The designer benzodiazepine, flubromazepam, induces reward-enhancing and cardiotoxic effects in rodents. <i>Toxicology Research</i> , 0, , .	2.1	0