

Shuai Wang

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1678871/publications.pdf>

Version: 2024-02-01

57
papers

1,238
citations

394421

19
h-index

434195

31
g-index

58
all docs

58
docs citations

58
times ranked

1945
citing authors

#	ARTICLE	IF	CITATIONS
1	Interfering with long non-coding RNA MIR22HG processing inhibits glioblastoma progression through suppression of Wnt/ β -catenin signalling. <i>Brain</i> , 2020, 143, 512-530.	7.6	96
2	The Natural Flavonoid Galangin Elicits Apoptosis, Pyroptosis, and Autophagy in Glioblastoma. <i>Frontiers in Oncology</i> , 2019, 9, 942.	2.8	85
3	Six-Transmembrane Epithelial Antigen of Prostate 3 Predicts Poor Prognosis and Promotes Glioblastoma Growth and Invasion. <i>Neoplasia</i> , 2018, 20, 543-554.	5.3	71
4	TAGLN2 is a candidate prognostic biomarker promoting tumorigenesis in human gliomas. <i>Journal of Experimental and Clinical Cancer Research</i> , 2017, 36, 155.	8.6	68
5	Marital status independently predicts non-small cell lung cancer survival: a propensity-adjusted SEER database analysis. <i>Journal of Cancer Research and Clinical Oncology</i> , 2020, 146, 67-74.	2.5	61
6	Actin like-6A promotes glioma progression through stabilization of transcriptional regulators YAP/TAZ. <i>Cell Death and Disease</i> , 2018, 9, 517.	6.3	49
7	Therapeutic implications of altered cholesterol homeostasis mediated by loss of CYP46A1 in human glioblastoma. <i>EMBO Molecular Medicine</i> , 2020, 12, e10924.	6.9	49
8	<i>Toxoplasma gondii</i> : Vaccination with a DNA vaccine encoding T- and B-cell epitopes of SAG1, GRA2, GRA7 and ROP16 elicits protection against acute toxoplasmosis in mice. <i>Vaccine</i> , 2015, 33, 6757-6762.	3.8	48
9	Long Noncoding RNA ROR Regulates Proliferation, Invasion, and Stemness of Gastric Cancer Stem Cell. <i>Cellular Reprogramming</i> , 2016, 18, 319-326.	0.9	40
10	PDGFA/PDGFR β -regulated GOLM1 promotes human glioma progression through activation of AKT. <i>Journal of Experimental and Clinical Cancer Research</i> , 2017, 36, 193.	8.6	35
11	LINC01018 confers a novel tumor suppressor role in hepatocellular carcinoma through sponging microRNA-182-5p. <i>American Journal of Physiology - Renal Physiology</i> , 2019, 317, G116-G126.	3.4	34
12	Anti-STMN1 therapy improves sensitivity to antimicrotubule drugs in esophageal squamous cell carcinoma. <i>Tumor Biology</i> , 2015, 36, 7797-7806.	1.8	30
13	Immune checkpoint molecule herpes virus entry mediator is overexpressed and associated with poor prognosis in human glioblastoma. <i>EBioMedicine</i> , 2019, 43, 159-170.	6.1	30
14	<p>Disulfiram, a Ferroptosis Inducer, Triggers Lysosomal Membrane Permeabilization by Up-Regulating ROS in Glioblastoma</p>. <i>OncoTargets and Therapy</i> , 2020, Volume 13, 10631-10640.	2.0	30
15	Spread Through Air Spaces (STAS): A New Pathologic Morphology in Lung Cancer. <i>Clinical Lung Cancer</i> , 2019, 20, e158-e162.	2.6	27
16	HDAC7 Ubiquitination by the E3 Ligase CBX4 Is Involved in Contextual Fear Conditioning Memory Formation. <i>Journal of Neuroscience</i> , 2017, 37, 3848-3863.	3.6	26
17	Assessment of the prognostic factors in patients with pulmonary carcinoid tumor: a populationâ€based study. <i>Cancer Medicine</i> , 2018, 7, 2434-2441.	2.8	26
18	Meta-analysis of Epidermal Growth Factor Receptor and KRAS Gene Status between Primary and Corresponding Metastatic Tumours of Non-small Cell Lung Cancer. <i>Clinical Oncology</i> , 2015, 27, 30-39.	1.4	25

#	ARTICLE	IF	CITATIONS
19	Tumor Spread Through Air Spaces Is a Survival Predictor in Non-Small-Cell Lung Cancer. <i>Clinical Lung Cancer</i> , 2019, 20, e584-e591.	2.6	23
20	Prognostic Value of Tumor-Infiltrating Lymphocytes Differs Depending on Lymphocyte Subsets in Esophageal Squamous Cell Carcinoma: An Updated Meta-Analysis. <i>Frontiers in Oncology</i> , 2020, 10, 614.	2.8	21
21	Efficacy and safety of dendritic cells co-cultured with cytokine-induced killer cells immunotherapy for non-small-cell lung cancer. <i>International Immunopharmacology</i> , 2015, 28, 22-28.	3.8	20
22	Efficacy and safety of immune checkpoint inhibitors in non-small cell lung cancer. <i>Oncolmmunology</i> , 2018, 7, e1457600.	4.6	20
23	Clinicopathological characteristics and prognosis of pulmonary pleomorphic carcinoma: a population-based retrospective study using SEER data. <i>Journal of Thoracic Disease</i> , 2018, 10, 4262-4273.	1.4	20
24	Postoperative Radiotherapy Improves Survival in Stage pT2N0M0 Esophageal Squamous Cell Carcinoma with High Risk of Poor Prognosis. <i>Annals of Surgical Oncology</i> , 2016, 23, 265-272.	1.5	17
25	EGFR mutations in patients with non-small cell lung cancer from mainland China and their relationships with clinicopathological features: a meta-analysis. <i>International Journal of Clinical and Experimental Medicine</i> , 2014, 7, 1967-78.	1.3	16
26	Coiled-coil domain containing 109B is a HIF1 α -regulated gene critical for progression of human gliomas. <i>Journal of Translational Medicine</i> , 2017, 15, 165.	4.4	15
27	Fabrication and Characterization of Nanopillar-Like HA Coating on Porous Ti6Al4V Scaffold by a Combination of Alkali-Acid-Heat and Hydrothermal Treatments. <i>Acta Metallurgica Sinica (English) Tj ETQq1 1 0.784314 rg55 /Over</i>		
28	The revised staging system for malignant pleural mesothelioma based on surveillance, epidemiology, and end results database. <i>International Journal of Surgery</i> , 2017, 48, 92-98.	2.7	14
29	Ursodeoxycholic Acid Inhibits Glioblastoma Progression via Endoplasmic Reticulum Stress Related Apoptosis and Synergizes with the Proteasome Inhibitor Bortezomib. <i>ACS Chemical Neuroscience</i> , 2020, 11, 1337-1346.	3.5	14
30	Single-cell transcriptomes of mouse bladder urothelium uncover novel cell type markers and urothelial differentiation characteristics. <i>Cell Proliferation</i> , 2021, 54, e13007.	5.3	13
31	Metformin ameliorates bladder dysfunction in a rat model of partial bladder outlet obstruction. <i>American Journal of Physiology - Renal Physiology</i> , 2021, 320, F838-F858.	2.7	13
32	Multi-omics: Opportunities for research on mechanism of type 2 diabetes mellitus. <i>World Journal of Diabetes</i> , 2021, 12, 1070-1080.	3.5	13
33	Prognostic value of long noncoding RNA HOTAIR in digestive system malignancies. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2015, 30, 1123-1133.	2.8	12
34	Prognosis of patients with primary malignant main stem bronchial tumors: 7,418 cases based on the SEER database. <i>OncoTargets and Therapy</i> , 2018, Volume 11, 83-95.	2.0	12
35	<i>Eggerthella lenta</i> bloodstream infections: two cases and review of the literature. <i>Future Microbiology</i> , 2020, 15, 981-985.	2.0	12
36	Activation of cGAS/STING pathway upon TDP43-mediated mitochondrial injury may be involved in the pathogenesis of liver fibrosis. <i>Liver International</i> , 2021, 41, 1969-1971.	3.9	12

#	ARTICLE	IF	CITATIONS
37	Are VEGFR-TKIs effective or safe for patients with advanced non-small cell lung cancer?. <i>Oncotarget</i> , 2015, 6, 18206-18223.	1.8	10
38	Overexpression of Ku80 Suggests Poor Prognosis of Locally Advanced Esophageal Squamous Cell Carcinoma Patients. <i>World Journal of Surgery</i> , 2015, 39, 1773-1781.	1.6	10
39	Vasopressin augments TNBS-induced colitis through enteric neuronal V 1a receptor-mediated COX-2-dependent prostaglandin release from mast cells in mice. <i>Neurogastroenterology and Motility</i> , 2019, 31, e13493.	3.0	8
40	Depressive-Like Behaviors Induced by Chronic Social Defeat Stress Are Associated With HDAC7 Reduction in the Nucleus Accumbens. <i>Frontiers in Psychiatry</i> , 2020, 11, 586904.	2.6	8
41	Epigenetic aberrant methylation of tumor suppressor genes in small cell lung cancer. <i>Journal of Thoracic Disease</i> , 2013, 5, 532-7.	1.4	8
42	Identifying the Predictive Role of Oxidative Stress Genes in the Prognosis of Glioma Patients. <i>Medical Science Monitor</i> , 2021, 27, e934161.	1.1	8
43	Overexpression of Ku80 correlates with aggressive clinicopathological features and adverse prognosis in esophageal squamous cell carcinoma. <i>Oncology Letters</i> , 2015, 10, 2705-2712.	1.8	7
44	Metalloproteins and apolipoprotein C: candidate plasma biomarkers of T2DM screened by comparative proteomics and lipidomics in ZDF rats. <i>Nutrition and Metabolism</i> , 2020, 17, 66.	3.0	6
45	Clinical significance of PET/CT uptake for peripheral clinical N0 non-small cell lung cancer. <i>Cancer Medicine</i> , 2020, 9, 2445-2453.	2.8	6
46	Prognostic significance of preoperative systemic inflammatory biomarkers in patients with hepatocellular carcinoma after microwave ablation and establishment of a nomogram. <i>Scientific Reports</i> , 2021, 11, 13814.	3.3	6
47	<i>Winogradskyella marina</i> sp. nov., isolated from marine sediment. <i>Archives of Microbiology</i> , 2021, 203, 5381-5386.	2.2	6
48	Drp1-mediated mitochondrial fission promotes carbon tetrachloride-induced hepatic fibrogenesis in mice. <i>Toxicology Research</i> , 2022, 11, 486-497.	2.1	6
49	Effects of 5-azacytidine on RUNX3 gene expression and the biological behavior of esophageal carcinoma cells. <i>Molecular Medicine Reports</i> , 2014, 9, 1259-1265.	2.4	5
50	<i>Pontibaca salina</i> sp. nov., isolated from marine sediment. <i>Archives of Microbiology</i> , 2021, 203, 4493-4498.	2.2	5
51	Alteration of Runt-related Transcription Factor 3 Gene Expression and Biologic Behavior of Esophageal Carcinoma TE-1 Cells after 5-Azacytidine Intervention. <i>Asian Pacific Journal of Cancer Prevention</i> , 2013, 14, 5427-5433.	1.2	5
52	Prognostic Factors of Patients with Thymic Carcinoma After Surgery: A Retrospective Analysis of 58 Cases. <i>World Journal of Surgery</i> , 2014, 38, 2032-2038.	1.6	4
53	Association between the mitochondrial DNA 4977 common deletion in the hair shaft and hearing loss in presbycusis. <i>Molecular Medicine Reports</i> , 2015, 11, 1127-1131.	2.4	4
54	Prognostic significance of Ku80 in pT2N0M0 esophageal squamous cell carcinoma after Ivor-Lewis esophagectomy. <i>Tumor Biology</i> , 2015, 36, 6181-6189.	1.8	4

#	ARTICLE	IF	CITATIONS
55	Clinical values of Ku80 upregulation in superficial esophageal squamous cell carcinoma. <i>Cancer Medicine</i> , 2018, 7, 1006-1018.	2.8	4
56	Activation of mitophagy by rapamycin eliminated the accumulation of TDP-43 on mitochondrial and promoted the resolution of carbon tetrachloride-induced liver fibrosis in mice. <i>Toxicology</i> , 2022, 471, 153176.	4.2	4
57	Sequence Variation in Superoxide Dismutase Gene of <i>Toxoplasma gondii</i> among Various Isolates from Different Hosts and Geographical Regions. <i>Korean Journal of Parasitology</i> , 2015, 53, 253-258.	1.3	2