
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/16973/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Canadian Network for Mood and Anxiety Treatments (CANMAT) and International Society for Bipolar Disorders (ISBD) collaborative update of CANMAT guidelines for the management of patients with bipolar disorder: update 2013. Bipolar Disorders, 2013, 15, 1-44.	1.1	740
2	Genome-wide association study of more than 40,000 bipolar disorder cases provides new insights into the underlying biology. Nature Genetics, 2021, 53, 817-829.	9.4	629
3	The International Society for Bipolar Disorders (ISBD) Task Force Report on Antidepressant Use in Bipolar Disorders. American Journal of Psychiatry, 2013, 170, 1249-1262.	4.0	579
4	Canadian Network for Mood and Anxiety Treatments (CANMAT) and International Society for Bipolar Disorders (ISBD) collaborative update of CANMAT guidelines for the management of patients with bipolar disorder: update 2009. Bipolar Disorders, 2009, 11, 225-255.	1.1	545
5	International Society for Bipolar Disorders Task Force on Suicide: metaâ€analyses and metaâ€regression of correlates of suicide attempts and suicide deaths in bipolar disorder. Bipolar Disorders, 2015, 17, 1-16.	1.1	265
6	Grey matter differences in bipolar disorder: a metaâ€analysis of voxelâ€based morphometry studies. Bipolar Disorders, 2012, 14, 135-145.	1.1	243
7	Staging systems in bipolar disorder: an <scp>I</scp> nternational <scp>S</scp> ociety for <scp>B</scp> ipolar <scp>D</scp> isorders <scp>T</scp> ask <scp>F</scp> orce <scp>R</scp> eport. Acta Psychiatrica Scandinavica, 2014, 130, 354-363.	2.2	175
8	Bipolar Mixed States: An International Society for Bipolar Disorders Task Force Report of Symptom Structure, Course of Illness, and Diagnosis. American Journal of Psychiatry, 2013, 170, 31-42.	4.0	162
9	Ubiquitous healthcare service using Zigbee and mobile phone for elderly patients. International Journal of Medical Informatics, 2009, 78, 193-198.	1.6	159
10	The association between problematic internet use and depression, suicidal ideation and bipolar disorder symptoms in Korean adolescents. Australian and New Zealand Journal of Psychiatry, 2013, 47, 153-159.	1.3	145
11	Epidemiology, neurobiology and pharmacological interventions related to suicide deaths and suicide attempts in bipolar disorder: Part I of a report of the International Society for Bipolar Disorders Task Force on Suicide in Bipolar Disorder. Australian and New Zealand Journal of Psychiatry, 2015, 49, 785-802.	1.3	122
12	Predominant recurrence polarity among 928 adult international bipolar I disorder patients. Acta Psychiatrica Scandinavica, 2012, 125, 293-302.	2.2	119
13	Differences between bipolar I and bipolar II disorders in clinical features, comorbidity, and family history. Journal of Affective Disorders, 2011, 131, 59-67.	2.0	113
14	Randomised, double-blind, placebo-controlled study of olanzapine in patients with bipolar I depression. British Journal of Psychiatry, 2012, 201, 376-382.	1.7	103
15	Statistical parametric mapping of LORETA using high density EEG and individual MRI: Application to mismatch negativities in Schizophrenia. Human Brain Mapping, 2002, 17, 168-178.	1.9	99
16	Regional brain gray matter abnormalities in patients with bipolar II disorder: A comparison study with bipolar I patients and healthy controls. Neuroscience Letters, 2009, 456, 44-48.	1.0	93
17	Fractal dimension of cerebral cortical surface in schizophrenia and obsessive–compulsive disorder. Neuroscience Letters, 2005, 384, 172-176.	1.0	90
18	A review of factors associated with greater likelihood of suicide attempts and suicide deaths in bipolar disorder: Part II of a report of the International Society for Bipolar Disorders Task Force on Suicide in Bipolar Disorder. Australian and New Zealand Journal of Psychiatry, 2015, 49, 1006-1020.	1.3	87

#	Article	IF	CITATIONS
19	Seoul National University Bundang Hospital's Electronic System for Total Care. Healthcare Informatics Research, 2012, 18, 145.	1.0	73
20	Gender ratio comparisons of the suicide rates and methods in Korea, Japan, Australia, and the United States. Journal of Affective Disorders, 2012, 142, 161-165.	2.0	66
21	A novel method to identify high order gene-gene interactions in genome-wide association studies: Gene-based MDR. BMC Bioinformatics, 2012, 13, S5.	1.2	66
22	Validity and reliability of the Korean version of the Mood Disorder Questionnaire. Comprehensive Psychiatry, 2009, 50, 286-291.	1.5	64
23	Relationship between personality trait and regional cerebral glucose metabolism assessed with positron emission tomography. Biological Psychology, 2002, 60, 109-120.	1.1	58
24	Discovery of serum protein biomarkers in drug-free patients with major depressive disorder. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2016, 69, 60-68.	2.5	56
25	A new synthetic chalcone derivative, 2-hydroxy-3',5,5'-trimethoxychalcone (DK-139), suppresses the Toll-like receptor 4-mediated inflammatory response through inhibition of the Akt/NF-κB pathway in BV2 microglial cells. Experimental and Molecular Medicine, 2012, 44, 369.	3.2	51
26	Similarities and differences of white matter connectivity and water diffusivity in bipolar I and II disorder. Neuroscience Letters, 2011, 505, 150-154.	1.0	49
27	An Integrative Assessment of the Psychophysiologic Alterations in Young Women With Recurrent Major Depressive Disorder. Psychosomatic Medicine, 2012, 74, 495-500.	1.3	49
28	White matter alterations in male patients with obsessive–compulsive disorder. NeuroReport, 2009, 20, 735-739.	0.6	44
29	Managing the CT Data Explosion: Initial Experiences of Archiving Volumetric Datasets in a Mini-PACS. Journal of Digital Imaging, 2005, 18, 188-195.	1.6	41
30	Internalized stigma and its psychosocial correlates in Korean patients with serious mental illness. Psychiatry Research, 2015, 225, 433-439.	1.7	41
31	Association of seasonality and premenstrual symptoms in Bipolar I and Bipolar II disorders. Journal of Affective Disorders, 2011, 129, 313-316.	2.0	39
32	Patients' perceptions of a health information exchange: A pilot program in South Korea. International Journal of Medical Informatics, 2013, 82, 98-107.	1.6	39
33	Can a health information exchange save healthcare costs? Evidence from a pilot program in South Korea. International Journal of Medical Informatics, 2015, 84, 658-666.	1.6	39
34	Lifetime Characteristics of Evening-Preference and Irregular Bed-Rise Time Are Associated With Lifetime Seasonal Variation of Mood and Behavior: Comparison Between Individuals With Bipolar Disorder and Healthy Controls. Behavioral Sleep Medicine, 2016, 14, 155-168.	1.1	38
35	Tardive Dyskinesia and Tardive Dystonia With Second-Generation Antipsychotics in Non-Elderly Schizophrenic Patients Unexposed to First-Generation Antipsychotics. Journal of Clinical Psychopharmacology, 2015, 35, 13-21.	0.7	37
36	Mental health services and R&D in South Korea. International Journal of Mental Health Systems, 2016, 10, 45.	1.1	33

KYOOSEOB HA

#	Article	IF	CITATIONS
37	A Closer Look at Depression in Mothers Who Kill Their Children. Journal of Clinical Psychiatry, 2008, 69, 1625-1631.	1.1	33
38	Differential pattern of semantic memory organization between bipolar I and II disorders. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2011, 35, 1053-1058.	2.5	32
39	Subjective depressive symptoms and metabolic syndrome among the general population. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2014, 54, 223-230.	2.5	32
40	Relationship between thyroid-stimulating hormone levels and risk of depression among the general population with normal free T4 levels. Psychoneuroendocrinology, 2015, 58, 114-119.	1.3	32
41	Assessment of Risk Factors Related to Suicide Attempts in Patients With Bipolar Disorder. Journal of Nervous and Mental Disease, 2012, 200, 978-984.	0.5	31
42	The Effects of Long-Term Clozapine Add-On Therapy on the Rehospitalization Rate and the Mood Polarity Patterns in Bipolar Disorders. Journal of Clinical Psychiatry, 2006, 67, 461-467.	1.1	30
43	Comparison of serum protein profiles between major depressive disorder and bipolar disorder. BMC Psychiatry, 2020, 20, 145.	1.1	29
44	Nonverbal memory and organizational dysfunctions are related with distinct symptom dimensions in obsessive-compulsive disorder. Psychiatry Research, 2010, 180, 93-98.	1.7	28
45	Physicians' Perceptions and Use of a Health Information Exchange: A Pilot Program in South Korea. Telemedicine Journal and E-Health, 2012, 18, 604-612.	1.6	28
46	Inhibitory effect of the antidepressant imipramine on NF-κB-dependent CXCL1 expression in TNFα-exposed astrocytes. International Immunopharmacology, 2012, 12, 547-555.	1.7	28
47	Diagnosis of major depressive disorder by combining multimodal information from heart rate dynamics and serum proteomics using machine-learning algorithm. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2017, 76, 65-71.	2.5	28
48	International Consensus Group on Depression Prevention in Bipolar Disorder. Journal of Clinical Psychiatry, 2011, 72, 1295-1310.	1.1	27
49	Exploration of comorbid obsessive-compulsive disorder in patients with bipolar disorder: The clinic-based prevalence rate, symptoms nature and clinical correlates. Journal of Affective Disorders, 2018, 225, 227-233.	2.0	26
50	Dropout rate and associated factors in patients with bipolar disorders. Journal of Affective Disorders, 2012, 141, 47-54.	2.0	25
51	Differential alteration of automatic semantic processing in treated patients affected by bipolar mania and schizophrenia: An N400 study. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2012, 38, 194-200.	2.5	25
52	Pattern of Pharmacotherapy by Episode Types for Patients With Bipolar Disorders and Its Concordance With Treatment Guidelines. Journal of Clinical Psychopharmacology, 2014, 34, 577-587.	0.7	24
53	Depression trajectories and the association with metabolic adversities among the middle-aged adults. Journal of Affective Disorders, 2015, 188, 14-21.	2.0	24
54	Polarity of the First Episode and Time to Diagnosis of Bipolar I Disorder. Psychiatry Investigation, 2009, 6, 96.	0.7	24

#	Article	IF	CITATIONS
55	Computerized assessment of cognitive impairment in narcoleptic patients. Acta Neurologica Scandinavica, 2007, 116, 312-316.	1.0	23
56	Serum lipidomic analysis for the discovery of biomarkers for major depressive disorder in drug-free patients. Psychiatry Research, 2018, 265, 174-182.	1.7	23
57	Association between ST8SIA2 and the Risk of Schizophrenia and Bipolar I Disorder across Diagnostic Boundaries. PLoS ONE, 2015, 10, e0139413.	1.1	23
58	Optimized individual mismatch negativity source localization using a realistic head model and the Talairach coordinate system. Brain Topography, 2003, 15, 233-238.	0.8	22
59	N-Methyl-d-aspartate receptor in working memory impairments in schizophrenia: event-related potential study of late stage of working memory process. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2003, 27, 993-999.	2.5	22
60	Revised Korean medication algorithm for bipolar disorder. World Journal of Biological Psychiatry, 2009, 10, 846-855.	1.3	22
61	Seasonality and its distinct clinical correlates in bipolar II disorder. Psychiatry Research, 2015, 225, 540-544.	1.7	22
62	The Health Care Seeking Behavior of Schizophrenic Patients in 6 East Asian Areas. International Journal of Social Psychiatry, 1995, 41, 190-209.	1.6	21
63	Imipramine activates glial cell line-derived neurotrophic factor via early growth response gene 1 in astrocytes. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2011, 35, 1026-1032.	2.5	21
64	Enhanced cardiorespiratory coupling in patients with obstructive sleep apnea following continuous positive airway pressure treatment. Sleep Medicine, 2013, 14, 1132-1138.	0.8	21
65	Intracerebroventricular administration of ouabain, a Na/K-ATPase inhibitor, activates mTOR signal pathways and protein translation in the rat frontal cortex. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2013, 45, 73-82.	2.5	20
66	Egr1 regulates lithium-induced transcription of the Period 2 (PER2) gene. Biochimica Et Biophysica Acta - Molecular Basis of Disease, 2013, 1832, 1969-1979.	1.8	19
67	Implementation of Medical Information Exchange System Based on EHR Standard. Healthcare Informatics Research, 2010, 16, 281.	1.0	18
68	Reasons for desiring death: Examining causative factors of suicide attempters treated in emergency rooms in Korea. Journal of Affective Disorders, 2014, 168, 349-356.	2.0	18
69	Prodromes and coping types in bipolar patients with nonpsychotic or psychotic mania. Comprehensive Psychiatry, 2012, 53, 732-739.	1.5	17
70	Autobiographical memory and its association with neuropsychological function in bipolar disorder. Comprehensive Psychiatry, 2014, 55, 290-297.	1.5	17
71	Adjunctive lamotrigine therapy for patients with bipolar II depression partially responsive to mood stabilizers. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2010, 34, 1322-1326.	2.5	16
72	The effects of ethnic, social and cultural factors on axis I comorbidity of bipolar disorder: Results from the clinical setting in Korea. Journal of Affective Disorders, 2014, 166, 264-269.	2.0	16

#	Article	IF	CITATIONS
73	Cognitive profiles of healthy siblings of schizophrenia patients: Application of the cognitive domains of the MATRICS consensus battery. World Journal of Biological Psychiatry, 2009, 10, 452-460.	1.3	15
74	Patterns of cardiorespiratory coordination in young women with recurrent major depressive disorder treated with escitalopram or venlafaxine. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2012, 39, 136-142.	2.5	15
75	Factors Affecting Suicide Method Lethality Among Suicide Attempters in the Korea National Suicide Survey. Journal of Nervous and Mental Disease, 2018, 206, 202-210.	0.5	15
76	Characteristics of stress-coping behaviors in patients with bipolar disorders. Psychiatry Research, 2014, 218, 69-74.	1.7	14
77	Feasibility of a slower lamotrigine titration schedule for bipolar depression: a naturalistic study. International Clinical Psychopharmacology, 2009, 24, 105-110.	0.9	12
78	Lifetime experiences of hypomanic symptoms are associated with delayed and irregular sleep–wake cycle and seasonality in non-clinical adult samples. Comprehensive Psychiatry, 2014, 55, 1111-1115.	1.5	12
79	Differential patterns of neuropsychological performance in the euthymic and depressive phases of bipolar disorders. Psychiatry and Clinical Neurosciences, 2014, 68, 515-523.	1.0	11
80	Prevalence, behavioral manifestations and associated individual and climatic factors of seasonality in the Korean general population. Comprehensive Psychiatry, 2015, 57, 148-154.	1.5	11
81	Verbal and Visual Memory Impairments in Bipolar I and II Disorder. Psychiatry Investigation, 2012, 9, 339.	0.7	11
82	Posttraumatic Embitterment Disorder and Hwa-byung in the General Korean Population. Psychiatry Investigation, 2017, 14, 392.	0.7	10
83	ldentification of altered protein expression in major depressive disorder and bipolar disorder patients using liquid chromatography–tandem mass spectrometry. Psychiatry Research, 2021, 299, 113850.	1.7	10
84	Quantitative Proteomic Approach for Discriminating Major Depressive Disorder and Bipolar Disorder by Multiple Reaction Monitoring-Mass Spectrometry. Journal of Proteome Research, 2021, 20, 3188-3203.	1.8	10
85	Haloperidol does not affect the level of serum-soluble interleukin-2 receptor in drug-free male schizophrenics. Biological Psychiatry, 1995, 38, 843-845.	0.7	9
86	Correspondence. Australian and New Zealand Journal of Psychiatry, 2008, 42, 646-649.	1.3	9
87	Altered Categorization of Semantic Knowledge in Korean Patients with Alzheimer's Disease. Journal of Alzheimer's Disease, 2013, 36, 41-48.	1.2	9
88	Assessment of implicit self-esteem in bipolar manic and euthymic patients using the implicit association test. Comprehensive Psychiatry, 2014, 55, 557-564.	1.5	9
89	Behavioral and Electrophysiological Alterations for Reinforcement Learning in Manic and Euthymic Patients with Bipolar Disorder. CNS Neuroscience and Therapeutics, 2017, 23, 248-256.	1.9	9
90	Liquid chromatography/mass spectrometryâ€based plasma metabolic profiling study of escitalopram in subjects with major depressive disorder. Journal of Mass Spectrometry, 2018, 53, 385-399.	0.7	9

#	Article	IF	CITATIONS
91	Psychopathologic structure of bipolar disorders: exploring dimensional phenotypes, their relationships, and their associations with bipolar I and II disorders. Psychological Medicine, 2019, 49, 2177-2185.	2.7	9
92	Attitudes towards suicide and risk factors for suicide attempts among university students in South Korea. Journal of Affective Disorders, 2020, 272, 166-169.	2.0	9
93	The Effect of Wireless LAN-Based PACS Device for Portable Imaging Modalities. Journal of Digital Imaging, 2010, 23, 185-191.	1.6	8
94	Manic patients exhibit more utilitarian moral judgments in comparison with euthymic bipolar and healthy persons. Comprehensive Psychiatry, 2015, 58, 37-44.	1,5	8
95	Association between the zinc finger protein 804A (<i><scp>ZNF</scp>804A</i>) gene and the risk of schizophrenia and bipolar I disorder across diagnostic boundaries. Bipolar Disorders, 2017, 19, 305-313.	1.1	8
96	Three-year follow up of women with and without borderline personality disorder: development of Cloninger's character in adolescence. Psychiatry and Clinical Neurosciences, 2004, 58, 42-47.	1.0	7
97	Familial association of schizophrenia symptoms retrospectively measured on a lifetime basis. Psychiatric Genetics, 2007, 17, 103-107.	0.6	7
98	Role of MKP-1 (DUSP1) in clozapine-induced effects on the ERK1/2 signaling pathway in the rat frontal cortex. Psychopharmacology, 2013, 230, 425-437.	1.5	7
99	Sex difference in risk period for completed suicide following prior attempts: Korea National Suicide Survey (KNSS). Journal of Affective Disorders, 2018, 227, 861-868.	2.0	7
100	Study Protocol for a Prospective Longitudinal Cohort Study to Identify Proteomic Predictors of Pluripotent Risk for Mental Illness: The Seoul Pluripotent Risk for Mental Illness Study. Frontiers in Psychiatry, 2020, 11, 340.	1.3	6
101	An integrated model for the relationship between socio-cultural factors, Attitudes Toward Suicide, and intensity of suicidal ideation in Korean, Japanese, and American populations. Journal of Affective Disorders, 2021, 280, 203-210.	2.0	6
102	The Relationship between Personality, Sense of Efficacy, and Stress in Korean Teachers. Psychiatry Investigation, 2016, 13, 566.	0.7	6
103	Emotional Priming With Facial Exposures in Euthymic Patients With Bipolar Disorder. Journal of Nervous and Mental Disease, 2011, 199, 971-977.	0.5	5
104	National Evidence-based Collaborating Agency (NECA) Round-table Conference Consensus Statement: multidisciplinary responses to suicide, the first ranked cause of death in adolescents. Journal of the Korean Medical Association, 2013, 56, 111.	0.1	5
105	Effects of emotional stimuli on time perception in manic and euthymic patients with bipolar disorder. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2015, 56, 39-45.	2.5	5
106	Predictive protein markers for depression severity in mood disorders: A preliminary trans-diagnostic approach study. Journal of Psychiatric Research, 2021, 142, 63-72.	1.5	5
107	Can a Suicide Prevention Law decrease the suicide rate in Korea?. Journal of the Korean Medical Association, 2011, 54, 792.	0.1	5
108	Reliability and validity of the Korean version of UKU-SERS-Pat in patients with bipolar disorder. Nordic Journal of Psychiatry, 2008, 62, 496-502.	0.7	4

KYOOSEOB HA

#	Article	IF	CITATIONS
109	Management of Bipolar Depression. Indian Journal of Psychological Medicine, 2011, 33, 11-17.	0.6	4
110	Dissecting the genetic architecture of suicide attempt and repeated attempts in Korean patients with bipolar disorder using polygenic risk scores. International Journal of Bipolar Disorders, 2022, 10, 3.	0.8	4
111	Alterations in blood proteins in the prodromal stage of bipolar II disorders. Scientific Reports, 2022, 12, 3174.	1.6	4
112	Neuropsychological and Behavioral Profiles in Attention-Deficit Hyperactivity Disorder Children of Parents with a History of Mood Disorders: A Pilot Study. Psychiatry Investigation, 2014, 11, 65.	0.7	3
113	Bipolar I and Bipolar II: It's Time for Something New for a Better Understanding and Classification of Bipolar Disorders. Canadian Journal of Psychiatry, 2019, 64, 070674371986127.	0.9	2
114	Self-Transcendence Mediates the Relationship between Early Trauma and Fatal Methods of Suicide Attempts. Journal of Korean Medical Science, 2021, 36, e39.	1.1	2
115	Association between the Arylalkylamine N-Acetyltransferase (AANAT) Gene and Seasonality in Patients with Bipolar Disorder. Psychiatry Investigation, 2021, 18, 453-462.	0.7	2
116	Feasibility of the Korean version of the Bipolar Depression Rating Scale in Adolescents with Early-Onset Bipolar Disorder. Psychiatry Investigation, 2017, 14, 585.	0.7	2
117	The influence of poverty attribution on attitudes toward suicide and suicidal thought: A cross-national comparison between South Korean, Japanese, and American populations. Comprehensive Psychiatry, 2021, 109, 152259.	1.5	1
118	Plasma proteomic data in bipolar II disorders and major depressive disorders. Data in Brief, 2021, 39, 107495.	0.5	1
119	Factors Affecting Stigma Resistance in Patients with Bipolar Disorder. Journal of Korean Neuropsychiatric Association, 2015, 54, 309.	0.2	1
120	Gender differences in patients with bipolar II disorder. International Clinical Psychopharmacology, 2011, 26, e100.	0.9	0
121	A Study of the Current State of the Mental Health Service Delivery System Using the Focused-Group Interview. Journal of Korean Neuropsychiatric Association, 2016, 55, 365.	0.2	0
122	Association between a Genetic Variant of CACNA1C and the Risk of Schizophrenia and Bipolar I Disorder Across Diagnostic Boundaries. Korean Journal of Schizophrenia Research, 2018, 21, 43.	0.3	0
123	F130. Association Study of Melatonin Pathway Genes With Seasonality and Circadian Preference in Bipolar Disorder. Biological Psychiatry, 2018, 83, S288.	0.7	0