

Mehmet Reyhan

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1701158/publications.pdf>

Version: 2024-02-01

72
papers

666
citations

687363

13
h-index

610901

24
g-index

73
all docs

73
docs citations

73
times ranked

826
citing authors

#	ARTICLE	IF	CITATIONS
1	Superscan Appearance of ⁶⁸ Ga PSMA PET/CT in a Patient with Refractory Prostate Cancer. <i>Molecular Imaging and Radionuclide Therapy</i> , 2022, 31, 60-62.	0.7	3
2	Prostate-specific membrane antigen PET response associates with radiographic progression-free survival following stereotactic ablative radiation therapy in oligometastatic castration-sensitive prostate cancer.. <i>Journal of Clinical Oncology</i> , 2022, 40, 5011-5011.	1.6	2
3	Long-term outcomes of cervical cancer patients with complete metabolic response after definitive chemoradiotherapy. <i>Journal of Gynecologic Oncology</i> , 2021, 32, e74.	2.2	2
4	Early and Late Side Effects and Patient Management in I-131 Treatment. , 2021, 7, 101-112.		0
5	Clinical parameters and nomograms for predicting lymph node metastasis detected with ⁶⁸ Ga-PSMA-PET/CT in prostate cancer patients candidate to definitive radiotherapy. <i>Prostate</i> , 2021, 81, 648-656.	2.3	6
6	¹⁸ F-FDG PET/CT Imaging in an Unusual Case of Cutaneous Melanoma Arising From Congenital Melanocytic Nevus in a Two-year-old Girl. <i>Molecular Imaging and Radionuclide Therapy</i> , 2021, 30, 119-121.	0.7	0
7	The effect of androgen deprivation therapy on ⁶⁸ Ga-PSMA tracer uptake in non-metastatic prostate cancer patients. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2020, 47, 632-641.	6.4	27
8	The use of ¹⁸ F-FDG positron emission tomography to detect mediastinal lymph nodes in metastatic breast cancer. <i>Breast</i> , 2020, 54, 197-202.	2.2	4
9	Retrospective correlation of ⁶⁸ ga-psma uptake with clinical parameters in prostate cancer patients undergoing definitive radiotherapy. <i>Annals of Nuclear Medicine</i> , 2020, 34, 388-396.	2.2	8
10	The Role of ⁶⁸ ga-PSMA-PET/CT in Pelvic FIELD Delineation in Prostate Cancer Patients with Pelvic Lymph Node Metastasis. <i>International Journal of Radiation Oncology Biology Physics</i> , 2019, 105, E299.	0.8	0
11	Evaluation of cyclic direct radionuclide cystography findings with DMSA scintigraphy results in children with a prior diagnosis of vesicoureteral reflux. <i>Nuclear Medicine Communications</i> , 2019, 40, 583-587.	1.1	1
12	Integration of ⁶⁸ Ga-PSMA-PET/CT in Radiotherapy Planning for Prostate Cancer Patients. <i>Clinical Nuclear Medicine</i> , 2019, 44, e510-e516.	1.3	18
13	Prognostic values of ADC _{mean} and SUV _{max} of the primary tumour in cervical cancer patients treated with definitive chemoradiotherapy. <i>Journal of Obstetrics and Gynaecology</i> , 2019, 39, 224-230.	0.9	9
14	Is there a correlation between Gleason score and maximum standardized uptake value in locally advanced prostate cancer patients?. <i>Journal of Clinical Oncology</i> , 2019, 37, 68-68.	1.6	3
15	Hounsfield unit value has null effect on thyroid nodules at ¹⁸ F-FDG PET/CT scans. <i>Archives of Endocrinology and Metabolism</i> , 2018, 62, 460-465.	0.6	3
16	Integration of ⁶⁸ ga-PSMA-PET/BT in Radiation Therapy Planning for Prostate Cancer Patients: A Multi-Institutional Analysis. <i>International Journal of Radiation Oncology Biology Physics</i> , 2018, 102, S162-S163.	0.8	0
17	An old enemy not to be forgotten during PET CT scanning of cancer patients: tuberculosis. <i>Wspolczesna Onkologia</i> , 2016, 2, 188-191.	1.4	1
18	A Case of a Man With Isolated Breast Metastasis From Lung Adenocarcinoma Incidentally Detected by FDG PET/CT. <i>Clinical Nuclear Medicine</i> , 2016, 41, e146-e148.	1.3	4

#	ARTICLE	IF	CITATIONS
19	Is PET/CT Necessary in the Management of Early Breast Cancer?. <i>Clinical Nuclear Medicine</i> , 2016, 41, 362-365.	1.3	13
20	Choroidal Metastasis of Papillary Thyroid Carcinoma Demonstrated on SPECT-CT. <i>Clinical Nuclear Medicine</i> , 2016, 41, 403-404.	1.3	1
21	Fluorodeoxyglucose-positron emission tomography/computed tomography imaging of squamous cell carcinoma arising in a meningioma. <i>Korean Journal of Internal Medicine</i> , 2016, 31, 411-412.	1.7	1
22	PET-BT'de FDG-tutulumu gÃ¼stermeyen renal hÃ¼creli karsinomun geÃ§ pankreas metastazÄ±. Ãžukurova Ãœniversitesi TÃ±p FakÃ¼ltesi Dergisi, 2016, 41, 88-90.	0.0	0
23	Incidental diagnosis of tumor thrombosis on FDG PET/CT imaging. <i>Revista Espanola De Medicina Nuclear E Imagen Molecular</i> , 2015, 34, 287-294.	0.2	0
24	Focal 99mTc-DMSA Uptake in Lung Parenchyma Without Structural Alterations on SPECT/CT. <i>Clinical Nuclear Medicine</i> , 2015, 40, e520-e521.	1.3	2
25	The Role of PET-CT in Evaluation of Cervical Lymph Node Metastases in Oral Cavity Squamous Cell Carcinomas. <i>Turkish Archives of Otorhinolaryngology</i> , 2015, 53, 67-72.	0.5	6
26	Elastofibroma dorsi incidentally detected by 18F-FDG PET/CT imaging. <i>Annals of Nuclear Medicine</i> , 2015, 29, 420-425.	2.2	6
27	Multifocal soft tissue Langerhansâ€™ cell histiocytosis treated with PET-CT based conformal radiotherapy. <i>Japanese Journal of Radiology</i> , 2015, 33, 603-606.	2.4	1
28	Prognostic value of 18F-fluorodeoxyglucose uptake in pelvic lymph nodes in patients with cervical cancer treated with definitive chemoradiotherapy. <i>Gynecologic Oncology</i> , 2015, 137, 40-46.	1.4	39
29	FDG PET/CT imaging in prostate adenocarcinoma presenting as isolated brain metastases of unknown origin. <i>Revista Espanola De Medicina Nuclear E Imagen Molecular</i> , 2015, 34, 146-147.	0.0	0
30	Venous thrombosis of sarcoidosis as an unusual incidental finding on 18F-fluorodeoxyglucose positron emission tomography/computed tomography. <i>Indian Journal of Nuclear Medicine</i> , 2015, 30, 352.	0.3	1
31	Gigant Malign Germ Cell Tumor Occured in Intraabdominal Undescended Testis. <i>Journal of Clinical and Analytical Medicine</i> , 2015, 6, .	0.1	0
32	Diffuse Metastasis of Malignant Melanoma. <i>Journal of Clinical and Analytical Medicine</i> , 2015, 6, .	0.1	0
33	A Case of Primary Colon Carcinoma Demonstrated by FDG PET/CT Imaging After Detection of a Solitary Brain Metastasis. <i>Molecular Imaging and Radionuclide Therapy</i> , 2015, 24, 13-15.	0.7	0
34	Physiologic Thymic Uptake as a Reason of False-Positive Uptake on Radioiodine Whole-Body Scintigraphy. <i>Journal of Clinical and Analytical Medicine</i> , 2015, 6, .	0.1	0
35	Treatment outcomes of patients with cervical cancer with complete metabolic responses after definitive chemoradiotherapy. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2014, 41, 1336-1342.	6.4	38
36	A case of brain and leptomeningeal metastases from urothelial carcinoma of the bladder. <i>Revista Espanola De Medicina Nuclear E Imagen Molecular</i> , 2014, 33, 290-292.	0.0	7

#	ARTICLE	IF	CITATIONS
37	Lack of cerebrospinal fluid circulation due to post puncture epidural hemorrhage: An interesting case of radionuclide cisternography. <i>Revista Espanola De Medicina Nuclear E Imagen Molecular</i> , 2014, 33, 241-242.	0.0	0
38	Post-traumatic psoas abscess diagnosed by 18F FDG PET/CT. <i>Revista Espanola De Medicina Nuclear E Imagen Molecular</i> , 2014, 33, 314-315.	0.0	1
39	Triple Primary Malignancies of Thyroid and Larynx in a Case of Retrosternal Guatr. <i>The Annals of Clinical and Analytical Medicine</i> , 2014, 5, .	0.1	0
40	Kikuchi-Fujimoto disease as a rare cause of benign lymphadenopathy and (18)F-FDG PET/CT findings. <i>Hellenic Journal of Nuclear Medicine</i> , 2014, 17, 41-4.	0.3	6
41	Simultaneous occurrence of medullary and differentiated thyroid carcinomas. Report of 4 cases and brief review of the literature. <i>Hellenic Journal of Nuclear Medicine</i> , 2014, 17, 148-52.	0.3	10
42	Pyelo-cystic Reflux in F-18 FDG PET Scan Due to Ureteral Obstruction. <i>Nuclear Medicine and Molecular Imaging</i> , 2013, 47, 222-223.	1.0	0
43	A thoracic surgeon's perspective on the elastofibroma dorsi: A benign tumor of the deep infrascapular region. <i>Thoracic Cancer</i> , 2013, 4, 35-40.	1.9	10
44	Prognostic Value of Pretreatment 18F-fluorodeoxyglucose Uptake in Patients With Cervical Cancer Treated With Definitive Chemoradiotherapy. <i>International Journal of Gynecological Cancer</i> , 2013, 23, 1104-1110.	2.5	51
45	Isolated Mediastinal Lymph Node False Positivity of [18F]-Fluorodeoxyglucoseâ€“Positron Emission Tomography/Computed Tomography in Patients With Cervical Cancer. <i>International Journal of Gynecological Cancer</i> , 2013, 23, 337-342.	2.5	14
46	Efficacy of Radioiodine Treatment in Subclinical Hyperthyroidism. <i>Acta Endocrinologica</i> , 2012, 8, 77-86.	0.3	2
47	18F-FDG Uptake in Diffuse Peritoneal Lymphomatosis. <i>Clinical Nuclear Medicine</i> , 2012, 37, e176-e177.	1.3	6
48	CT- versus coregistered FDG-PET/CT-based radiation therapy plans for conformal radiotherapy in colorectal liver metastases: a dosimetric comparison. <i>Japanese Journal of Radiology</i> , 2012, 30, 628-634.	2.4	5
49	Optic neuropathy associated with spontaneous intracranial hypotension. <i>Acta Neurologica Belgica</i> , 2012, 112, 361-365.	1.1	3
50	Prognostic value of gross tumor volume delineated by FDG-PET-CT based radiotherapy treatment planning in patients with locally advanced pancreatic cancer treated with chemoradiotherapy. <i>Radiation Oncology</i> , 2012, 7, 37.	2.7	34
51	Comparison of standardized uptake values obtained from 18f fluorodeoxyglucose positron emission tomography/computed tomography imaging performed with 2d and 3D modes in oncological cases. <i>Diagnostic and Interventional Radiology</i> , 2012, 19, 126-9.	1.5	0
52	Diffuse Splenic F-18 FDG Uptake in Visceral Leishmaniasis. <i>Clinical Nuclear Medicine</i> , 2011, 36, 1041-1043.	1.3	8
53	Ameboma Mimicking Lung Cancer on FDG PET/CT. <i>Clinical Nuclear Medicine</i> , 2010, 35, 55-56.	1.3	11
54	The value of 18F-fluorodeoxyglucose positron emission tomography/computed tomography in carcinoma of an unknown primary: diagnosis and follow-up. <i>Nuclear Medicine Communications</i> , 2010, 31, 59-66.	1.1	18

#	ARTICLE	IF	CITATIONS
55	Preoperative evaluation of hyperparathyroidism: the role of dual-phase parathyroid scintigraphy and ultrasound imaging. <i>Annals of Nuclear Medicine</i> , 2008, 22, 123-131.	2.2	110
56	Sickle Cell Disease With Regional Silent Cerebral Infarction Detected by SPECT. <i>Clinical Nuclear Medicine</i> , 2007, 32, 842-843.	1.3	3
57	Ventilation-Perfusion Mismatch Secondary to Arterial Bullet Embolism. <i>Clinical Nuclear Medicine</i> , 2007, 32, 330-332.	1.3	2
58	Gated SPECT Findings Revealing Diastolic Dysfunction in Acute Hypothyroidism. <i>Clinical Nuclear Medicine</i> , 2007, 32, 94-100.	1.3	3
59	^{99m} Tc(V)-DMSA SPECT for the assessment of disease activity in Graves' ophthalmopathy. <i>Nuclear Medicine Communications</i> , 2007, 28, 775-781.	1.1	3
60	Histopathological changes in thyroid tissue after fine needle aspiration biopsy. <i>Pathology Research and Practice</i> , 2007, 203, 641-645.	2.3	28
61	Cranial bone sequestration 3 years after electrical burn. <i>Burns</i> , 2006, 32, 780-782.	1.9	11
62	Sonographic Diagnosis of a Tracheal Extramedullary Plasmacytoma. <i>Journal of Ultrasound in Medicine</i> , 2005, 24, 1031-1034.	1.7	11
63	Scintigraphic Diagnosis of Jejunoileal Duplication. <i>Clinical Nuclear Medicine</i> , 2005, 30, 66-68.	1.3	2
64	Scintigraphic findings in osteoarticular brucellosis. <i>Nuclear Medicine Communications</i> , 2005, 26, 639-647.	1.1	35
65	Ventilation-Perfusion Mismatch Resulting From an Aberrant Systemic Arterial Supply to Basal Segments of the Right Lung. <i>Clinical Nuclear Medicine</i> , 2005, 30, 521-522.	1.3	3
66	Simultaneous Visualization of a Mandibular Brown Tumor With a Large Parathyroid Adenoma on Tc-99m MIBI Imaging. <i>Clinical Nuclear Medicine</i> , 2005, 30, 433-435.	1.3	7
67	Lymphoscintigraphic Appearance of Scrotal Lymphatic Reflux in a Patient With Idiopathic Genital Lymphedema. <i>Clinical Nuclear Medicine</i> , 2005, 30, 835-837.	1.3	5
68	The conditions for which the geometric mean method revealed a more accurate calculation of relative renal function in ^{99m} Tc-DMSA scintigraphy. <i>Nuclear Medicine Communications</i> , 2005, 26, 141-146.	1.1	13
69	Gastroesophageal scintigraphy in children: A comparison of posterior and anterior imaging. <i>Annals of Nuclear Medicine</i> , 2005, 19, 17-21.	2.2	12
70	Assessment of the optimal time interval and background region of interest in the measurement of differential renal function in Tc-99m-EC renography. <i>Annals of Nuclear Medicine</i> , 2004, 18, 419-425.	2.2	5
71	Diffuse splenic tc-99m mdp uptake in hypersplenic patient. <i>Annals of Nuclear Medicine</i> , 2004, 18, 703-5.	2.2	14
72	Atypical Carcinoid Tumor Detected Incidentally on Tc-99m Sestamibi Myocardial Perfusion Scintigraphy. <i>Clinical Nuclear Medicine</i> , 2004, 29, 129-131.	1.3	13