Mehmet Fatih SentÜrk

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1730307/publications.pdf

Version: 2024-02-01

21 papers 198 citations

7 h-index

14 g-index

21 all docs

21 docs citations

times ranked

21

172 citing authors

#	Article	IF	Citations
1	Effect of platelet rich fibrin on edema and pain following third molar surgery: a split mouth control study. BMC Oral Health, 2017, 17, 79.	2.3	49
2	A new classification for temporomandibular joint arthrocentesis techniques. International Journal of Oral and Maxillofacial Surgery, 2015, 44, 417-418.	1.5	26
3	Prospective short term comparison of outcomes after single or double puncture arthrocentesis of the temporomandibular joint. British Journal of Oral and Maxillofacial Surgery, 2016, 54, 26-29.	0.8	26
4	Flap-free treatment of an oroantral communication with platelet-rich fibrin. British Journal of Oral and Maxillofacial Surgery, 2016, 54, 702-703.	0.8	19
5	Intraoperative comparison of single- and double-puncture techniques in temporomandibular joint arthrocentesis. International Journal of Oral and Maxillofacial Surgery, 2018, 47, 1060-1064.	1.5	17
6	Techniques and modifications for TMJ arthrocentesis: A literature review. Cranio - Journal of Craniomandibular Practice, 2017, 36, 1-9.	1.4	14
7	Long-term evaluation of single-puncture temporomandibular joint arthrocentesis in patients with unilateral temporomandibular disorders. International Journal of Oral and Maxillofacial Surgery, 2018, 47, 98-102.	1.5	9
8	Evaluation of ultrasonography guidance for single-puncture temporomandibular joint arthrocentesis: A randomized clinical study. Cranio - Journal of Craniomandibular Practice, 2019, 37, 181-187.	1.4	7
9	Radiographic evaluation of low-level laser therapy-enhanced maxillary sinus augmentation with simultaneous dental implant placement. Annals of Maxillofacial Surgery, 2019, 9, 48.	0.7	6
10	Horizontal maxillary sinus septa: An uncommon entity. International Journal of Surgery Case Reports, 2015, 12, 67-70.	0.6	5
11	Serum, salivary, and tissue levels of plasminogen in familial Mediterranean fever, amyloidosis, and chronic periodontitis. Journal of Periodontology, 2018, 89, 456-465.	3.4	4
12	Florid Cementoosseous Dysplasia: A Rare Case Report. Case Reports in Dentistry, 2013, 2013, 1-4.	0.5	3
13	Evaluation of the effectiveness of different puncture points for second cannula in double puncture arthrocentesis of temporomandibular joint. Journal of Cranio-Maxillo-Facial Surgery, 2021, 49, 1158-1161.	1.7	3
14	Oncologists awareness about bisphosphonate related osteonecrosis of the jaws. JPMA the Journal of the Pakistan Medical Association, 2016, 66, 880-3.	0.2	3
15	Clinical and ultrasonographic evaluation of ultrasound-guided single puncture temporomandibular joint arthrocentesis. Cranio - Journal of Craniomandibular Practice, 2023, 41, 306-315.	1.4	2
16	Does the Cannula Diameter Affect Outcomes of Temporomandibular Joint (TMJ) Arthrocentesis?. Journal of Oral and Maxillofacial Surgery, 2022, 80, 431-436.	1.2	2
17	Letter to the Editor regarding "Single-needle arthrocentesis (Shepard cannula) vs. double-needle arthrocentesis for treating disc displacement without reduction―fromCRANIO®, DOI: 10.1080/08869634.2015.1106810, by Wael Talaat et al Cranio - Journal of Craniomandibular Practice, 2016, 34, 350-351.	1.4	1
18	Re: Comparison of clinical outcomes of treatment of dysfunction of the temporomandibular joint between conventional and ultrasound-guided arthrocentesis. British Journal of Oral and Maxillofacial Surgery, 2019, 57, 388-389.	0.8	1

#	Article	IF	CITATIONS
19	Extraoral approach of the surgical treatment of sublingual epidermoid cyst: A case report. JPMA the Journal of the Pakistan Medical Association, 2017, 67, 796-798.	0.2	1
20	Re: Bilginaylar K: The Use of Platelet Rich Fibrin for Immediate Closure of Acute Oroantral Communications: An Alternative Approach. Journal of Oral and Maxillofacial Surgery, 2018, 76, 235.	1.2	0
21	Distribution and pattern of implant therapy in a part of the Turkish population. JPMA the Journal of the Pakistan Medical Association, 2016, 66, 1277-1280.	0.2	0