Pengyu Pan

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1770254/publications.pdf

Version: 2024-02-01

		1478505	1588992	
8	251	6	8	
papers	citations	h-index	g-index	
8	8	8	361	
all docs	docs citations	times ranked	citing authors	

#	Article	IF	CITATIONS
1	Endogenous hydrogen sulphide attenuates NLRP3 inflammasome-mediated neuroinflammation by suppressing the P2X7 receptor after intracerebral haemorrhage in rats. Journal of Neuroinflammation, 2017, 14, 163.	7.2	99
2	MST1 Suppression Reduces Early Brain Injury by Inhibiting the NF- <i>\hat{l}^2</i> \hat{l}^2 \hat{l}^3 \hat{l}^4	2.1	44
3	White Matter Injury and Recovery after Hypertensive Intracerebral Hemorrhage. BioMed Research International, 2017, 2017, 1-11.	1.9	32
4	Cyclophilin a signaling induces pericyte-associated blood-brain barrier disruption after subarachnoid hemorrhage. Journal of Neuroinflammation, 2020, 17, 16.	7.2	31
5	Cyclosporine A alleviated matrix metalloproteinase 9 associated blood-brain barrier disruption after subarachnoid hemorrhage in mice. Neuroscience Letters, 2017, 649, 7-13.	2.1	21
6	Nexilin Regulates Oligodendrocyte Progenitor Cell Migration and Remyelination and Is Negatively Regulated by Protease-Activated Receptor 1/Ras-Proximate-1 Signaling Following Subarachnoid Hemorrhage. Frontiers in Neurology, 2018, 9, 282.	2.4	13
7	Lipocalin-2-Mediated Insufficient Oligodendrocyte Progenitor Cell Remyelination for White Matter Injury After Subarachnoid Hemorrhage via SCL22A17 Receptor/Early Growth Response Protein 1 Signaling. Neuroscience Bulletin, 2022, 38, 1457-1475.	2.9	9
8	Aggravated pulmonary injury after subarachnoid hemorrhage in PDGF-Bret/ret mice. Chinese Neurosurgical Journal, 2020, 6, 13.	0.9	2