

Peng Chiong Tan

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1779407/publications.pdf>

Version: 2024-02-01

83
papers

1,604
citations

279487

23
h-index

344852

36
g-index

87
all docs

87
docs citations

87
times ranked

1553
citing authors

#	ARTICLE	IF	CITATIONS
1	Adjunctive membrane sweeping in Foley catheter induction of labor after one previous cesarean delivery: A randomized trial. <i>International Journal of Gynecology and Obstetrics</i> , 2023, 160, 65-73.	1.0	3
2	Foley catheter and controlled release dinoprostone versus foley catheter labor induction in nulliparas: a randomized trial. <i>Archives of Gynecology and Obstetrics</i> , 2022, , 1.	0.8	3
3	Digital insertion of Foley catheter <sc>16F</sc> versus <sc>22F</sc> versus <sc>28F</sc> in unripe cervix labor induction: A randomized trial. <i>Journal of Obstetrics and Gynaecology Research</i> , 2022, 48, 694-702.	0.6	4
4	Three Days Compared to One Day Per Week of Self-Monitoring of Blood Glucose in Mild Gestational Diabetes: A Randomized Trial. <i>Journal of Clinical Medicine</i> , 2022, 11, 3770.	1.0	2
5	Glycemic control following two regimens of antenatal corticosteroids in mild gestational diabetes: a randomized controlled trial. <i>Archives of Gynecology and Obstetrics</i> , 2021, 304, 345-353.	0.8	5
6	Prophylactic metformin after antenatal corticosteroids (PROMAC): a double blind randomized controlled trial. <i>BMC Pregnancy and Childbirth</i> , 2021, 21, 138.	0.9	3
7	Combined massage and warm compress to the perineum during active second stage of labor in nulliparas: A randomized trial. <i>International Journal of Gynecology and Obstetrics</i> , 2021, 155, 532-538.	1.0	5
8	Metformin in gestational diabetes mellitus: A double-blind placebo-controlled randomized trial. <i>International Journal of Gynecology and Obstetrics</i> , 2021, , .	1.0	5
9	Rating of four different foods in women with hyperemesis gravidarum: a randomised controlled trial. <i>BMJ Open</i> , 2021, 11, e046528.	0.8	1
10	Induction of labour from 39 weeks in low-risk multiparas with ripe cervixes: A randomised controlled trial. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2021, 61, 882-890.	0.4	4
11	Outpatient vs inpatient Foley catheter induction of labor in multiparas with unripe cervixes: A randomized trial. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2021, 100, 1977-1985.	1.3	9
12	Maternal lipids are associated with newborn adiposity, independent of GDM status, obesity and insulin resistance: a prospective observational cohort study. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2020, 127, 490-499.	1.1	25
13	Twelve-hour fasting compared with expedited oral intake in the initial inpatient management of hyperemesis gravidarum: a randomised trial. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2020, 127, 1430-1437.	1.1	6
14	Speculum versus digital insertion of Foley catheter for induction of labor in Nulliparas with unripe cervix: a randomized controlled trial. <i>BMC Pregnancy and Childbirth</i> , 2020, 20, 330.	0.9	17
15	Taste, smell and food-related nausea and vomiting responses in hyperemesis gravidarum: A case-controlled study. <i>Scientific Reports</i> , 2020, 10, 4445.	1.6	10
16	A randomised trial of caesarean wound coverage: exposed versus dressed. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2020, 127, 1250-1258.	1.1	3
17	Serum Glucose-Dependent Insulinotropic Polypeptide (GIP) and Glucagon-Like Peptide-1 (GLP-1) in association with the Risk of Gestational Diabetes: A Prospective Case-Control Study. <i>Journal of Diabetes Research</i> , 2020, 2020, 1-7.	1.0	19
18	Vaginal assessment and expedited amniotomy in Oral misoprostol labor induction in nulliparas: a randomized trial. <i>American Journal of Obstetrics and Gynecology</i> , 2019, 220, 387.e1-387.e12.	0.7	5

#	ARTICLE	IF	CITATIONS
19	Induction of labor compared to expectant management in term nulliparas with a latent phase of labor of more than 8 hours: a randomized trial. <i>BMC Pregnancy and Childbirth</i> , 2019, 19, 493.	0.9	8
20	Continuous glucose monitoring results in lower HbA _{1c} in Malaysian women with insulin-treated gestational diabetes: a randomized controlled trial. <i>Diabetic Medicine</i> , 2018, 35, 1118-1129.	1.2	32
21	Leptin and soluble leptin receptor in association with gestational diabetes: a prospective case-control study. <i>Archives of Gynecology and Obstetrics</i> , 2018, 297, 797-803.	0.8	14
22	Insulin-like growth factor binding protein 1, Bishop score, and sonographic cervical length: tolerability and prediction of vaginal birth and vaginal birth within 24 hours following labour induction in nulliparous women. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2017, 124, 1274-1283.	1.1	9
23	The Impact of Self-Reported Sleep on Caesarean Delivery in Women Undergoing Induction of Labour: A Prospective Study. <i>Scientific Reports</i> , 2017, 7, 12339.	1.6	17
24	Immediate compared with on-demand maternal full feeding after planned caesarean delivery: a randomised trial. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2017, 124, 123-131.	1.1	8
25	Peripheral Intravenous Catheterisation in Obstetric Patients in the Hand or Forearm Vein: A Randomised Trial. <i>Scientific Reports</i> , 2016, 6, 23223.	1.6	9
26	Oestrogen-soaked vaginal packing for decubitus ulcer in advanced pelvic organ prolapse: a case series. <i>International Urogynecology Journal</i> , 2016, 27, 1057-1062.	0.7	5
27	Carbetocin compared to oxytocin in emergency cesarean section: a randomized trial. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2016, 198, 35-39.	0.5	20
28	Non-invasive prenatal diagnosis using fetal DNA in maternal plasma: a preliminary study for identification of paternally-inherited alleles using single nucleotide polymorphisms. <i>BMJ Open</i> , 2015, 5, e007648.	0.8	7
29	Ondansetron Compared With Metoclopramide for Hyperemesis Gravidarum. <i>Obstetrics and Gynecology</i> , 2014, 123, 1272-1279.	1.2	68
30	Talcum powder or aqueous gel to aid external cephalic version: a randomised controlled trial. <i>BMC Pregnancy and Childbirth</i> , 2014, 14, 49.	0.9	4
31	Metoclopramide during pregnancy did not increase risk for major congenital malformations or fetal death. <i>Annals of Internal Medicine</i> , 2014, 160, J13.	2.0	3
32	Depression, Anxiety, Stress and Hyperemesis Gravidarum: Temporal and Case Controlled Correlates. <i>PLoS ONE</i> , 2014, 9, e92036.	1.1	36
33	Coitus to expedite the onset of labour: a randomised trial. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2013, 120, 338-345.	1.1	13
34	In Reply. <i>Obstetrics and Gynecology</i> , 2013, 121, 878.	1.2	0
35	Dextrose Saline Compared With Normal Saline Rehydration of Hyperemesis Gravidarum. <i>Obstetrics and Gynecology</i> , 2013, 121, 291-298.	1.2	36
36	Oral Nifedipine Versus Intravenous Labetalol for Acute Blood Pressure Control in Hypertensive Emergencies of Pregnancy. <i>Obstetric Anesthesia Digest</i> , 2013, 33, 45-46.	0.0	1

#	ARTICLE	IF	CITATIONS
37	Immediate Compared With Delayed Oxytocin After Amniotomy Labor Induction in Parous Women. <i>Obstetrics and Gynecology</i> , 2013, 121, 253-259.	1.2	19
38	In Reply. <i>Obstetrics and Gynecology</i> , 2013, 121, 1360.	1.2	0
39	Dengue Infection and Miscarriage: A Prospective Case Control Study. <i>PLoS Neglected Tropical Diseases</i> , 2012, 6, e1637.	1.3	38
40	Early (at 34-35 weeks) external cephalic version reduced the risk of non-cephalic (breech) presentation at birth but has no effect on risk of caesarean section. <i>Evidence-Based Medicine</i> , 2012, 17, 45-46.	0.6	0
41	Hospital Discharge on the First Compared With the Second Day After a Planned Cesarean Delivery. <i>Obstetrics and Gynecology</i> , 2012, 120, 1273-1282.	1.2	32
42	Gamma-glutamyltransferase, alanine transaminase and aspartate transaminase levels and the diagnosis of gestational diabetes mellitus. <i>Clinical Biochemistry</i> , 2012, 45, 1192-1196.	0.8	29
43	Oral nifedipine versus intravenous labetalol for acute blood pressure control in hypertensive emergencies of pregnancy: a randomised trial. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2012, 119, 78-85.	1.1	86
44	Screening for urinary tract infection in women with hyperemesis gravidarum. <i>Journal of Obstetrics and Gynaecology Research</i> , 2012, 38, 145-153.	0.6	2
45	Single dose 17 alpha-hydroxyprogesterone caproate in preterm labor: a randomized trial. <i>Archives of Gynecology and Obstetrics</i> , 2012, 285, 585-590.	0.8	19
46	Effect of Membrane Sweeping on Cervical Length by Transvaginal Ultrasonography and Impact of Cervical Shortening on Cesarean Delivery. <i>Journal of Ultrasound in Medicine</i> , 2011, 30, 227-233.	0.8	6
47	Contemporary approaches to hyperemesis during pregnancy. <i>Current Opinion in Obstetrics and Gynecology</i> , 2011, 23, 87-93.	0.9	36
48	Promethazine Compared With Metoclopramide for Hyperemesis Gravidarum. <i>Obstetrics and Gynecology</i> , 2010, 115, 975-981.	1.2	79
49	Anxiety and depression in hyperemesis gravidarum: prevalence, risk factors and correlation with clinical severity. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2010, 149, 153-158.	0.5	76
50	A Placebo-Controlled Trial of Oral Pyridoxine in Hyperemesis Gravidarum. <i>Gynecologic and Obstetric Investigation</i> , 2009, 67, 151-157.	0.7	33
51	Effect of high levels of human chorionic gonadotropin and estradiol on the severity of hyperemesis gravidarum. <i>Clinical Chemistry and Laboratory Medicine</i> , 2009, 47, 165-71.	1.4	29
52	Concurrent Dinoprostone and Oxytocin for Labor Induction in Term Premature Rupture of Membranes. <i>Obstetrics and Gynecology</i> , 2009, 113, 1059-1065.	1.2	18
53	Serial Membrane Sweeping at Term in Planned Vaginal Birth After Cesarean. <i>Obstetrics and Gynecology</i> , 2009, 114, 745-751.	1.2	22
54	Oral nifedipine versus subcutaneous terbutaline tocolysis for external cephalic version: a double-blind randomised trial. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2009, 116, 74-81.	1.1	20

#	ARTICLE	IF	CITATIONS
55	Intravenous salbutamol for external cephalic version. <i>International Journal of Gynecology and Obstetrics</i> , 2009, 104, 28-31.	1.0	13
56	The 50â€g glucose challenge test and pregnancy outcome in a multiethnic Asian population at high risk for gestational diabetes. <i>International Journal of Gynecology and Obstetrics</i> , 2009, 105, 50-55.	1.0	36
57	Transvaginal sonography of cervical length and Bishop score as predictors of successful induction of term labor: the effect of parity. <i>Clinical and Experimental Obstetrics and Gynecology</i> , 2009, 36, 35-9.	0.1	10
58	Coitus and orgasm at term: effect on spontaneous labour and pregnancy outcome. <i>Singapore Medical Journal</i> , 2009, 50, 1062-7.	0.3	5
59	Oral celecoxib versus oral diclofenac for postâ€perineal repair analgesia after spontaneous vaginal birth: A randomised trial. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2008, 48, 71-77.	0.4	17
60	Gammaâ€glutamyltransferase level in pregnancy is an independent risk factor for gestational diabetes mellitus. <i>Journal of Obstetrics and Gynaecology Research</i> , 2008, 34, 512-517.	0.6	17
61	Goserelin versus leuprolide before hysterectomy for uterine fibroids. <i>International Journal of Gynecology and Obstetrics</i> , 2008, 101, 178-183.	1.0	7
62	Absorbable versus nonabsorbable sutures for subcuticular skin closure of a transverse suprapubic incision. <i>International Journal of Gynecology and Obstetrics</i> , 2008, 103, 179-181.	1.0	22
63	Trial of Labor After One Cesarean: Role of the Order and Number of Prior Vaginal Births on the Risk of Emergency Cesarean Delivery and Neonatal Admission. <i>Taiwanese Journal of Obstetrics and Gynecology</i> , 2008, 47, 305-311.	0.5	3
64	Alpha-Thalassaemia in Association with Beta-Thalassaemia Patients in Malaysia: A Study on the Co-Inheritance of Both Disorders. <i>Public Health Genomics</i> , 2008, 11, 129-134.	0.6	9
65	Review: calcium supplementation during pregnancy reduces the risk of pre-eclampsia. <i>Evidence-Based Medicine</i> , 2008, 13, 83-83.	0.6	1
66	Dengue Infection in Pregnancy. <i>Obstetrics and Gynecology</i> , 2008, 111, 1111-1117.	1.2	98
67	Effect of Coital Activity on Onset of Labor in Women Scheduled for Labor Induction: A Randomized Controlled Trial. <i>Obstetrical and Gynecological Survey</i> , 2008, 63, 127-128.	0.2	0
68	Predictors for caesarean delivery and neonatal admission after trial of labour in women with one previous lower segment caesarean scar. <i>Singapore Medical Journal</i> , 2008, 49, 188-92.	0.3	0
69	Predictors of newborn admission after labour induction at term: Bishop score, pre-induction ultrasonography and clinical risk factors. <i>Singapore Medical Journal</i> , 2008, 49, 193-8.	0.3	1
70	Effect of Coital Activity on Onset of Labor in Women Scheduled for Labor Induction. <i>Obstetrics and Gynecology</i> , 2007, 110, 820-826.	1.2	26
71	Pregnancy outcome in hyperemesis gravidarum and the effect of laboratory clinical indicators of hyperemesis severity. <i>Journal of Obstetrics and Gynaecology Research</i> , 2007, 33, 457-464.	0.6	46
72	Labour and perinatal outcome in women at term with one previous lower-segment Caesarean: A review of 1000 consecutive cases. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2007, 47, 31-36.	0.4	17

#	ARTICLE	IF	CITATIONS
73	Screening for gestational diabetes at antenatal booking in a Malaysian university hospital: The role of risk factors and threshold value for the 50-g glucose challenge test. Australian and New Zealand Journal of Obstetrics and Gynaecology, 2007, 47, 191-197.	0.4	27
74	Concurrent oxytocin with dinoprostone pessary versus dinoprostone pessary in labour induction of nulliparas with an unfavourable cervix: a randomised placebo-controlled trial. BJOG: an International Journal of Obstetrics and Gynaecology, 2007, 114, 824-832.	1.1	13
75	Transvaginal sonographic measurement of cervical length vs. Bishop score in labor induction at term: tolerability and prediction of Cesarean delivery. Ultrasound in Obstetrics and Gynecology, 2007, 29, 568-573.	0.9	73
76	Indicators of prolonged hospital stay in hyperemesis gravidarum. International Journal of Gynecology and Obstetrics, 2006, 93, 246-247.	1.0	17
77	Effect of Coitus at Term on Length of Gestation, Induction of Labor, and Mode of Delivery. Obstetrics and Gynecology, 2006, 108, 134-140.	1.2	47
78	Readmission risk and metabolic, biochemical, haematological and clinical indicators of severity in hyperemesis gravidarum. Australian and New Zealand Journal of Obstetrics and Gynaecology, 2006, 46, 446-450.	0.4	21
79	Ultrasound and clinical predictors for Caesarean delivery after labour induction at term. Australian and New Zealand Journal of Obstetrics and Gynaecology, 2006, 46, 505-509.	0.4	11
80	The fetal sex ratio and metabolic, biochemical, haematological and clinical indicators of severity of hyperemesis gravidarum. BJOG: an International Journal of Obstetrics and Gynaecology, 2006, 113, 733-737.	1.1	40
81	Membrane Sweeping at Initiation of Formal Labor Induction. Obstetrics and Gynecology, 2006, 107, 569-577.	1.2	34
82	Molecular defects in the β -globin gene identified in different ethnic groups/populations during prenatal diagnosis for β -thalassaemia: a Malaysian experience. Clinical and Experimental Medicine, 2004, 4, 142-147.	1.9	28
83	Early versus Delayed Amniotomy with Immediate Oxytocin After Foley Catheter Cervical Ripening in Nulliparous Labor Induction: A Randomized Trial. International Journal of Gynecology and Obstetrics, 0, , .	1.0	2