

Michel J Kaiser

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1812308/publications.pdf>

Version: 2024-02-01

168
papers

10,475
citations

28274

55
h-index

37204

96
g-index

169
all docs

169
docs citations

169
times ranked

7213
citing authors

#	ARTICLE	IF	CITATIONS
1	Socio-Technical Approaches are Needed for Innovation in Fisheries. <i>Reviews in Fisheries Science and Aquaculture</i> , 2023, 31, 161-179.	9.1	2
2	Potential highly variable catch efficiency estimates complicate estimation of abundance. <i>Fisheries Research</i> , 2022, 245, 106138.	1.7	3
3	Area-based management of blue water fisheries: Current knowledge and research needs. <i>Fish and Fisheries</i> , 2022, 23, 492-518.	5.3	17
4	Trawl impacts on the relative status of biotic communities of seabed sedimentary habitats in 24 regions worldwide. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2022, 119, .	7.1	35
5	A decision support tool for integrated fisheries bycatch management. <i>Reviews in Fish Biology and Fisheries</i> , 2022, 32, 441-472.	4.9	11
6	The value of marine ecotourism for an European outermost region. <i>Ocean and Coastal Management</i> , 2022, 222, 106129.	4.4	7
7	A path forward for analysing the impacts of marine protected areas. <i>Nature</i> , 2022, 607, E1-E2.	27.8	12
8	Trawl fishing impacts on the status of seabed fauna in diverse regions of the globe. <i>Fish and Fisheries</i> , 2021, 22, 72-86.	5.3	26
9	Using biophysical modelling and population genetics for conservation and management of an exploited species, <i>Pecten maximus</i> L. <i>Fisheries Oceanography</i> , 2021, 30, 740-756.	1.7	7
10	Boom not bust: Cooperative management as a mechanism for improving the commercial efficiency and environmental outcomes of regional scallop fisheries. <i>Marine Policy</i> , 2021, 132, 104649.	3.2	4
11	Accurate estimation of fish length in single camera photogrammetry with a fiducial marker. <i>ICES Journal of Marine Science</i> , 2020, 77, 2245-2254.	2.5	13
12	Human impacts on the endangered fan mussel, <i>Pinna nobilis</i> . <i>Aquatic Conservation: Marine and Freshwater Ecosystems</i> , 2020, 30, 31-41.	2.0	23
13	Choosing best practices for managing impacts of trawl fishing on seabed habitats and biota. <i>Fish and Fisheries</i> , 2020, 21, 319-337.	5.3	60
14	Selection of indicators for assessing and managing the impacts of bottom trawling on seabed habitats. <i>Journal of Applied Ecology</i> , 2020, 57, 1199-1209.	4.0	30
15	A Path to a Sustainable Trawl Fishery in Southeast Asia. <i>Reviews in Fisheries Science and Aquaculture</i> , 2020, 28, 499-517.	9.1	15
16	Artificial light improves escapement of fish from a trawl net. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2020, 100, 267-275.	0.8	10
17	Using machine vision to estimate fish length from images using regional convolutional neural networks. <i>Methods in Ecology and Evolution</i> , 2019, 10, 2045-2056.	5.2	57
18	Recent advances in understanding the environmental footprint of trawling on the seabed. <i>Canadian Journal of Zoology</i> , 2019, 97, 755-762.	1.0	10

#	ARTICLE	IF	CITATIONS
19	Do static and dynamic marine protected areas that restrict pelagic fishing achieve ecological objectives?. <i>Ecosphere</i> , 2019, 10, e02968.	2.2	24
20	Assessing bottom trawling impacts based on the longevity of benthic invertebrates. <i>Journal of Applied Ecology</i> , 2019, 56, 1075-1084.	4.0	66
21	The catch characteristics and population structure of the brown crab (<i>Cancer pagurus</i>) fishery in the Isle of Man, Irish Sea. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2019, 99, 119-133.	0.8	9
22	Preference classes in society for coastal marine protected areas. <i>PeerJ</i> , 2019, 7, e6672.	2.0	6
23	Response of benthic fauna to experimental bottom fishing: A global meta-analysis. <i>Fish and Fisheries</i> , 2018, 19, 698-715.	5.3	117
24	Towards spatial management of fisheries in the Gulf: benthic diversity, habitat and fish distributions from Qatari waters. <i>ICES Journal of Marine Science</i> , 2018, 75, 178-189.	2.5	13
25	Recovery linked to life history of sessile epifauna following exclusion of towed mobile fishing gear. <i>Journal of Applied Ecology</i> , 2018, 55, 1060-1070.	4.0	25
26	Fish and invertebrate by-catch in the crab pot fishery in the Isle of Man, Irish Sea. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2018, 98, 2099-2111.	0.8	5
27	The Ethics of Using Social Media in Fisheries Research. <i>Reviews in Fisheries Science and Aquaculture</i> , 2018, 26, 235-242.	9.1	41
28	Bottom trawl fishing footprints on the world's continental shelves. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018, 115, E10275-E10282.	7.1	189
29	Heterogeneous public and local knowledge provides a qualitative indicator of coastal use by marine recreational fishers. <i>Journal of Environmental Management</i> , 2018, 228, 495-505.	7.8	9
30	Text and data mining of social media to map wildlife recreation activity. <i>Biological Conservation</i> , 2018, 228, 89-99.	4.1	42
31	A comparison of VMS and AIS data: the effect of data coverage and vessel position recording frequency on estimates of fishing footprints. <i>ICES Journal of Marine Science</i> , 2018, 75, 988-998.	2.5	81
32	Size-selective fishing of <i>Palaemon serratus</i> (Decapoda, Palaemonidae) in Wales, UK: implications of sexual dimorphism and reproductive biology for fisheries management and conservation. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2017, 97, 1223-1232.	0.8	5
33	Diversity of fishing gear use can affect incomes and costs in small-scale fisheries. <i>Canadian Journal of Fisheries and Aquatic Sciences</i> , 2017, 74, 2144-2152.	1.4	5
34	Relative growth and size at onset of sexual maturity of the brown crab, <i>Cancer pagurus</i> in the Isle of Man, Irish Sea. <i>Marine Biology Research</i> , 2017, 13, 237-245.	0.7	19
35	Your evidence or mine? Systematic evaluation of reviews of marine protected area effectiveness. <i>Fish and Fisheries</i> , 2017, 18, 668-681.	5.3	48
36	Determination of size, sex and maturity stage of free swimming catsharks using laser photogrammetry. <i>Marine Biology</i> , 2017, 164, 213.	1.5	11

#	ARTICLE	IF	CITATIONS
37	Trawl exposure and protection of seabed fauna at large spatial scales. Diversity and Distributions, 2017, 23, 1280-1291.	4.1	11
38	Global analysis of depletion and recovery of seabed biota after bottom trawling disturbance. Proceedings of the National Academy of Sciences of the United States of America, 2017, 114, 8301-8306.	7.1	228
39	Stable isotopes reveal the effect of trawl fisheries on the diet of commercially exploited species. Scientific Reports, 2017, 7, 6334.	3.3	26
40	Filling the gap: Using fishers' knowledge to map the extent and intensity of fishing activity. Marine Environmental Research, 2017, 129, 329-346.	2.5	9
41	Indirect effects of bottom fishing on the productivity of marine fish. Fish and Fisheries, 2017, 18, 619-637.	5.3	65
42	Regional variation in bycatches associated with king scallop (<i>Pecten maximus</i> L.) dredge fisheries. Marine Environmental Research, 2017, 123, 1-13.	2.5	3
43	Estimating the sustainability of towed fishing gear impacts on seabed habitats: a simple quantitative risk assessment method applicable to data-limited fisheries. Methods in Ecology and Evolution, 2017, 8, 472-480.	5.2	57
44	Evidence maps and evidence gaps: evidence review mapping as a method for collating and appraising evidence reviews to inform research and policy. Environmental Evidence, 2017, 6, .	2.7	29
45	Bottom trawling affects fish condition through changes in the ratio of prey availability to density of competitors. Journal of Applied Ecology, 2016, 53, 1500-1510.	4.0	32
46	Prioritization of knowledge needs to achieve best practices for bottom trawling in relation to seabed habitats. Fish and Fisheries, 2016, 17, 637-663.	5.3	28
47	Reproductive traits and factors affecting the size at maturity of <i>Cancer pagurus</i> across Northern Europe. ICES Journal of Marine Science, 2016, 73, 2572-2585.	2.5	18
48	Use of a choice-based survey approach to characterise fishing behaviour in a scallop fishery. Environmental Modelling and Software, 2016, 86, 116-130.	4.5	7
49	Reproductive Ecology, Fecundity, and Elemental Composition of Eggs in Brown Crab <i>Cancer pagurus</i> in The Isle of Man. Journal of Shellfish Research, 2016, 35, 539-547.	0.9	5
50	Quantification of the indirect effects of scallop dredge fisheries on a brown crab fishery. Marine Environmental Research, 2016, 119, 136-143.	2.5	5
51	Spatial Variation in Fish and Invertebrate Bycatches in a Scallop Trawl Fishery. Journal of Shellfish Research, 2016, 35, 7-15.	0.9	3
52	Natural vs. fishing disturbance: drivers of community composition on traditional king scallop, <i>Pecten maximus</i> , fishing grounds. ICES Journal of Marine Science, 2016, 73, i70-i83.	2.5	20
53	Temporal and spatial variation in size at maturity of the common whelk (<i>Buccinum undatum</i>). ICES Journal of Marine Science, 2015, 72, 2707-2719.	2.5	21
54	Video capture of crustacean fisheries data as an alternative to on-board observers. ICES Journal of Marine Science, 2015, 72, 1811-1821.	2.5	19

#	ARTICLE	IF	CITATIONS
55	A multidisciplinary approach in the design of marine protected areas: Integration of science and stakeholder based methods. <i>Ocean and Coastal Management</i> , 2015, 103, 86-93.	4.4	43
56	Evaluating the relative conservation value of fully and partially protected marine areas. <i>Fish and Fisheries</i> , 2015, 16, 58-77.	5.3	118
57	Balancing extractive and non-extractive uses in marine conservation plans. <i>Marine Policy</i> , 2015, 52, 11-18.	3.2	21
58	Prioritization of knowledge needs for sustainable aquaculture: a national and global perspective. <i>Fish and Fisheries</i> , 2015, 16, 668-683.	5.3	55
59	Investigating the effects of mobile bottom fishing on benthic biota: a systematic review protocol. <i>Environmental Evidence</i> , 2014, 3, 23.	2.7	25
60	Quantifying recovery rates and resilience of seabed habitats impacted by bottom fishing. <i>Journal of Applied Ecology</i> , 2014, 51, 1326-1336.	4.0	64
61	Methodological considerations when using local knowledge to infer spatial patterns of resource exploitation in an Irish Sea fishery. <i>Biological Conservation</i> , 2014, 180, 214-223.	4.1	22
62	Infaunal community responses to a gradient of trawling disturbance and a long-term Fishery Exclusion Zone in the Southern Tyrrhenian Sea. <i>Continental Shelf Research</i> , 2014, 76, 25-35.	1.8	24
63	Evaluating and improving the reliability of evidence syntheses in conservation and environmental science: A methodology. <i>Biological Conservation</i> , 2014, 176, 54-62.	4.1	86
64	Confidentiality over fishing effort data threatens science and management progress. <i>Fish and Fisheries</i> , 2013, 14, 110-117.	5.3	53
65	Evaluating the biological effectiveness of fully and partially protected marine areas. <i>Environmental Evidence</i> , 2013, 2, 4.	2.7	103
66	A comparison of two techniques for the rapid assessment of marine habitat complexity. <i>Methods in Ecology and Evolution</i> , 2013, 4, 226-235.	5.2	8
67	Resilience and Challenges of Marine Social-Ecological Systems Under Complex and Interconnected Drivers. <i>Ambio</i> , 2013, 42, 905-909.	5.5	10
68	How Resilient Are Europe's Inshore Fishing Communities to Change? Differences Between the North and the South. <i>Ambio</i> , 2013, 42, 1037-1046.	5.5	14
69	Priority research questions for the UK food system. <i>Food Security</i> , 2013, 5, 617-636.	5.3	67
70	Potential effects of stock enhancement with hatchery-reared seed on genetic diversity and effective population size. <i>Canadian Journal of Fisheries and Aquatic Sciences</i> , 2013, 70, 330-338.	1.4	17
71	The impact of regulatory obligations on fishers' income: Identifying perceptions using a market-testing tool. <i>Fisheries Research</i> , 2013, 137, 129-140.	1.7	8
72	Environmental drivers of small scale spatial variation in the reproductive schedule of a commercially important bivalve mollusc. <i>Marine Environmental Research</i> , 2013, 92, 144-153.	2.5	9

#	ARTICLE	IF	CITATIONS
73	Benthic community response to a scallop dredging closure within a dynamic seabed habitat. <i>Marine Ecology - Progress Series</i> , 2013, 480, 83-98.	1.9	42
74	Spatially explicit economic assessment of cultural ecosystem services: Non-extractive recreational uses of the coastal environment related to marine biodiversity. <i>Marine Policy</i> , 2013, 38, 90-98.	3.2	72
75	The effectiveness of using CPUE data derived from Vessel Monitoring Systems and fisheries logbooks to estimate scallop biomass. <i>ICES Journal of Marine Science</i> , 2013, 70, 1330-1340.	2.5	30
76	Implications of using alternative methods of vessel monitoring system (VMS) data analysis to describe fishing activities and impacts. <i>ICES Journal of Marine Science</i> , 2012, 69, 682-693.	2.5	93
77	Different cultures, different values: The role of cultural variation in public's WTP for marine species conservation. <i>Biological Conservation</i> , 2012, 145, 148-159.	4.1	78
78	Spatial Heterogeneity in Fishing Creates de facto Refugia for Endangered Celtic Sea Elasmobranchs. <i>PLoS ONE</i> , 2012, 7, e49307.	2.5	27
79	The environmental impacts of three different queen scallop (<i>Aequipecten opercularis</i>) fishing gears. <i>Marine Environmental Research</i> , 2012, 73, 85-95.	2.5	12
80	Quantification and prediction of the impact of fishing on epifaunal communities. <i>Marine Ecology - Progress Series</i> , 2011, 430, 71-86.	1.9	52
81	Economic valuation of species loss in the open sea. <i>Ecological Economics</i> , 2011, 70, 729-739.	5.7	85
82	Context dependence of marine ecosystem engineer invasion impacts on benthic ecosystem functioning. <i>Biological Invasions</i> , 2011, 13, 1059-1075.	2.4	56
83	Fishing and environment drive spatial heterogeneity in Celtic Sea fish community size structure. <i>ICES Journal of Marine Science</i> , 2011, 68, 2106-2113.	2.5	15
84	Mapping stakeholder values for coastal zone management. <i>Marine Ecology - Progress Series</i> , 2011, 434, 239-249.	1.9	63
85	Strengthening recruitment of exploited scallops <i>Pecten maximus</i> with ocean warming. <i>Marine Biology</i> , 2010, 157, 91-97.	1.5	45
86	Distribution of the burden of fisheries regulations in Europe: The north/south divide. <i>Marine Policy</i> , 2010, 34, 795-802.	3.2	12
87	Marine stewardship: a force for good. <i>Nature</i> , 2010, 467, 531-531.	27.8	7
88	Temperate marine reserves: global ecological effects and guidelines for future networks. <i>Conservation Letters</i> , 2009, 2, 243-253.	5.7	57
89	Influence of self-organised structures on near-bed hydrodynamics and sediment dynamics within a mussel (<i>Mytilus edulis</i>) bed in the Menai Strait. <i>Journal of Experimental Marine Biology and Ecology</i> , 2009, 379, 92-100.	1.5	23
90	Introduction to papers on fish welfare in commercial fisheries. <i>Journal of Fish Biology</i> , 2009, 75, 2852-2854.	1.6	10

#	ARTICLE	IF	CITATIONS
91	Fishers' perception of a 35-year old exclusive Fisheries Management Zone. <i>Biological Conservation</i> , 2009, 142, 2691-2702.	4.1	74
92	Hydrodredge: Reducing the negative impacts of scallop dredging. <i>Fisheries Research</i> , 2009, 95, 206-209.	1.7	18
93	Trawl disturbance on benthic communities: chronic effects and experimental predictions. <i>Ecological Applications</i> , 2009, 19, 761-773.	3.8	168
94	Large-scale responses of nematode communities to chronic otter-trawl disturbance. <i>Canadian Journal of Fisheries and Aquatic Sciences</i> , 2008, 65, 723-732.	1.4	16
95	Engagement in co-management of marine benthic resources influences environmental perceptions of artisanal fishers. <i>Environmental Conservation</i> , 2008, 35, .	1.3	89
96	Diferencias en la estructura de la comunidad demersal y espectros de biomasa dentro y fuera de la zona de gestión pesquera de Malta. <i>Scientia Marina</i> , 2008, 72, 669-682.	0.6	28
97	Ecosystem-sensitive approaches to fishing: reconciling fisheries with conservation through improvements in fishing technology. <i>ICES Journal of Marine Science</i> , 2007, 64, 1610-1611.	2.5	2
98	In situ mussel feeding behavior in relation to multiple environmental factors: Regulation through food concentration and tidal conditions. <i>Limnology and Oceanography</i> , 2007, 52, 1919-1929.	3.1	51
99	Evidence for greater reproductive output per unit area in areas protected from fishing. <i>Canadian Journal of Fisheries and Aquatic Sciences</i> , 2007, 64, 1284-1289.	1.4	30
100	Assessing and predicting the relative ecological impacts of disturbance on habitats with different sensitivities. <i>Journal of Applied Ecology</i> , 2007, 44, 405-413.	4.0	100
101	Heterogeneity in fishers' harvesting decisions under a marine territorial user rights policy. <i>Ecological Economics</i> , 2007, 61, 246-254.	5.7	45
102	From policy to practice in developing ecologically sustainable fisheries: Reply to Valdimarsson?. <i>Marine Pollution Bulletin</i> , 2007, 54, 491-493.	5.0	3
103	Fishing for facts on the environmental effects of trawling and dredge fisheries: Reply to L��kkeborg. <i>Marine Pollution Bulletin</i> , 2007, 54, 497-500.	5.0	9
104	Food subsidies from fisheries to continental shelf benthic scavengers. <i>Marine Ecology - Progress Series</i> , 2007, 350, 267-276.	1.9	34
105	Cumulative impacts of seabed trawl disturbance on benthic biomass, production, and species richness in different habitats. <i>Canadian Journal of Fisheries and Aquatic Sciences</i> , 2006, 63, 721-736.	1.4	246
106	Trends in sea anglers' catches of trophy fish in relation to stock size. <i>Fisheries Research</i> , 2006, 82, 253-262.	1.7	16
107	Predicting the effects of area closures and fishing effort restrictions on the production, biomass, and species richness of benthic invertebrate communities. <i>ICES Journal of Marine Science</i> , 2006, 63, 822-830.	2.5	107
108	Evaluation of habitat use by adult plaice (<i>Pleuronectes platessa</i> L.) using underwater video survey techniques. <i>Journal of Sea Research</i> , 2006, 56, 317-328.	1.6	29

#	ARTICLE	IF	CITATIONS
109	The Role of Ecolabeling in Fisheries Management and Conservation. <i>Conservation Biology</i> , 2006, 20, 392-398.	4.7	100
110	Conservation Benefits of Temperate Marine Protected Areas: Variation among Fish Species. <i>Conservation Biology</i> , 2006, 20, 811-820.	4.7	61
111	Sensitivity of Marine-Reserve Design to the Spatial Resolution of Socioeconomic Data. <i>Conservation Biology</i> , 2006, 20, 1191-1202.	4.7	92
112	Distribution and behaviour of Common Scoter <i>Melanitta nigra</i> relative to prey resources and environmental parameters. <i>Ibis</i> , 2006, 148, 110-128.	1.9	41
113	Co-management Policy Can Reduce Resilience in Traditionally Managed Marine Ecosystems. <i>Ecosystems</i> , 2006, 9, 951-966.	3.4	146
114	Indicators of the Ecological Impact of Bottom-Trawl Disturbance on Seabed Communities. <i>Ecosystems</i> , 2006, 9, 1190-1199.	3.4	67
115	On effects of trawling, benthos and sampling design. <i>Marine Pollution Bulletin</i> , 2006, 52, 840-843.	5.0	73
116	Effects of chronic bottom trawling disturbance on benthic biomass, production and size spectra in different habitats. <i>Journal of Experimental Marine Biology and Ecology</i> , 2006, 335, 91-103.	1.5	125
117	Habitat association of plaice, sole, and lemon sole in the English Channel. <i>ICES Journal of Marine Science</i> , 2006, 63, 912-927.	2.5	24
118	Global analysis of response and recovery of benthic biota to fishing. <i>Marine Ecology - Progress Series</i> , 2006, 311, 1-14.	1.9	496
119	Chronic bottom trawling alters the functional composition of benthic invertebrate communities on a sea-basin scale. <i>Marine Ecology - Progress Series</i> , 2006, 318, 31-45.	1.9	291
120	Variation in fishers' attitudes within an inshore fishery: implications for management. <i>Environmental Conservation</i> , 2005, 32, 213-225.	1.3	36
121	Importance of Attitudinal Differences among Artisanal Fishers toward Co-Management and Conservation of Marine Resources. <i>Conservation Biology</i> , 2005, 19, 865-875.	4.7	128
122	Implications of Liebig's law of the minimum for the use of ecological indicators based on abundance. <i>Ecography</i> , 2005, 28, 264-271.	4.5	37
123	Resource degradation: a subtle effect of bottom fishing. <i>Marine Biology</i> , 2005, 146, 401-408.	1.5	6
124	Density dependence, spatial scale and patterning in sessile biota. <i>Oecologia</i> , 2005, 145, 371-381.	2.0	62
125	Are marine protected areas a red herring or fisheries panacea?. <i>Canadian Journal of Fisheries and Aquatic Sciences</i> , 2005, 62, 1194-1199.	1.4	130
126	Using Discourses for Policy Evaluation: The Case of Marine Common Property Rights in Chile. <i>Society and Natural Resources</i> , 2005, 18, 377-391.	1.9	53

#	ARTICLE	IF	CITATIONS
127	A BEHAVIOR-BASED MODELING APPROACH TO REDUCING SHOREBIRD-“SHELLFISH CONFLICTS. , 2004, 14, 1411-1427.		27
128	Fish in Deep-Water Coral Habitats. Science, 2004, 304, 1595b-1595b.	12.6	3
129	Changes in species richness with stocking density of marine bivalves. Journal of Applied Ecology, 2004, 41, 464-475.	4.0	54
130	Implications of a zoned fishery management system for marine benthic communities. Journal of Applied Ecology, 2004, 41, 951-961.	4.0	55
131	Demersal fish and epifauna associated with sandbank habitats. Estuarine, Coastal and Shelf Science, 2004, 60, 445-456.	2.1	29
132	Marine protected areas: the importance of being earnest. Aquatic Conservation: Marine and Freshwater Ecosystems, 2004, 14, 635-638.	2.0	13
133	Using knowledge from fishers and fisheries scientists to identify possible groundfish “Essential Fish Habitats”™. Fisheries Research, 2004, 66, 373-379.	1.7	63
134	Recovery rates of benthic communities following physical disturbance. Journal of Animal Ecology, 2003, 72, 1043-1056.	2.8	85
135	Detecting the Effects of Fishing on Seabed Community Diversity: Importance of Scale and Sample Size. Conservation Biology, 2003, 17, 512-520.	4.7	23
136	Voluntary management in an inshore fishery has conservation benefits. Environmental Conservation, 2002, 29, 493-508.	1.3	57
137	Modification of marine habitats by trawling activities: prognosis and solutions. Fish and Fisheries, 2002, 3, 114-136.	5.3	378
138	Fishing-Gear Restrictions and Conservation of Benthic Habitat Complexity. Conservation Biology, 2000, 14, 1512-1525.	4.7	83
139	Chronic fishing disturbance has changed shelf sea benthic community structure. Journal of Animal Ecology, 2000, 69, 494-503.	2.8	225
140	A quantitative analysis of fishing impacts on shelf-sea benthos. Journal of Animal Ecology, 2000, 69, 785-798.	2.8	485
141	The impact of otter trawling on mud communities in the northwestern Mediterranean. ICES Journal of Marine Science, 2000, 57, 1352-1358.	2.5	37
142	Fishing effects in northeast Atlantic shelf seas: patterns in fishing effort, diversity and community structure VII. The effects of trawling disturbance on the fauna associated with the tubeheads of serpulid worms. Fisheries Research, 1999, 40, 195-205.	1.7	33
143	Responses of benthic scavengers to fishing disturbance by towed gears in different habitats. Journal of Experimental Marine Biology and Ecology, 1998, 224, 73-89.	1.5	116
144	Significance of Bottom-Fishing Disturbance. Conservation Biology, 1998, 12, 1230-1235.	4.7	99

#	ARTICLE	IF	CITATIONS
145	The Effects of Fishing on Marine Ecosystems. <i>Advances in Marine Biology</i> , 1998, , 201-352.	1.4	1,030
146	Demersal fishing disturbance increases predation risk for whelks (<i>Buccinum undatum</i> L.). <i>Journal of Sea Research</i> , 1998, 39, 299-304.	1.6	43
147	Changes in megafaunal benthic communities in different habitats after trawling disturbance. <i>ICES Journal of Marine Science</i> , 1998, 55, 353-361.	2.5	105
148	Consumption of Fisheries Discards by Benthic Scavengers: Utilization of Energy Subsidies in Different Marine Habitats. <i>Journal of Animal Ecology</i> , 1997, 66, 884.	2.8	111
149	Carapace Colour, Inter-moult Duration and the Behavioural and Physiological Ecology of the Shore Crab <i>Carcinus maenas</i> . <i>Estuarine, Coastal and Shelf Science</i> , 1997, 44, 203-211.	2.1	98
150	A Field Study of Intraspecific Competition for Food in Hermit Crabs (<i>Pagurus bernhardus</i>). <i>Estuarine, Coastal and Shelf Science</i> , 1997, 44, 213-220.	2.1	54
151	Opportunistic feeding by dabs within areas of trawl disturbance: possible implications for increased survival. <i>Marine Ecology - Progress Series</i> , 1997, 152, 307-310.	1.9	39
152	The Effects of Beam-Trawl Disturbance on Infaunal Communities in Different Habitats. <i>Journal of Animal Ecology</i> , 1996, 65, 348.	2.8	213
153	Infaunal community changes as a result of commercial clam cultivation and harvesting. <i>Aquatic Living Resources</i> , 1996, 9, 57-63.	1.2	30
154	Behaviour and energetics of whelks, <i>Buccinum undatum</i> (L.), feeding on animals killed by beam trawling. <i>Journal of Experimental Marine Biology and Ecology</i> , 1996, 197, 51-62.	1.5	21
155	Benthic community changes associated with intertidal oyster cultivation. <i>Aquaculture Research</i> , 1996, 27, 913-924.	1.8	22
156	Starfish damage as an indicator of trawling intensity. <i>Marine Ecology - Progress Series</i> , 1996, 134, 303-307.	1.9	31
157	Changes in hermit crab feeding patterns in response to trawling disturbance. <i>Marine Ecology - Progress Series</i> , 1996, 144, 63-72.	1.9	64
158	Catches in 'ghost fishing' set nets. <i>Marine Ecology - Progress Series</i> , 1996, 145, 11-16.	1.9	84
159	Survival of by-catch from a beam trawl. <i>Marine Ecology - Progress Series</i> , 1995, 126, 31-38.	1.9	150
160	Factors affecting diet selection in the shore crab, <i>Carcinus maenus</i> (L.). <i>Animal Behaviour</i> , 1993, 45, 83-92.	1.9	32
161	Factors affecting the behavioural mechanisms of diet selection in fishes. <i>Marine and Freshwater Behaviour and Physiology</i> , 1993, 23, 105-118.	0.9	19
162	The effect of prey shape on the predatory behaviour of the common shore crab, <i>carcinus maenas</i> (L.). <i>Marine and Freshwater Behaviour and Physiology</i> , 1993, 22, 107-117.	0.9	4

#	ARTICLE	IF	CITATIONS
163	Intraspecific morphological variation related to the moult-cycle in colour forms of the shore crab <i>Carcinus maenas</i> . <i>Journal of Zoology</i> , 1992, 228, 351-359.	1.7	52
164	The effect of prey type on the predatory behaviour of the fifteen-spined stickleback, <i>Spinachia spinachia</i> (L.). <i>Animal Behaviour</i> , 1992, 43, 147-156.	1.9	29
165	Are digestive characteristics important contributors to the profitability of prey?. <i>Oecologia</i> , 1992, 90, 61-69.	2.0	29
166	Optimizing foraging behaviour through learning. <i>Journal of Fish Biology</i> , 1992, 41, 77-91.	1.6	64
167	Chelal morphometry, prey-size selection and aggressive competition in green and red forms of <i>Carcinus maenas</i> (L.). <i>Journal of Experimental Marine Biology and Ecology</i> , 1990, 140, 121-134.	1.5	76
168	The contribution of Area-Based Fisheries Management Measures to Fisheries Sustainability and Marine Conservation: a global scoping review protocol. <i>Research Ideas and Outcomes</i> , 0, 7, .	1.0	6