Ailin Luo

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/1833513/ailin-luo-publications-by-year.pdf

Version: 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

60 1,433 17 37 h-index g-index citations papers 61 2,046 4.79 4.7 L-index avg, IF ext. citations ext. papers

#	Paper	IF	Citations
60	Sulforaphane improves cognitive dysfunction after surgery and anesthesia in mice: The role of Keap1-Nrf2 signaling <i>Brain Research Bulletin</i> , 2022 , 181, 1-11	3.9	O
59	CHIP Decline Is Associated With Isoflurane-Induced Neurodegeneration in Aged Mice <i>Frontiers in Neuroscience</i> , 2022 , 16, 824871	5.1	
58	Type 2 Diabetes Mellitus-associated Cognitive Dysfunction: Advances in Potential Mechanisms and Therapies <i>Neuroscience and Biobehavioral Reviews</i> , 2022 , 104642	9	2
57	Preoperative screening of patients at high risk of obstructive sleep apnea and postoperative complications: A systematic review and meta-analysis <i>Journal of Clinical Anesthesia</i> , 2022 , 79, 110692	1.9	1
56	Gut Microbiome and Plasma Metabolome Signatures in Middle-Aged Mice With Cognitive Dysfunction Induced by Chronic Neuropathic Pain <i>Frontiers in Molecular Neuroscience</i> , 2021 , 14, 806706	06.1	1
55	Cefazolin Improves Anesthesia and Surgery-Induced Cognitive Impairments by Modulating Blood-Brain Barrier Function, Gut Bacteria and Short Chain Fatty Acids. <i>Frontiers in Aging Neuroscience</i> , 2021 , 13, 748637	5.3	2
54	Epidural analgesia during labor and its optimal initiation time-points: A real-world study on 400 Chinese nulliparas. <i>Medicine (United States)</i> , 2021 , 100, e24923	1.8	1
53	Femoral nerve block versus fascia iliaca block for pain control in knee and hip arthroplasties: A meta-analysis. <i>Medicine (United States)</i> , 2021 , 100, e25450	1.8	2
52	Admission fasting plasma glucose is an independent risk factor for 28-day mortality in patients with COVID-19. <i>Journal of Medical Virology</i> , 2021 , 93, 2168-2176	19.7	10
51	Effect of dexmedetomidine on delirium during sedation in adult patients in intensive care units: A systematic review and meta-analysis. <i>Journal of Clinical Anesthesia</i> , 2021 , 69, 110157	1.9	7
50	Risk factors for mortality of critically ill patients with COVID-19 receiving invasive ventilation. <i>International Journal of Medical Sciences</i> , 2021 , 18, 1198-1206	3.7	4
49	Vagus nerve stimulation in brain diseases: Therapeutic applications and biological mechanisms. Neuroscience and Biobehavioral Reviews, 2021 , 127, 37-53	9	15
48	The Role of Perioperative Sleep Disturbance in Postoperative Neurocognitive Disorders. <i>Nature and Science of Sleep</i> , 2021 , 13, 1395-1410	3.6	3
47	Intensive glucose control during the perioperative period for diabetic patients undergoing surgery: An updated systematic review and meta-analysis. <i>Journal of Clinical Anesthesia</i> , 2021 , 75, 110504	1.9	3
46	Continuous Analysis of Critical Incidents for 92,136 Postanesthesia Care Unit Patients of a Chinese University Hospital. <i>Journal of Perianesthesia Nursing</i> , 2020 , 35, 630-634	1.3	2
45	An interpretable mortality prediction model for COVID-19 patients. <i>Nature Machine Intelligence</i> , 2020 , 2, 283-288	22.5	398
44	General Anesthetic-Induced Neurotoxicity in the Immature Brain: Reevaluating the Confounding Factors in the Preclinical Studies. <i>BioMed Research International</i> , 2020 , 2020, 7380172	3	2

43	Resveratrol Mitigates Sevoflurane-Induced Neurotoxicity by the SIRT1-Dependent Regulation of BDNF Expression in Developing Mice. <i>Oxidative Medicine and Cellular Longevity</i> , 2020 , 2020, 9018624	6.7	24
42	Emergency tracheal intubation in 202 patients with COVID-19 in Wuhan, China: lessons learnt and international expert recommendations. <i>British Journal of Anaesthesia</i> , 2020 , 125, e28-e37	5.4	186
41	The efficacy and safety of remimazolam tosylate versus propofol in patients undergoing colonoscopy: a multicentered, randomized, positive-controlled, phase III clinical trial. <i>American Journal of Translational Research (discontinued)</i> , 2020 , 12, 4594-4603	3	17
40	Clinical experience with emergency endotracheal intubation in COVID-19 patients in the intensive care units: a single-centered, retrospective, descriptive study. <i>American Journal of Translational Research (discontinued)</i> , 2020 , 12, 6655-6664	3	2
39	COVID-19: a risk factor for fatal outcomes in patients with comorbid cardiovascular disease. <i>Aging</i> , 2020 , 12, 18866-18877	5.6	
38	NR2B receptor- and calpain-mediated KCC2 cleavage resulted in cognitive deficiency exposure to isoflurane. <i>NeuroToxicology</i> , 2020 , 76, 75-83	4.4	6
37	The Role of Bacteria and Its Derived Metabolites in Chronic Pain and Depression: Recent Findings and Research Progress. <i>International Journal of Neuropsychopharmacology</i> , 2020 , 23, 26-41	5.8	29
36	Perioperative management of patients with suspected or confirmed COVID-19: review and recommendations for perioperative management from a retrospective cohort study. <i>British Journal of Anaesthesia</i> , 2020 , 125, 895-911	5.4	11
35	Resveratrol Mitigates Hippocampal Tau Acetylation and Cognitive Deficit by Activation SIRT1 in Aged Rats following Anesthesia and Surgery. <i>Oxidative Medicine and Cellular Longevity</i> , 2020 , 2020, 463	359763	8
34	Brain-derived neurotrophic factor-TrkB signaling in the medial prefrontal cortex plays a role in the anhedonia-like phenotype after spared nerve injury. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2020 , 270, 195-205	5.1	12
33	Key role of gut microbiota in anhedonia-like phenotype in rodents with neuropathic pain. <i>Translational Psychiatry</i> , 2019 , 9, 57	8.6	73
32	Anesthetic management of radical nephrectomy in patients with renal cell carcinoma involving renal vein or inferior vena cava. <i>Tumori</i> , 2019 , 105, 411-416	1.7	1
31	Alterations in the BDNF-mTOR Signaling Pathway in the Spinal Cord Contribute to Hyperalgesia in a Rodent Model of Chronic Restraint Stress. <i>Neuroscience</i> , 2019 , 409, 142-151	3.9	9
30	Effects of dexmedetomidine on delirium and mortality during sedation in ICU patients: a systematic review and meta-analysis protocol. <i>BMJ Open</i> , 2019 , 9, e025850	3	3
29	Ketamine Alleviates Postoperative Depression-Like Symptoms in Susceptible Mice: The Role of BDNF-TrkB Signaling. <i>Frontiers in Pharmacology</i> , 2019 , 10, 1702	5.6	11
28	Contribution of skeletal muscular glycine to rapid antidepressant effects of ketamine in an inflammation-induced mouse model of depression. <i>Psychopharmacology</i> , 2019 , 236, 3513-3523	4.7	7
27	Anesthesia and surgery induce cognitive dysfunction in elderly male mice: the role of gut microbiota. <i>Aging</i> , 2019 , 11, 1778-1790	5.6	29
26	Molecular and cellular mechanisms underlying the antidepressant effects of ketamine enantiomers and its metabolites. <i>Translational Psychiatry</i> , 2019 , 9, 280	8.6	82

25	Differential Levels of Hippo Signaling in Selected Brain and Peripheral Tissues in Streptozotocin-Induced Cognitive Dysfunction in Mice. <i>Neuroscience</i> , 2019 , 421, 48-58	3.9	2
24	Abnormal gut microbiota composition contributes to cognitive dysfunction in streptozotocin-induced diabetic mice. <i>Aging</i> , 2019 , 11, 3262-3279	5.6	33
23	Prevalence and predisposing factors of depressive symptoms in patients with stable coronary artery disease: a cross-sectional single-center study. <i>Aging</i> , 2019 , 11, 3958-3968	5.6	5
22	Abnormal gut microbiota composition contributes to the development of type 2 diabetes mellitus in db/db mice. <i>Aging</i> , 2019 , 11, 10454-10467	5.6	37
21	The role of SIRT1 in neuroinflammation and cognitive dysfunction in aged rats after anesthesia and surgery. <i>American Journal of Translational Research (discontinued)</i> , 2019 , 11, 1555-1568	3	22
20	Abnormalities in Inflammatory Cytokines Confer Susceptible to Chronic Neuropathic Pain-related Anhedonia in a Rat Model of Spared Nerve Injury. <i>Clinical Psychopharmacology and Neuroscience</i> , 2019 , 17, 189-199	3.4	11
19	Postoperative cognitive dysfunction in the aged: the collision of neuroinflammaging with perioperative neuroinflammation. <i>Inflammopharmacology</i> , 2019 , 27, 27-37	5.1	38
18	Role of Actinobacteria and Coriobacteriia in the antidepressant effects of ketamine in an inflammation model of depression. <i>Pharmacology Biochemistry and Behavior</i> , 2019 , 176, 93-100	3.9	36
17	Sulforaphane Alleviates Lipopolysaccharide-induced Spatial Learning and Memory Dysfunction in Mice: The Role of BDNF-mTOR Signaling Pathway. <i>Neuroscience</i> , 2018 , 388, 357-366	3.9	26
16	Role of Keap1-Nrf2 Signaling in Anhedonia Symptoms in a Rat Model of Chronic Neuropathic Pain: Improvement With Sulforaphane. <i>Frontiers in Pharmacology</i> , 2018 , 9, 887	5.6	19
15	Abnormal gut microbiota composition contributes to cognitive dysfunction in SAMP8 mice. <i>Aging</i> , 2018 , 10, 1257-1267	5.6	83
14	Mdivi-1 pretreatment mitigates isoflurane-induced cognitive deficits in developmental rats. <i>American Journal of Translational Research (discontinued)</i> , 2018 , 10, 432-443	3	2
13	Anesthesia and surgery induce delirium-like behavior in susceptible mice: the role of oxidative stress. <i>American Journal of Translational Research (discontinued)</i> , 2018 , 10, 2435-2444	3	14
12	PGC-1EFNDC5-BDNF signaling pathway in skeletal muscle confers resilience to stress in mice subjected to chronic social defeat. <i>Psychopharmacology</i> , 2018 , 235, 3351-3358	4.7	17
11	Sevoflurane addiction due to workplace exposure: A case report and literature review. <i>Medicine</i> (United States), 2018 , 97, e12454	1.8	4
10	Potential role of CXCL10/CXCR3 signaling in the development of morphine tolerance in periaqueductal gray. <i>Neuropeptides</i> , 2017 , 65, 120-127	3.3	14
9	Overexpression cdc42 attenuates isoflurane-induced neurotoxicity in developmental brain of rats. <i>Biochemical and Biophysical Research Communications</i> , 2017 , 490, 719-725	3.4	6
8	Pharmacological inhibition of PTEN attenuates cognitive deficits caused by neonatal repeated exposures to isoflurane via inhibition of NR2B-mediated tau phosphorylation in rats. Neuropharmacology, 2017, 114, 135-145	5.5	14

LIST OF PUBLICATIONS

7	Critical role of matrix metallopeptidase 9 in postoperative cognitive dysfunction and age-dependent cognitive decline. <i>Oncotarget</i> , 2017 , 8, 51817-51829	3.3	28
6	Chikusetsu saponin IVa attenuates isoflurane-induced neurotoxicity and cognitive deficits via SIRT1/ERK1/2 in developmental rats. <i>American Journal of Translational Research (discontinued)</i> , 2017 , 9, 4288-4299	3	8
5	Safety and Efficacy Study of the Cyclooxygenase-2 Inhibitor Parecoxib Sodium Applied for Postoperative Analgesia After Endo-Nasal Operation. <i>Pain Practice</i> , 2016 , 16, 467-72	3	5
4	Dexmedetomidine Attenuates Myocardial Injury in Off-Pump Coronary Artery Bypass Graft Surgery. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2016 , 30, 44-50	2.1	24
3	Involvement of caspase-3/PTEN signaling pathway in isoflurane-induced decrease of self-renewal capacity of hippocampal neural precursor cells. <i>Brain Research</i> , 2015 , 1625, 275-86	3.7	13
2	Effect of Propofol on the Expression of MMP-9 and Its Relevant Inflammatory Factors in Brain of Rat with Intracerebral Hemorrhage. <i>Cell Biochemistry and Biophysics</i> , 2015 , 72, 675-9	3.2	5
1	Isoflurane enhances the expression of cytochrome C by facilitation of NMDA receptor in developing rat hippocampal neurons in vitro. <i>Journal of Huazhong University of Science and Technology [Medical Sciences]</i> , 2011 , 31, 779-783		4