Jose-Tomás Navarro

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1965076/publications.pdf

Version: 2024-02-01

85 papers 1,463 citations

361296 20 h-index 36 g-index

98 all docs 98 docs citations

times ranked

98

1675 citing authors

#	Article	IF	CITATIONS
1	<i>BCL2</i> translocation in high grade B cell lymphoma (NOS, DH/TH) is associated with reduced progression free survival. Leukemia and Lymphoma, 2022, 63, 101-108.	0.6	5
2	Monocyte subset distribution in myeloproliferative and myelodysplastic/myeloproliferative neoplasms with monocytosis. Leukemia Research, 2022, 112, 106771.	0.4	1
3	Cytokeratin expression in plasmablastic lymphoma – a possible diagnostic pitfall in the routine workâ€up of tumours. Histopathology, 2021, 78, 831-837.	1.6	3
4	Chronic myelomonocytic leukemia and blastic plasmacytoid dendritic cell neoplasm. A case report and systematic review. Cytometry Part B - Clinical Cytometry, 2021, 100, 292-295.	0.7	5
5	Epigenetic loss of m1A RNA demethylase ALKBH3 in Hodgkin lymphoma targets collagen, conferring poor clinical outcome. Blood, 2021, 137, 994-999.	0.6	30
6	Hodgkin Lymphoma in People Living with HIV. Cancers, 2021, 13, 4366.	1.7	13
7	Molecular and functional profiling identifies therapeutically targetable vulnerabilities in plasmablastic lymphoma. Nature Communications, 2021, 12, 5183.	5.8	26
8	Linfoma difuso de célula grande B HHV8+ en un paciente con infección por el VIH. Medicina ClÃnica, 2021, 157, 306-307.	0.3	0
9	Clinical and Therapeutic Implications of Epstein–Barr Virus in HIV-Related Lymphomas. Cancers, 2021, 13, 5534.	1.7	15
10	Validation of New International Prognostic Scores, Including Baseline Peripheral Blood Variables, in Patients with Diffuse Large B-Cell Lymphoma and HIV Infection Treated with R-CHOP and Combined Antiretroviral Therapy. Retrospective Study from Spanish Lymphoma Group Geltamo. Blood, 2021, 138, 2497-2497.	0.6	0
11	Flow Cytometry in the Differential Diagnosis of CD10-Positive Nodal Lymphomas. Laboratory Medicine, 2020, 51, 385-393.	0.8	3
12	Bone lesions in Erdheim-Chester disease. Medicina ClÃnica (English Edition), 2020, 155, 233.	0.1	0
13	Polycythemia Vera Evolution to Chronic Myelomocytic Leukemia: The Prognostic Value of Next Generation Sequencing. HemaSphere, 2020, 4, e466.	1.2	4
14	FMOD expression in whole blood aids in distinguishing between chronic lymphocytic leukemia and other leukemic lymphoproliferative disorders. A pilot study. Cytometry Part B - Clinical Cytometry, 2020, 98, 421-428.	0.7	9
15	Lesiones $ ilde{A}^3$ seas en enfermedad de Erdheim-Chester. Medicina Cl $ ilde{A}$ nica, 2020, 155, 233.	0.3	2
16	Plasma Epstein-Barr Virus Load as an Early Biomarker and Prognostic Factor of Human Immunodeficiency Virus–related Lymphomas. Clinical Infectious Diseases, 2019, 68, 834-843.	2.9	11
17	<scp>m7FLIPI</scp> and targeted sequencing in highâ€risk follicular lymphoma. Hematological Oncology, 2019, 37, 564-568.	0.8	2
18	The European Hematology Exam: The Next Step toward the Harmonization of Hematology Training in Europe. HemaSphere, 2019, 3, e291.	1.2	1

#	Article	IF	Citations
19	Reply to Lupo et al. Clinical Infectious Diseases, 2019, 68, 892-893.	2.9	1
20	Using the Lymph2Cx assay for assessing cell-of-origin subtypes of HIV-related diffuse large B-cell lymphoma. Leukemia and Lymphoma, 2019, 60, 1087-1091.	0.6	6
21	Bortezomib plus <scp>EPOCH</scp> is effective as frontline treatment in patients with plasmablastic lymphoma. British Journal of Haematology, 2019, 184, 679-682.	1.2	55
22	Abstract 4725: Efficacy of a new small-molecule inhibitor of histone deacetylase 6 (HDAC6) in preclinical models of B-cell lymphoma and acute myeloid leukemia. , $2019,$		0
23	Recomendaciones de GESIDA/PETHEMA sobre el diagnóstico y tratamiento de los linfomas en pacientes infectados por el virus de la inmunodeficiencia humana. Medicina ClÃnica, 2018, 151, 39.e1-39.e17.	0.3	5
24	Indications and use of, and incidence of major bleeding with, antithrombotic agents in myelodysplastic syndrome. Leukemia Research, 2018, 73, 24-28.	0.4	2
25	GESIDA/PETHEMA recommendations on the diagnosis and treatment of lymphomas in patients infected by the human immunodeficiency virus. Medicina ClÃnica (English Edition), 2018, 151, 39.e1-39.e17.	0.1	2
26	<i>In vitro</i> and <i>in vivo</i> activity of a new small-molecule inhibitor of HDAC6 in mantle cell lymphoma. Haematologica, 2018, 103, e537-e540.	1.7	15
27	Efficacy of a New Small-Molecule Inhibitor of Histone Deacetylase 6 (HDAC6) in Preclinical Models of B-Cell Lymphoma and Acute Myeloid Leukemia. Blood, 2018, 132, 5383-5383.	0.6	O
28	Epstein–Barr viral loads and serum free light chains levels are potential follow-up markers of HIV-related lymphomas. Leukemia and Lymphoma, 2017, 58, 211-213.	0.6	4
29	PronÃ ³ stico similar de los linfomas transformados y los linfomas difusos de células B grandes de novo en pacientes tratados con inmunoquimioterapia. Medicina ClÃnica, 2017, 148, 243-249.	0.3	1
30	HIV-infection has no prognostic impact on advanced-stage Hodgkin lymphoma. Aids, 2017, 31, 1445-1449.	1.0	14
31	Linfomas con reordenamiento de MYC distintos del linfoma de Burkitt: comparación entre R-CHOP y la inmunoquimioterapia tipo Burkitt. Medicina ClÃnica, 2017, 149, 339-342.	0.3	2
32	Relapse risk after autologous stem cell transplantation in patients with lymphoma based on CD34+ cell dose. Leukemia and Lymphoma, 2017, 58, 916-922.	0.6	5
33	The influence of antiretroviral therapy on clinical aspects of HIV-related lymphoma. International Journal of Hematologic Oncology, 2017, 6, 35-38.	0.7	O
34	Central nervous system involvement in <scp>AIDS</scp> â€related lymphomas. British Journal of Haematology, 2016, 173, 857-866.	1.2	19
35	HIV-infection impact on clinical–biological features and outcome of diffuse large B-cell lymphoma treated with R-CHOP in the combination antiretroviral therapy era. Aids, 2015, 29, 811-818.	1.0	37
36	<scp>MYC</scp> protein expression is associated with poor prognosis in primary diffuse large Bâ€eell lymphoma of the central nervous system. Apmis, 2015, 123, 596-603.	0.9	29

#	Article	IF	CITATIONS
37	Acute myeloid leukemia with inv(3)($q21q26.2$) or t(3;3)($q21;q26.2$): Clinical and biological features and comparison with other acute myeloid leukemias with cytogenetic aberrations involving long arm of chromosome 3. Hematology, 2015, 20, 435-441.	0.7	13
38	The long term follow-up of early stage follicular lymphoma treated with radiotherapy, chemotherapy or combined modality treatment. Leukemia Research, 2015, 39, 853-858.	0.4	15
39	Flow cytometry for detection of central nervous system disease in acute myeloid leukemia. Leukemia and Lymphoma, 2015, 56, 2190-2192.	0.6	5
40	Translocation (18;22)(q21;q11.2) in B-cell lymphoproliferative disorders: a report of six cases. Leukemia and Lymphoma, 2015, 56, 789-792.	0.6	0
41	Prevalence, Predictive Factors Therapy and Outcome of Patients with Follicular Lymphoma Refractory to First Line Immunochemotherapy. Blood, 2015, 126, 1510-1510.	0.6	2
42	Gene Rearrangements and Other Molecular Features in Aggressive B-Cell Lymphomas of Patients with and without HIV-Infection. Blood, 2015, 126, 3874-3874.	0.6	0
43	Distinction between Asymptomatic Monoclonal B-cell Lymphocytosis with Cyclin D1 Overexpression and Mantle Cell Lymphoma: From Molecular Profiling to Flow Cytometry. Clinical Cancer Research, 2014, 20, 1007-1019.	3.2	44
44	Multilineage dysplasia is associated with a poorer prognosis in patients with de novo acute myeloid leukemia with intermediate-risk cytogenetics and wild-type NPM1. Annals of Hematology, 2014, 93, 1695-1703.	0.8	25
45	Unique clinical implications of HIV-related lymphoma. International Journal of Hematologic Oncology, 2014, 3, 171-174.	0.7	0
46	Advanced Stage Hodgkin's Lymphoma Has More Aggressive Characteristics but Similar Outcome in HIV-Infected Than in HIV-Negative Patients in the Combination Antiretroviral Therapy Era. Blood, 2014, 124, 4435-4435.	0.6	0
47	Epstein-Barr Virus Viral Loads and Serum Free Light Chains Levels Are Diagnostic Markers of Lymphoma in HIV-Infected Patients. Blood, 2014, 124, 1697-1697.	0.6	0
48	Cutaneous presentation of chronic lymphocytic leukemia as unique extramedullar involvement in a patient with normal peripheral blood lymphocyte count (monoclonal Bâ€cell lymphocytosis). Journal of Cutaneous Pathology, 2013, 40, 740-744.	0.7	10
49	Frequency of ABL gene mutations in chronic myeloid leukemia patients resistant to imatinib and results of treatment switch to second-generation tyrosine kinase inhibitors. Medicina ClÃnica, 2013, 141, 95-99.	0.3	10
50	Neoplasms and infections as the main causes of death in patients in complete response to HIVâ€related nonâ€Hodgkin lymphoma in the combination antiretroviral therapy era: a study out of a series of 146 patients. British Journal of Haematology, 2013, 162, 289-291.	1.2	1
51	Treatment factors affecting outcomes in HIV-associated non-Hodgkin lymphomas: a pooled analysis of 1546 patients. Blood, 2013, 122, 3251-3262.	0.6	156
52	Lymphomas With MYC-Translocation Other Than Burkitt's Have An Aggressive Presentation and Poor Response To Immunochemotherapy: Study Of 34 Cases. Blood, 2013, 122, 5083-5083.	0.6	1
53	Clinical and Biological Features Of Monoclonal B-Cell Lymphocytosis In Patients Referred To Hospital. Blood, 2013, 122, 5298-5298.	0.6	0
54	Differences In Clinical-Biological Features and Outcome Between Diffuse Large B-Cell Lymphomas Of HIV-Infected and Non-HIV-Infected Patients Treated With RCHOP In The CART Era. Blood, 2013, 122, 1815-1815.	0.6	0

#	Article	IF	CITATIONS
55	Association of <i>JAK2 </i> Mutation Status and Cytogenetic Abnormalities at Diagnosis in Myeloproliferative Neoplasms and Myelodysplastic/Myeloproliferative Neoplasms. American Journal of Clinical Pathology, 2012, 137, 677-678.	0.4	2
56	Human immunodeficiency virusâ€associated plasmablastic lymphoma. Cancer, 2012, 118, 5270-5277.	2.0	147
57	Longâ€term followâ€up of patients with <scp>HIV</scp> â€related diffuse large <scp>B</scp> â€cell lymphomas treated in a phase <scp>II</scp> study with rituximab and <scp>CHOP</scp> . British Journal of Haematology, 2012, 157, 637-639.	1.2	12
58	A Pooled Analysis of 1,546 Patients with HIV-Associated Lymphoma: Assessment of Lymphoma-, HIV-, and Treatment-Specific Factors On Clinical Outcomes. Blood, 2012, 120, 3682-3682.	0.6	1
59	Clinical and Biological Characteristics According to the Burden of JAK2V617F Mutated Allele in BCR-ABL Negative MPNs. Blood, 2012, 120, 1437-1437.	0.6	0
60	Immunohistochemical detection of MYC protein correlates with MYC gene status in aggressive B cell lymphomas. Histopathology, 2011, 59, 672-678.	1.6	59
61	HIV-Associated Plasmablastic Lymphoma: A Multi-Institutional Study. Blood, 2011, 118, 1589-1589.	0.6	1
62	Immunohistochemical expression profile and prognosis in patients with diffuse large B-cell lymphoma with or without human immunodeficiency virus infection. Leukemia and Lymphoma, 2010, 51, 2063-2069.	0.6	16
63	Translocation (3;8)(q27;q24) in two cases of triple hit lymphoma. Cancer Genetics and Cytogenetics, 2010, 203, 328-332.	1.0	21
64	Plasma Epstein-Barr viral load measurement as a diagnostic marker of lymphoma in HIV-infected patients. Medicina ClÃnica, 2010, 135, 485-490.	0.3	10
65	Limited prognostic value of the International Prognostic Score in advanced stage human immunodeficiency virus infection-related Hodgkin lymphoma treated with the doxorubicin, bleomycin, vinblastine, and dacarbazine regimen. Leukemia and Lymphoma, 2009, 50, 1718-1720.	0.6	7
66	Leukoerythroblastic anemia due to oxalosis with extensive bone marrow involvement. American Journal of Hematology, 2008, 83, 515-516.	2.0	6
67	Human immunodeficiency virus-related non-Hodgkin's lymphoma. Haematologica, 2008, 93, 1129-1132.	1.7	18
68	Decrease in the frequency of meningeal involvement in AIDS-related systemic lymphoma in patients receiving HAART. Haematologica, 2008, 93, 149-150.	1.7	26
69	Results of treatment with doxorubicin, bleomycin, vinblastine and dacarbazine and highly active antiretroviral therapy in advanced stage, human immunodeficiency virus-related Hodgkin's lymphoma. Haematologica, 2007, 92, 191-198.	1.7	124
70	Monosomy 7 with severe myelodysplasia developing during imatinib treatment of Philadelphia-positive chronic myeloid leukemia: Two cases with a different outcome. American Journal of Hematology, 2007, 82, 849-851.	2.0	33
71	Advanced Stage Is the Most Important Prognostic Factor for Survival in Patients with Systemic Acquired Immunodeficiency Syndrome-Related Non-Hodgkin's Lymphoma Treated with CHOP and Highly Active Antiretroviral Therapy. International Journal of Hematology, 2007, 86, 337-342.	0.7	8
72	Comparison of Immunohystochemical (IHC) Expression Profile and Prognosis in 98 Patients with Diffuse Large B Cell Non-Hodgkin's Lymphoma (DLBCL) with and without Human Immunodeficiency Virus (HIV) Infection Blood, 2007, 110, 4403-4403.	0.6	0

#	Article	IF	CITATIONS
73	The prognosis of HIV-infected patients with diffuse large B-cell lymphoma treated with chemotherapy and highly active antiretroviral therapy is similar to that of HIV-negative patients receiving chemotherapy. Haematologica, 2005, 90, 704-6.	1.7	32
74	Oral solid form of primary effusion lymphoma mimicking plasmablastic lymphoma. Human Pathology, 2004, 35, 632-635.	1.1	33
75	Leucemia aguda mieloblástica con reordenamiento de MOZ/CBP. Medicina ClÃnica, 2004, 122, 639-639.	0.3	0
76	Outcome and Prognostic Factors in Patients with Hematological Malignancy That Are Admitted to the Intensive Care Unit Blood, 2004, 104, 5285-5285.	0.6	0
77	Anorectal lymphoma without effusion associated with human herpesvirus-8 and type 1 epstein-barr virus in an hiv-infected patient. Human Pathology, 2003, 34, 630.	1.1	21
78	Hepatosplenic T-Gammadelta Lymphoma in a Patient with Crohn's Disease Treated with Azathioprine. Leukemia and Lymphoma, 2003, 44, 531-533.	0.6	78
79	Improved Outcome of AIDS-Related Lymphoma in Patients With Virologic Response to Highly Active Antiretroviral Therapy. Journal of Acquired Immune Deficiency Syndromes (1999), 2003, 32, 347-348.	0.9	17
80	Primary Myeloid Sarcoma of the Gynecologic Tract: A Report of Two Cases Progressing to Acute Myeloid Leukemia. Leukemia and Lymphoma, 2002, 43, 2151-2153.	0.6	20
81	Favorable Impact of Virological Response to Highly Active Antiretroviral Therapy on Survival in Patients with AIDS-related Lymphoma. Leukemia and Lymphoma, 2002, 43, 1837-1842.	0.6	19
82	Prognostic impact of highly active antiretroviral therapy in HIV-related Hodgkin's disease. Aids, 2002, 16, 1973-1976.	1.0	32
83	Influence of highly active anti-retroviral therapy on response to treatment and survival in patients with acquired immunodeficiency syndrome-related non-Hodgkin's lymphoma treated with cyclophosphamide, hydroxydoxorubicin, vincristine and prednisone. British Journal of Haematology, 2001, 112, 909-915.	1.2	86
84	Seudoleucocitopenia EDTA-dependiente. Medicina ClÃnica, 2000, 114, 117-118.	0.3	0
85	Increased serum levels of CD44s and CD44v6 in patients with AIDS-related non-Hodgkin's lymphoma. Aids, 2000, 14, 1460-1461.	1.0	4