## Cristina Sottani

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1966095/publications.pdf

Version: 2024-02-01

53 1,742 22
papers citations h-ind

22 38
h-index g-index

54 54 all docs citations

54 times ranked 1687 citing authors

#	Article	IF	CITATIONS
1	Peer Reviewed: Analytical Challenges Hamper Perfluoroalkyl Research. Environmental Science & Emp; Technology, 2004, 38, 248A-255A.	10.0	201
2	Biological and environmental monitoring of hospital personnel exposed to antineoplastic agents: a review of analytical methods. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2003, 789, 169-209.	2.3	147
3	Application of high performance liquid chromatography/tandem mass spectrometry in the environmental and biological monitoring of health care personnel occupationally exposed to cyclophosphamide and ifosfamide., 1998, 12, 1485-1493.		93
4	Biological monitoring of hospital personnel occupationally exposed to antineoplastic agents. Toxicology Letters, 2002, 134, 57-64.	0.8	85
5	Simultaneous determination of cyclophosphamide, ifosfamide, doxorubicin, epirubicin and daunorubicin in human urine using highâ€performance liquid chromatography/electrospray ionization tandem mass spectrometry: bioanalytical method validation. Rapid Communications in Mass Spectrometry. 2008. 22. 2645-2659.	1.5	79
6	OEM-TACE: A New Therapeutic Approach in Unresectable Intrahepatic Cholangiocarcinoma. CardioVascular and Interventional Radiology, 2009, 32, 1187-1192.	2.0	66
7	Occupational exposure to antineoplastic drugs in four Italian health care settings. Toxicology Letters, 2012, 213, 107-115.	0.8	64
8	Degradation studies of antibiotic MDL 62,879 (GE2270A) and revision of the structure. Tetrahedron, 1995, 51, 4867-4890.	1.9	62
9	An analysis to study trends in occupational exposure to antineoplastic drugs among health care workers. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2010, 878, 2593-2605.	2.3	62
10	High-performance liquid chromatography tandem mass spectrometry procedure with automated solid phase extraction sample preparation for the quantitative determination of paclitaxel (Taxol®) in human plasma. , 1998, 12, 251-255.		56
11	Trace determination of anthracyclines in urine: a new high-performance liquid chromatography/tandem mass spectrometry method for assessing exposure of hospital personnel. Rapid Communications in Mass Spectrometry, 2004, 18, 2426-2436.	1.5	53
12	Occupational exposure to antineoplastic drugs in seven Italian hospitals: The effect of quality assurance and adherence to guidelines. Journal of Oncology Pharmacy Practice, 2011, 17, 320-332.	0.9	51
13	Liquid-liquid extraction procedure for trace determination of cyclophosphamide in human urine by high-performance liquid chromatography tandem mass spectrometry., 1998, 12, 1063-1068.		45
14	Simultaneous determination of gemcitabine, taxol, cyclophosphamide and ifosfamide in wipe samples by high-performance liquid chromatography/tandem mass spectrometry: protocol of validation and uncertainty of measurement. Rapid Communications in Mass Spectrometry, 2007, 21, 1289-1296.	1.5	41
15	Quantitative determination of perfluorooctanoic acid ammonium salt in human serum by high-performance liquid chromatography with atmospheric pressure chemical ionization tandem mass spectrometry. Rapid Communications in Mass Spectrometry, 2002, 16, 650-654.	1.5	38
16	Farmers' exposure to herbicides in North Italy: Assessment under real-life conditions in small-size rice and corn farms. Toxicology Letters, 2012, 210, 189-197.	0.8	37
17	Determination of methotrexate in human urine at trace levels by solid phase extraction and high-performance liquid chromatography/tandem mass spectrometry. , 2000, 14, 173-179.		33
18	Matrix Performance in Matrix-assisted Laser Desorption/Ionization for Molecular Weight Determination in Sialyl and Non-sialyl Oligosaccharide Proteins., 1997, 11, 907-913.		32

#	Article	IF	Citations
19	Evaluation of phenylboronate agarose for industrial-scale purification of erythropoietin from mammalian cell cultures. Journal of Biotechnology, 2003, 101, 275-287.	3.8	32
20	Revised structure of the antibiotic GE 2270A Journal of Antibiotics, 1994, 47, 1564-1567.	2.0	28
21	Analytical method for the quantitative determination of urinary ethylenethiourea by liquid chromatography/electrospray ionization tandem mass spectrometry. Rapid Communications in Mass Spectrometry, 2003, 17, 2253-2259.	1.5	28
22	Carboxamides and Hydrazide of Glycopeptide Antibiotic Eremomycin Synthesis and Antibacterial activity Journal of Antibiotics, 1996, 49, 194-198.	2.0	27
23	Monitoring Surface Contamination by Antineoplastic Drugs in Italian Hospitals: Performance-Based Hygienic Guidance Values (HGVs) Project. Annals of Work Exposures and Health, 2017, 61, 994-1002.	1.4	27
24	Inhibitors of myo-Inositol Monophosphatase, ATCC 20928 Factors A and C. Isolation, Physico-chemical Characterization and Biological Properties Journal of Antibiotics, 1996, 49, 611-616.	2.0	25
25	Validation of an LC–MS/MS method for the determination of epirubicin in human serum of patients undergoing Drug Eluting Microsphere-Transarterial Chemoembolization (DEM-TACE). Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2009, 877, 3543-3548.	2.3	25
26	Simultaneous measurement of doxorubicin and reduced metabolite doxorubicinol by UHPLC–MS/MS in human plasma of HCC patients treated with TACE. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2013, 915-916, 71-78.	2.3	25
27	Human IL-1 receptor antagonist from Escherichia coli: Large-scale microbial growth and protein purification. Journal of Biotechnology, 1998, 64, 187-196.	3.8	22
28	Validated procedure for simultaneous trace level determination of the anti-cancer agent gemcitabine and its metabolite in human urine by high-performance liquid chromatography with tandem mass spectrometry. Rapid Communications in Mass Spectrometry, 2004, 18, 1017-1023.	1.5	22
29	Highly sensitive high-performance liquid chromatography/selective reaction monitoring mass spectrometry method for the determination of cyclophosphamide and ifosfamide in urine of health care workers exposed to antineoplastic agents. Rapid Communications in Mass Spectrometry, 2005, 19, 2794-2800.	1.5	22
30	Selective Targeting of Cancer-Associated Fibroblasts by Engineered H-Ferritin Nanocages Loaded with Navitoclax. Cells, 2021, 10, 328.	4.1	22
31	Serum pharmacokinetics in patients treated with transarterial chemoembolization (TACE) using two types of epirubicin-loaded microspheres. Anticancer Research, 2012, 32, 1769-74.	1.1	22
32	Everolimus Nanoformulation in Biological Nanoparticles Increases Drug Responsiveness in Resistant and Low-Responsive Breast Cancer Cell Lines. Pharmaceutics, 2019, 11, 384.	4.5	18
33	Rapid and sensitive determination of paclitaxel (Taxoliʻ¿½) in environmental samples by high-performance liquid chromatography tandem mass spectrometry. , 2000, 14, 930-935.		16
34	Paclitaxel-Loaded Silk Fibroin Nanoparticles: Method Validation by UHPLC-MS/MS to Assess an Exogenous Approach to Load Cytotoxic Drugs. Pharmaceutics, 2019, 11, 285.	4.5	15
35	Structural characterization of mono- and dihydroxylated metabolites of paclitaxel in rat bile using liquid chromatography/ion spray tandem mass spectrometry. , 1997, 11, 1025-1032.		14
36	Distribution Of Paclitaxel Within The Nervous System Of The Rat After Repeated Intravenous Administration. Journal of the Peripheral Nervous System, 2001, 6, 61-61.	3.1	14

3

#	Article	IF	Citations
37	High-performance liquid chromatography/tandem mass spectrometry for the quantitative analysis of a novel taxane derivative (BAY59-8862) in biological samples and characterisation of its metabolic profile in rat bile samples. Rapid Communications in Mass Spectrometry, 2001, 15, 1807-1816.	1.5	12
38	Chemical Composition of Essential Oil from Flowers of Five Fragrant Dendrobium (Orchidaceae). Plants, 2021, 10, 1718.	3.5	12
39	Validation protocol and analytical quality in biological monitoring of occupational exposure to antineoplastic drugs. Toxicology Letters, 2006, 162, 256-262.	0.8	10
40	Exposure to Antineoplastic Drugs in Occupational Settings: A Systematic Review of Biological Monitoring Data. International Journal of Environmental Research and Public Health, 2022, 19, 3737.	2.6	9
41	Occupational Exposure Assessment to Antineoplastic Drugs in Nine Italian Hospital Centers over a 5-Year Survey Program. International Journal of Environmental Research and Public Health, 2022, 19, 8601.	2.6	8
42	Chemical Composition of Essential Oil from Four Sympatric Orchids in NW-Italy. Plants, 2022, 11, 826.	3.5	7
43	A comparison between ion trap and triple quadrupole collision-results. Organic Mass Spectrometry, 1991, 26, 347-349.	1.3	6
44	Development and validation of a simple and versatile method for the quantification of everolimus loaded in H-ferritin nanocages using UHPLC-MS/MS. Journal of Pharmaceutical and Biomedical Analysis, 2020, 191, 113644.	2.8	6
45	Collision spectroscopy in isomer characterization: The case of (E)- and (Z)-p-nitrophenyldiazotert-butyl sulphides. Organic Mass Spectrometry, 1992, 27, 169-173.	1.3	4
46	Studies on the interaction of elfamycin antibiotics with elongation factor-Tu by mass spectroscopic techniques. Rapid Communications in Mass Spectrometry, 1993, 7, 680-683.	1.5	3
47	A new, sensitive and versatile assay for quantitative determination of α-fluoro-β-alanine (AFBA) in human urine by using the reversed-phase ultrahigh performance-tandem mass spectrometry (rp-UHPLC–MS/MS) system. Toxicology Letters, 2018, 298, 164-170.	0.8	3
48	Validation of cleaning procedures used in an Italian Hospital Pharmacy for antineoplastic drug decontamination: a new tool for industrial hygiene. Medicina Del Lavoro, 2019, 110, 93-101.	0.4	3
49	Development and Validation of a Bioanalytical UHPLC-MS/MS Method Applied to Murine Liver Tissue for the Determination of Indocyanine Green Loaded in H-Ferritin Nanoparticles. Frontiers in Chemistry, 2021, 9, 784123.	3.6	3
50	Chemical Composition of the Essential Oils From Leaves and Flowers of Passiflora sexocellata and Passiflora trifasciata. Natural Product Communications, 2021, 16, 1934578X2110076.	0.5	2
51	Liquid–liquid extraction procedure for trace determination of cyclophosphamide in human urine by highâ€performance liquid chromatography tandem mass spectrometry. Rapid Communications in Mass Spectrometry, 1998, 12, 1063-1068.	1.5	2
52	Characterization of the Antibiotic GE2270 Complex by Combined Liquid Chromatography and Mass Spectrometry. Rapid Communications in Mass Spectrometry, 1996, 10, 409-412.	1.5	1
53	889 CHEMOEMBOLIZATION WITH DRUG-ELUTING BEADS: RESULTS OF A COMPARISON STUDY BETWEEN HEPASPHERESâ,,¢ AND DC BEADSâ,,¢ LOADED WITH EPIRUBICIN. Journal of Hepatology, 2010, 52, S346.	3.7	0