

Ian M Goodyer

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2004087/publications.pdf>

Version: 2024-02-01

122
papers

6,503
citations

76031

42
h-index

93651

72
g-index

125
all docs

125
docs citations

125
times ranked

9008
citing authors

#	ARTICLE	IF	CITATIONS
1	Cross-sectional and longitudinal associations between psychotic and depressive symptoms in depressed adolescents. <i>European Child and Adolescent Psychiatry</i> , 2022, 31, 729-736.	2.8	6
2	Behavioral measures of impulsivity and compulsivity in adolescents with nonsuicidal self-injury. <i>CNS Spectrums</i> , 2022, 27, 604-612.	0.7	7
3	Depression symptom clusters in adolescents: A latent class analysis in a clinical sample. <i>Psychotherapy Research</i> , 2022, 32, 860-873.	1.1	5
4	Associations between COVID-19 pandemic impact, dimensions of behavior and eating disorders: A longitudinal UK-based study. <i>Comprehensive Psychiatry</i> , 2022, 115, 152304.	1.5	10
5	Age and gender effects on non-suicidal self-injury, and their interplay with psychological distress. <i>Journal of Affective Disorders</i> , 2022, 306, 240-245.	2.0	41
6	Device-measured sleep onset and duration in the development of depressive symptoms in adolescence. <i>Journal of Affective Disorders</i> , 2022, 310, 396-403.	2.0	3
7	Sexually divergent development of depression-related brain networks during healthy human adolescence. <i>Science Advances</i> , 2022, 8, .	4.7	14
8	Brain micro-architecture and disinhibition: a latent phenotyping study across 33 impulsive and compulsive behaviours. <i>Neuropsychopharmacology</i> , 2021, 46, 423-431.	2.8	13
9	An expanding manifold in transmodal regions characterizes adolescent reconfiguration of structural connectome organization. <i>ELife</i> , 2021, 10, .	2.8	47
10	How biopsychosocial depressive risk shapes behavioral and neural responses to social evaluation in adolescence. <i>Brain and Behavior</i> , 2021, 11, e02005.	1.0	5
11	Examining the relationship between altered brain functional connectome and disinhibition across 33 impulsive and compulsive behaviours. <i>British Journal of Psychiatry</i> , 2021, , 1-3.	1.7	2
12	Preference uncertainty accounts for developmental effects on susceptibility to peer influence in adolescence. <i>Nature Communications</i> , 2021, 12, 3823.	5.8	16
13	Decision-making ability, psychopathology, and brain connectivity. <i>Neuron</i> , 2021, 109, 2025-2040.e7.	3.8	34
14	Hopelessness and depressive symptoms in children and adolescents: An integrative data analysis.. <i>Journal of Abnormal Psychology</i> , 2021, 130, 594-607.	2.0	3
15	P01â€¦Shorter sleep duration in adolescence is associated with higher dietary energy density and reduced fruit and vegetable consumption the following day. , 2021, , .		0
16	Multi-Round Trust Game Quantifies Inter-Individual Differences in Social Exchange from Adolescence to Adulthood. <i>Computational Psychiatry</i> , 2021, 5, 102-118.	1.1	6
17	Stratification of adolescents across mental phenomena emphasizes the importance of transdiagnostic distress: a replication in two general population cohorts. <i>European Child and Adolescent Psychiatry</i> , 2021, , 1.	2.8	1
18	Mood and neural responses to social rejection do not seem to be altered in resilient adolescents with a history of adversity. <i>Development and Psychopathology</i> , 2020, 32, 411-423.	1.4	11

#	ARTICLE	IF	CITATIONS
19	Do sleep disturbances in depressed adolescents improve following psychological treatment for depression?. <i>Journal of Affective Disorders</i> , 2020, 262, 205-210.	2.0	15
20	Adolescentsâ€™ experiences of brief psychosocial intervention for depression: An interpretative phenomenological analysis of good-outcome cases. <i>Clinical Child Psychology and Psychiatry</i> , 2020, 25, 106-118.	0.8	13
21	Trajectories of depression symptom change during and following treatment in adolescents with unipolar major depression. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2020, 61, 565-574.	3.1	20
22	White matter tract myelin maturation and its association with general psychopathology in adolescence and early adulthood. <i>Human Brain Mapping</i> , 2020, 41, 827-839.	1.9	42
23	Schizotypy-Related Magnetization of Cortex in Healthy Adolescence Is Colocated With Expression of Schizophrenia-Related Genes. <i>Biological Psychiatry</i> , 2020, 88, 248-259.	0.7	59
24	Multiple Holdouts With Stability: Improving the Generalizability of Machine Learning Analyses of Brainâ€“Behavior Relationships. <i>Biological Psychiatry</i> , 2020, 87, 368-376.	0.7	32
25	Neurocomputational mechanisms underpinning aberrant social learning in young adults with low self-esteem. <i>Translational Psychiatry</i> , 2020, 10, 96.	2.4	23
26	Conservative and disruptive modes of adolescent change in human brain functional connectivity. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020, 117, 3248-3253.	3.3	96
27	Multisystemic therapy versus management as usual in the treatment of adolescent antisocial behaviour (START): 5-year follow-up of a pragmatic, randomised, controlled, superiority trial. <i>Lancet Psychiatry</i> , 2020, 7, 420-430.	3.7	17
28	Reinforcement learning as an intermediate phenotype in psychosis? Deficits sensitive to illness stage but not associated with polygenic risk of schizophrenia in the general population. <i>Schizophrenia Research</i> , 2020, 222, 389-396.	1.1	16
29	Toward precision therapeutics: general and specific factors differentiate symptom change in depressed adolescents. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2020, 61, 998-1008.	3.1	22
30	Childhood socio-economic disadvantage predicts reduced myelin growth across adolescence and young adulthood. <i>Human Brain Mapping</i> , 2020, 41, 3392-3402.	1.9	31
31	Influence of prior beliefs on perception in early psychosis: Effects of illness stage and hierarchical level of belief.. <i>Journal of Abnormal Psychology</i> , 2020, 129, 581-598.	2.0	27
32	Multisystemic therapy compared with management as usual for adolescents at risk of offending: the START II RCT. <i>Health Services and Delivery Research</i> , 2020, 8, 1-114.	1.4	3
33	Practitioner Review: Therapeutics of unipolar major depressions in adolescents. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2019, 60, 232-243.	3.1	19
34	Brain-behaviour modes of covariation in healthy and clinically depressed young people. <i>Scientific Reports</i> , 2019, 9, 11536.	1.6	31
35	Changes in General and Specific Psychopathology Factors Over a Psychosocial Intervention. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2019, 58, 776-786.	0.3	24
36	Compulsivity and impulsivity traits linked to attenuated developmental frontostriatal myelination trajectories. <i>Nature Neuroscience</i> , 2019, 22, 992-999.	7.1	86

#	ARTICLE	IF	CITATIONS
37	Fractionation of impulsive and compulsive trans-diagnostic phenotypes and their longitudinal associations. <i>Australian and New Zealand Journal of Psychiatry</i> , 2019, 53, 896-907.	1.3	31
38	Disaggregating physiological components of cortisol output: A novel approach to cortisol analysis in a clinical sample – A proof-of-principle study. <i>Neurobiology of Stress</i> , 2019, 10, 100153.	1.9	3
39	Interaction structures™ between depressed adolescents and their therapists in short-term psychoanalytic psychotherapy and cognitive behavioural therapy. <i>Clinical Child Psychology and Psychiatry</i> , 2019, 24, 446-461.	0.8	15
40	Positive memory specificity is associated with reduced vulnerability to depression. <i>Nature Human Behaviour</i> , 2019, 3, 265-273.	6.2	53
41	The effect of a youth mental health service model on access to secondary mental healthcare for young people aged 14–25 years. <i>BJPsych Bulletin</i> , 2019, 43, 27-31.	0.7	4
42	Psychopathic traits influence amygdala–anterior cingulate cortex connectivity during facial emotion processing. <i>Social Cognitive and Affective Neuroscience</i> , 2018, 13, 525-534.	1.5	27
43	Multisystemic therapy versus management as usual in the treatment of adolescent antisocial behaviour (START): a pragmatic, randomised controlled, superiority trial. <i>Lancet Psychiatry</i> , 2018, 5, 119-133.	3.7	63
44	Poor family functioning mediates the link between childhood adversity and adolescent nonsuicidal self-harm. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2018, 59, 881-887.	3.1	49
45	Morphometric Similarity Networks Detect Microscale Cortical Organization and Predict Inter-Individual Cognitive Variation. <i>Neuron</i> , 2018, 97, 231-247.e7.	3.8	307
46	Structural covariance networks are coupled to expression of genes enriched in supragranular layers of the human cortex. <i>NeuroImage</i> , 2018, 171, 256-267.	2.1	177
47	Adolescent Tuning of Association Cortex in Human Structural Brain Networks. <i>Cerebral Cortex</i> , 2018, 28, 281-294.	1.6	195
48	Developmental cognitive neuroscience using latent change score models: A tutorial and applications. <i>Developmental Cognitive Neuroscience</i> , 2018, 33, 99-117.	1.9	282
49	Assessment of Symptom Network Density as a Prognostic Marker of Treatment Response in Adolescent Depression. <i>JAMA Psychiatry</i> , 2018, 75, 98.	6.0	77
50	Predicting dropout in adolescents receiving therapy for depression. <i>Psychotherapy Research</i> , 2018, 28, 708-721.	1.1	50
51	Change, stability, and instability in the Pavlovian guidance of behaviour from adolescence to young adulthood. <i>PLoS Computational Biology</i> , 2018, 14, e1006679.	1.5	39
52	The association between pubertal status and depressive symptoms and diagnoses in adolescent females: A population-based cohort study. <i>PLoS ONE</i> , 2018, 13, e0198804.	1.1	37
53	Diet quality and depressive symptoms in adolescence: no cross-sectional or prospective associations following adjustment for covariates. <i>Public Health Nutrition</i> , 2018, 21, 2376-2384.	1.1	25
54	Cohort Profile: The NSPN 2400 Cohort: a developmental sample supporting the Wellcome Trust Neuroscience in Psychiatry Network. <i>International Journal of Epidemiology</i> , 2018, 47, 18-19g.	0.9	68

#	ARTICLE	IF	CITATIONS
55	Personality dimensions emerging during adolescence and young adulthood are underpinned by a single latent trait indexing impairment in social functioning. <i>BMC Psychiatry</i> , 2018, 18, 23.	1.1	8
56	Editorial Perspective: Antidepressants and the depressed adolescent. <i>Child and Adolescent Mental Health</i> , 2018, 23, 137-140.	1.8	2
57	Reduction in adolescent depression after contact with mental health services: a longitudinal cohort study in the UK. <i>Lancet Psychiatry</i> , 2017, 4, 120-127.	3.7	86
58	Cognitive Behavioral Therapy Lowers Elevated Functional Connectivity in Depressed Adolescents. <i>EBioMedicine</i> , 2017, 17, 216-222.	2.7	33
59	Reduction in adolescent depression after contact with mental health services: a longitudinal cohort study in the UK. <i>Lancet Psychiatry</i> , 2017, 4, e8-e9.	3.7	2
60	Cognitive behavioural therapy and short-term psychoanalytical psychotherapy versus a brief psychosocial intervention in adolescents with unipolar major depressive disorder (IMPACT): a multicentre, pragmatic, observer-blind, randomised controlled superiority trial. <i>Lancet Psychiatry</i> , 2017, 4, 109-119.	3.7	181
61	Child and adolescent mental health services: longitudinal data sheds light on current policy for psychological interventions in the community. <i>Journal of Public Mental Health</i> , 2017, 16, 96-99.	0.8	15
62	The IMPACT trial – Authors' reply. <i>Lancet Psychiatry</i> , 2017, 4, 275-276.	3.7	0
63	Social pain and social gain in the adolescent brain: A common neural circuitry underlying both positive and negative social evaluation. <i>Scientific Reports</i> , 2017, 7, 42010.	1.6	57
64	Mutualistic Coupling Between Vocabulary and Reasoning Supports Cognitive Development During Late Adolescence and Early Adulthood. <i>Psychological Science</i> , 2017, 28, 1419-1431.	1.8	77
65	Adolescent Major Depressive Disorder: Neuroimaging Evidence of Sex Difference during an Affective Go/No-Go Task. <i>Frontiers in Psychiatry</i> , 2017, 8, 119.	1.3	18
66	Characterising the latent structure and organisation of self-reported thoughts, feelings and behaviours in adolescents and young adults. <i>PLoS ONE</i> , 2017, 12, e0175381.	1.1	42
67	Cognitive behavioural therapy and short-term psychoanalytic psychotherapy versus brief psychosocial intervention in adolescents with unipolar major depression (IMPACT): a multicentre, pragmatic, observer-blind, randomised controlled trial. <i>Health Technology Assessment</i> , 2017, 21, 1-94.	1.3	61
68	Friendships and Family Support Reduce Subsequent Depressive Symptoms in At-Risk Adolescents. <i>PLoS ONE</i> , 2016, 11, e0153715.	1.1	151
69	Gene transcription profiles associated with inter-modular hubs and connection distance in human functional magnetic resonance imaging networks. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2016, 371, 20150362.	1.8	188
70	Mapping the structural organization of the brain in conduct disorder: replication of findings in two independent samples. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2016, 57, 1018-1026.	3.1	14
71	Adolescence is associated with genomically patterned consolidation of the hubs of the human brain connectome. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016, 113, 9105-9110.	3.3	415
72	Clinical characteristics associated with the prescribing of SSRI medication in adolescents with major unipolar depression. <i>European Child and Adolescent Psychiatry</i> , 2016, 25, 1287-1295.	2.8	8

#	ARTICLE	IF	CITATIONS
73	Enhanced emotion regulation capacity and its neural substrates in those exposed to moderate childhood adversity. <i>Social Cognitive and Affective Neuroscience</i> , 2016, 11, 272-281.	1.5	58
74	Functional MRI of emotional memory in adolescent depression. <i>Developmental Cognitive Neuroscience</i> , 2016, 19, 31-41.	1.9	18
75	The ROOTS study: a 10-year review of findings on adolescent depression, and recommendations for future longitudinal research. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2016, 51, 161-170.	1.6	24
76	Aberrant brain responses to emotionally valent words is normalised after cognitive behavioural therapy in female depressed adolescents. <i>Journal of Affective Disorders</i> , 2016, 189, 54-61.	2.0	16
77	Magnitude and determinants of change in objectively-measured physical activity, sedentary time and sleep duration from ages 15 to 17.5y in UK adolescents: the ROOTS study. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2015, 12, 61.	2.0	34
78	Revising on the run or studying on the sofa: prospective associations between physical activity, sedentary behaviour, and exam results in British adolescents. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2015, 12, 106.	2.0	52
79	Neurodevelopment and ages of onset in depressive disorders. <i>Lancet Psychiatry</i> , 2015, 2, 1112-1116.	3.7	34
80	Adolescents with current major depressive disorder show dissimilar patterns of age-related differences in ACC and thalamus. <i>NeuroImage: Clinical</i> , 2015, 7, 391-399.	1.4	31
81	Antidepressants and the adolescent brain. <i>Journal of Psychopharmacology</i> , 2015, 29, 545-555.	2.0	39
82	Cortical thickness gradients in structural hierarchies. <i>NeuroImage</i> , 2015, 111, 241-250.	2.1	155
83	Prospective associations between sedentary time, sleep duration and adiposity in adolescents. <i>Sleep Medicine</i> , 2015, 16, 717-722.	0.8	35
84	Physical Activity and Depression: Type of Exercise Matters—Reply. <i>JAMA Pediatrics</i> , 2015, 169, 289.	3.3	0
85	Perceived family functioning and friendship quality: cross-sectional associations with physical activity and sedentary behaviours. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2015, 12, 23.	2.0	21
86	Adolescents leaving mental health or social care services: predictors of mental health and psychosocial outcomes one year later. <i>BMC Health Services Research</i> , 2015, 15, 185.	0.9	26
87	Shift toward prior knowledge confers a perceptual advantage in early psychosis and psychosis-prone healthy individuals. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015, 112, 13401-13406.	3.3	226
88	Cortical thickness, surface area, and folding alterations in male youths with conduct disorder and varying levels of callous—unemotional traits. <i>NeuroImage: Clinical</i> , 2015, 8, 253-260.	1.4	52
89	Semi-Metric Topology of the Human Connectome: Sensitivity and Specificity to Autism and Major Depressive Disorder. <i>PLoS ONE</i> , 2015, 10, e0136388.	1.1	16
90	Elevated morning cortisol is a stratified population-level biomarker for major depression in boys only with high depressive symptoms. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014, 111, 3638-3643.	3.3	97

#	ARTICLE	IF	CITATIONS
91	Exercise and Depressive Symptoms in Adolescents. <i>JAMA Pediatrics</i> , 2014, 168, 1093.	3.3	66
92	General and specific effects of early-life psychosocial adversities on adolescent grey matter volume. <i>NeuroImage: Clinical</i> , 2014, 4, 308-318.	1.4	66
93	Meta-analytic evidence for neuroimaging models of depression: State or trait?. <i>Journal of Affective Disorders</i> , 2013, 151, 423-431.	2.0	146
94	5-HTTLPR and Early Childhood Adversities Moderate Cognitive and Emotional Processing in Adolescence. <i>PLoS ONE</i> , 2012, 7, e48482.	1.1	39
95	Mathematical models as an aid for improving the validity of descriptive psychiatry. <i>British Journal of Psychiatry</i> , 2012, 201, 335-336.	1.7	8
96	Depressive symptoms during adolescence: comparison between epidemiological and high risk sampling. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2012, 47, 1333-1341.	1.6	11
97	Improving mood with psychoanalytic and cognitive therapies (IMPACT): a pragmatic effectiveness superiority trial to investigate whether specialised psychological treatment reduces the risk for relapse in adolescents with moderate to severe unipolar depression: study protocol for a randomised controlled trial. <i>Trials</i> , 2011, 12, 175.	0.7	106
98	Physical Activity Awareness of British Adolescents. <i>JAMA Pediatrics</i> , 2011, 165, 603-609.	3.6	3
99	Polymorphisms in <i>BDNF</i> (Val66Met) and <i>5-HTTLPR</i> , morning cortisol and subsequent depression in at-risk adolescents. <i>British Journal of Psychiatry</i> , 2010, 197, 365-371.	1.7	60
100	Forum: the use of selective serotonin reuptake inhibitors in depressed children and adolescents: commentary on the meta-analysis by Hetrick et al. <i>Current Opinion in Psychiatry</i> , 2010, 23, 58-61.	3.1	13
101	Cohort Profile: Risk patterns and processes for psychopathology emerging during adolescence: the ROOTS project. <i>International Journal of Epidemiology</i> , 2010, 39, 361-369.	0.9	62
102	Serotonin transporter genotype, morning cortisol and subsequent depression in adolescents. <i>British Journal of Psychiatry</i> , 2009, 195, 39-45.	1.7	87
103	Depression and allied illness in children and adolescents: Basic facts. <i>Psychoanalytic Psychotherapy</i> , 2009, 23, 176-184.	0.2	4
104	Emanuel Miller Lecture: Early onset depressions – meanings, mechanisms and processes. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2008, 49, 1239-1256.	3.1	33
105	Emotional Reactivity and the Emergence of Conduct Problems and Emotional Symptoms in 7- to 11-Year-Olds: A 1-Year Follow-up Study. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2008, 47, 565-573.	0.3	18
106	Cost-effectiveness of selective serotonin reuptake inhibitors and routine specialist care with and without cognitive-behavioural therapy in adolescents with major depression. <i>British Journal of Psychiatry</i> , 2007, 191, 521-527.	1.7	89
107	Selective serotonin reuptake inhibitors (SSRIs) and routine specialist care with and without cognitive behaviour therapy in adolescents with major depression: randomised controlled trial. <i>BMJ: British Medical Journal</i> , 2007, 335, 142.	2.4	301
108	Risk and Resilience: Adaptations in Changing Times. By Ingrid Schoon. Cambridge University Press. 2006. 242pp. £22.99 (pb). ISBN 0521541565. <i>British Journal of Psychiatry</i> , 2007, 191, 185-185.	1.7	0

#	ARTICLE	IF	CITATIONS
109	Biased Mentalizing in Children Aged Seven to 11: Latent Class Confirmation of Response Styles to Social Scenarios and Associations with Psychopathology. <i>Social Development</i> , 2007, 16, 181-202.	0.8	52
110	Imagining your child's mind: Psychosocial adjustment and mothers' ability to predict their children's attributional response styles. <i>British Journal of Developmental Psychology</i> , 2006, 24, 197-214.	0.9	74
111	Should we prescribe antidepressants to children?. <i>Psychiatric Bulletin</i> , 2005, 29, 164-167.	0.3	5
112	Development of a Short Leyton Obsessional Inventory for Children and Adolescents. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2002, 41, 1246-1252.	0.3	80
113	Social adversity and mental functions in adolescents at high risk of psychopathology. <i>British Journal of Psychiatry</i> , 2002, 181, 383-386.	1.7	30
114	Post-traumatic stress disorder in children and adolescents following road traffic accidents. <i>British Journal of Psychiatry</i> , 1998, 172, 443-447.	1.7	101
115	Prevalence and significance of weight and shape concerns in girls aged 11-16 years. <i>British Journal of Psychiatry</i> , 1997, 171, 542-544.	1.7	59
116	Short-Term Outcome of Major Depression: I. Comorbidity and Severity at Presentation as Predictors of Persistent Disorder. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 1997, 36, 179-187.	0.3	102
117	Recent stressful life events: Their long term effects. <i>European Child and Adolescent Psychiatry</i> , 1993, 2, 1-9.	2.8	23
118	A Community Study of Depression in Adolescent Girls. <i>British Journal of Psychiatry</i> , 1993, 163, 374-380.	1.7	61
119	Children Learning Language, 3rd edn. By Rita C. Naremore and Robert Hopper. New York: Harper and Row. 1990. 228 pp. £19.95.. <i>British Journal of Psychiatry</i> , 1992, 161, 443-443.	1.7	0
120	Social Influences on the Course of Anxious and Depressive Disorders in School-Age Children. <i>British Journal of Psychiatry</i> , 1991, 158, 676-684.	1.7	63
121	The Friendships and Recent Life Events of Anxious and Depressed School-Age Children. <i>British Journal of Psychiatry</i> , 1990, 156, 689-698.	1.7	107
122	Recent Achievements and Adversities in Anxious and Depressed School Age Children. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 1990, 31, 1063-077.	3.1	35