

Jingqiang Zhu

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2033410/publications.pdf>

Version: 2024-02-01

107
papers

1,733
citations

361413

20
h-index

414414

32
g-index

115
all docs

115
docs citations

115
times ranked

1877
citing authors

#	ARTICLE	IF	CITATIONS
1	Long Noncoding RNA AB074169 Inhibits Cell Proliferation via Modulation of KHSRP-Mediated CDKN1a Expression in Papillary Thyroid Carcinoma. <i>Cancer Research</i> , 2018, 78, 4163-4174.	0.9	77
2	The effectiveness of the combined problem-based learning (PBL) and case-based learning (CBL) teaching method in the clinical practical teaching of thyroid disease. <i>BMC Medical Education</i> , 2020, 20, 381.	2.4	77
3	Potential Interaction Between SARS-CoV-2 and Thyroid: A Review. <i>Endocrinology</i> , 2021, 162, .	2.8	77
4	Characterizing dedifferentiation of thyroid cancer by integrated analysis. <i>Science Advances</i> , 2021, 7, .	10.3	76
5	ENDOCRINE TUMOURS: Familial nonmedullary thyroid carcinoma is a more aggressive disease: a systematic review and meta-analysis. <i>European Journal of Endocrinology</i> , 2015, 172, R253-R262.	3.7	66
6	<p>Plasma Exosomal miR-146b-5p and miR-222-3p are Potential Biomarkers for Lymph Node Metastasis in Papillary Thyroid Carcinomas</p>. <i>OncoTargets and Therapy</i> , 2020, Volume 13, 1311-1319.	2.0	59
7	Anlotinib in Locally Advanced or Metastatic Medullary Thyroid Carcinoma: A Randomized, Double-Blind Phase IIB Trial. <i>Clinical Cancer Research</i> , 2021, 27, 3567-3575.	7.0	53
8	Thyroid cancer neck lymph nodes metastasis: Meta-analysis of US and CT diagnosis. <i>European Journal of Radiology</i> , 2020, 129, 109103.	2.6	44
9	Skip lateral lymph node metastasis leaping over the central neck compartment in papillary thyroid carcinoma. <i>Oncotarget</i> , 2017, 8, 27022-27033.	1.8	44
10	Transoral endoscopic thyroidectomy vestibular approach vs conventional open thyroidectomy: Meta-analysis. <i>Head and Neck</i> , 2021, 43, 345-353.	2.0	43
11	Autotransplantation of Inferior Parathyroid glands during central neck dissection for papillary thyroid carcinoma: A retrospective cohort study. <i>International Journal of Surgery</i> , 2014, 12, 1286-1290.	2.7	40
12	Expert consensus statement on parathyroid protection in thyroidectomy. <i>Annals of Translational Medicine</i> , 2015, 3, 230.	1.7	37
13	Vitamin D receptor gene FokI but not TaqI, ApaI, BsmI polymorphism is associated with Hashimoto's thyroiditis: a meta-analysis. <i>Scientific Reports</i> , 2017, 7, 41540.	3.3	35
14	Novel Recurrent Altered Genes in Chinese Patients With Anaplastic Thyroid Cancer. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2021, 106, e988-e998.	3.6	33
15	Ginsenoside Rg3 Inhibition of Thyroid Cancer Metastasis Is Associated with Alternation of Actin Skeleton. <i>Journal of Medicinal Food</i> , 2018, 21, 849-857.	1.5	32
16	Geriatric Nutritional Risk Index (GNRI) Independently Predicts Amputation Inchronic Criticallimb Ischemia (CLI). <i>PLoS ONE</i> , 2016, 11, e0152111.	2.5	30
17	Association of the preoperative neutrophil-to-lymphocyte and platelet-to-lymphocyte ratios with lymph node metastasis and recurrence in patients with medullary thyroid carcinoma. <i>Medicine (United States)</i> 1007843142 BT / Other	1.0	29
18	Prevalence of and risk factors for hypothyroidism after hemithyroidectomy: a systematic review and meta-analysis. <i>Endocrine</i> , 2020, 70, 243-255.	2.3	29

#	ARTICLE	IF	CITATIONS
19	Comparison of the prognostic values of selected inflammation based scores in patients with medullary thyroid carcinoma: A pilot study. <i>Journal of Surgical Oncology</i> , 2017, 116, 281-287.	1.7	27
20	Glyco-CPLL: An Integrated Method for In-Depth and Comprehensive N-Glycoproteome Profiling of Human Plasma. <i>Journal of Proteome Research</i> , 2020, 19, 655-666.	3.7	27
21	Comparative Glycoproteomic Profiling of Human Body Fluid between Healthy Controls and Patients with Papillary Thyroid Carcinoma. <i>Journal of Proteome Research</i> , 2020, 19, 2539-2552.	3.7	27
22	Precise treatment of aortic aneurysm by three-dimensional printing and simulation before endovascular intervention. <i>Scientific Reports</i> , 2017, 7, 795.	3.3	25
23	O-Glycosylation Landscapes of SARS-CoV-2 Spike Proteins. <i>Frontiers in Chemistry</i> , 2021, 9, 689521.	3.6	25
24	<p>The Association Between Subclinical Hypothyroidism and Sleep Quality: A Population-Based Study</p>. <i>Risk Management and Healthcare Policy</i> , 2019, Volume 12, 369-374.	2.5	24
25	Diagnostic reliability of elastography in thyroid nodules reported as indeterminate at prior fine-needle aspiration cytology (FNAC): a systematic review and Bayesian meta-analysis. <i>European Radiology</i> , 2020, 30, 6624-6634.	4.5	23
26	Radioiodine refractoriness score: A multivariable prediction model for postoperative radioiodine-€refractory differentiated thyroid carcinomas. <i>Cancer Medicine</i> , 2018, 7, 5448-5456.	2.8	22
27	A Nomogram to Predict Hungry Bone Syndrome After Parathyroidectomy in Patients With Secondary Hyperparathyroidism. <i>Journal of Surgical Research</i> , 2020, 255, 33-41.	1.6	21
28	Risk factors for level V lymph node metastases in solitary papillary thyroid carcinoma with clinically lateral lymph node metastases. <i>Cancer Medicine</i> , 2016, 5, 2161-2168.	2.8	20
29	Does the number of parathyroid glands autotransplanted affect the incidence of hypoparathyroidism and recovery of parathyroid function?. <i>Surgery</i> , 2018, 164, 124-129.	1.9	20
30	<p>The prognostic value of the lymphocyte-to-monocyte ratio for high-risk papillary thyroid carcinoma</p>. <i>Cancer Management and Research</i> , 2019, Volume 11, 8451-8462.	1.9	20
31	Subclinical hypothyroidism and anxiety may contribute to metabolic syndrome in Sichuan of China: a hospital-based population study. <i>Scientific Reports</i> , 2020, 10, 2261.	3.3	19
32	A nomogram model based on the preoperative clinical characteristics of papillary thyroid carcinoma with Hashimoto's thyroiditis to predict central lymph node metastasis. <i>Clinical Endocrinology</i> , 2021, 94, 310-321.	2.4	19
33	Preserved SCN4B expression is an independent indicator of favorable recurrence-free survival in classical papillary thyroid cancer. <i>PLoS ONE</i> , 2018, 13, e0197007.	2.5	18
34	<p>Association of the Preoperative Inflammation-Based Scores with TNM Stage and Recurrence in Patients with Papillary Thyroid Carcinoma: A Retrospective, Multicenter Analysis</p>. <i>Cancer Management and Research</i> , 2020, Volume 12, 1809-1818.	1.9	18
35	Sorafenib and radioiodine-refractory differentiated thyroid cancer (RR-DTC): a systematic review and meta-analysis. <i>Endocrine</i> , 2020, 68, 56-63.	2.3	18
36	Surgical outcomes of different approaches in robotic assisted thyroidectomy for thyroid cancer: A systematic review and Bayesian network meta-analysis. <i>International Journal of Surgery</i> , 2021, 89, 105941.	2.7	18

#	ARTICLE	IF	CITATIONS
37	Millepachine, a potential topoisomerase II inhibitor induces apoptosis via activation of NF- κ B pathway in ovarian cancer. <i>Oncotarget</i> , 2016, 7, 52281-52293.	1.8	17
38	Convolutional Neural Network-Based Computer-Assisted Diagnosis of Hashimoto's Thyroiditis on Ultrasound. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2022, 107, 953-963.	3.6	17
39	Completion thyroidectomy and total thyroidectomy for differentiated thyroid cancer: Comparison and prediction of postoperative hypoparathyroidism. <i>Journal of Surgical Oncology</i> , 2016, 113, 522-525.	1.7	16
40	The association of preoperative thyroid-stimulating hormone level and the risk of differentiated thyroid cancer in patients with thyroid nodules: A systematic review and meta-analysis. <i>American Journal of Surgery</i> , 2020, 220, 634-641.	1.8	16
41	The benefits of radioactive iodine ablation for patients with intermediate-risk papillary thyroid cancer. <i>PLoS ONE</i> , 2020, 15, e0234843.	2.5	16
42	Insufficient evidence to support the clinical efficacy of selenium supplementation for patients with chronic autoimmune thyroiditis. <i>Endocrine</i> , 2021, 73, 384-397.	2.3	16
43	A meta-analysis of alcohol consumption and thyroid cancer risk. <i>Oncotarget</i> , 2016, 7, 55912-55923.	1.8	16
44	Hypomagnesemia predicts postoperative biochemical hypocalcemia after thyroidectomy. <i>BMC Surgery</i> , 2017, 17, 62.	1.3	15
45	MiR-26a inhibits thyroid cancer cell proliferation by targeting ARPP19. <i>American Journal of Cancer Research</i> , 2018, 8, 1030-1039.	1.4	15
46	Psychological Distress and Sleep Disturbance Throughout Thyroid Nodule Screening, Diagnosis, and Treatment. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2021, 106, e4221-e4230.	3.6	14
47	Comparison of the clinicopathological behavior of the follicular variant of papillary thyroid carcinoma and classical papillary thyroid carcinoma: A systematic review and meta-analysis. <i>Molecular and Clinical Oncology</i> , 2015, 3, 753-764.	1.0	13
48	Comparative efficacy of different ultrasound-guided ablation for the treatment of benign thyroid nodules: Systematic review and network meta-analysis of randomized controlled trials. <i>PLoS ONE</i> , 2021, 16, e0243864.	2.5	13
49	Novel Management of Intractable Cervical Chylous Fistula with Local Application of <i>Pseudomonas aeruginosa</i> Injection. <i>Otolaryngology - Head and Neck Surgery</i> , 2015, 153, 561-565.	1.9	12
50	A favorable tumor size to define papillary thyroid microcarcinoma: an analysis of 1176 consecutive cases. <i>Cancer Management and Research</i> , 2018, Volume 10, 899-906.	1.9	12
51	Clinicopathological characteristics and recurrence risk of papillary thyroid microcarcinoma in the elderly. <i>Cancer Management and Research</i> , 2019, Volume 11, 2371-2377.	1.9	12
52	Multiple Simultaneous Rare Distant Metastases as the Initial Presentation of Papillary Thyroid Carcinoma: A Case Report. <i>Frontiers in Endocrinology</i> , 2019, 10, 759.	3.5	12
53	Transoral thyroidectomy vestibular approach versus non-transoral endoscopic thyroidectomy: a comprehensive systematic review and meta-analysis. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2022, 36, 1739-1749.	2.4	12
54	Association between IL-27 gene polymorphisms and risk of papillary thyroid carcinoma. <i>Biomarkers in Medicine</i> , 2017, 11, 141-149.	1.4	11

#	ARTICLE	IF	CITATIONS
55	In Situ Preservation Fraction of Parathyroid Gland in Thyroidectomy: A Cohort Retrospective Study. <i>International Journal of Endocrinology</i> , 2018, 2018, 1-7.	1.5	11
56	Second generation of familial nonmedullary thyroid carcinoma: A meta-analysis on the clinicopathologic features and prognosis. <i>European Journal of Surgical Oncology</i> , 2017, 43, 2248-2256.	1.0	10
57	LINC01816 promotes the migration, invasion and epithelial-mesenchymal transition of thyroid carcinoma cells by sponging miR-34c-5p and regulating CRABP2 expression levels. <i>Oncology Reports</i> , 2021, 45, .	2.6	10
58	Conspicuousness and recurrence related factors of ultrasound-guided microwave ablation in the treatment of benign thyroid nodules. <i>BMC Surgery</i> , 2021, 21, 317.	1.3	9
59	Evaluation of plasma exosomal miRNAs as potential diagnostic biomarkers of lymph node metastasis in papillary thyroid carcinoma. <i>Endocrine</i> , 2022, 75, 846-855.	2.3	9
60	Cell block is a valuable adjunct to conventional smear for thyroid fine needle aspiration: 2395 cases with histological correlation. <i>Cytopathology</i> , 2018, 29, 525-530.	0.7	8
61	Diagnostic and prognostic value of preoperative systemic inflammatory markers in anaplastic thyroid cancer. <i>Journal of Surgical Oncology</i> , 2020, 122, 897-905.	1.7	8
62	Preoperative vitamin D deficiency and postoperative hypocalcemia in thyroid cancer patients undergoing total thyroidectomy plus central compartment neck dissection. <i>Oncotarget</i> , 2017, 8, 78113-78119.	1.8	8
63	Protocol for management after thyroidectomy: a retrospective study based on one-center experience. <i>Therapeutics and Clinical Risk Management</i> , 2017, Volume 13, 635-641.	2.0	7
64	Subclinical hypothyroidism would not lead to female sexual dysfunction in Chinese women. <i>BMC Women's Health</i> , 2018, 18, 26.	2.0	7
65	Birth control pills and risk of hypothyroidism: a cross-sectional study of the National Health and Nutrition Examination Survey, 2007-2012. <i>BMJ Open</i> , 2021, 11, e046607.	1.9	7
66	Outcome of parathyroid function after total thyroidectomy when calcium supplementation is administered routinely versus exclusively to symptomatic patients: A prospective randomized clinical trial. <i>Endocrine</i> , 2022, 75, 583-592.	2.3	7
67	Distant metastasis in medullary thyroid carcinoma: Clinical outcomes and implications of T stage. <i>Clinical Endocrinology</i> , 2022, 97, 676-684.	2.4	7
68	Elevated free triiodothyronine may lead to female sexual dysfunction in Chinese urban women: A hospital-based survey. <i>Scientific Reports</i> , 2017, 7, 1216.	3.3	6
69	Relationship between the extent of central node dissection and parathyroid function preservation in thyroid cancer surgery. <i>Gland Surgery</i> , 2021, 10, 1093-1103.	1.1	6
70	Surgical strategy when identifying less than four parathyroid glands during total thyroidectomy: a retrospective cohort study. <i>Gland Surgery</i> , 2021, 10, 10-22.	1.1	6
71	Risk stratification in patients with anaplastic thyroid carcinoma: role of age. <i>Endocrine</i> , 2022, 77, 305-318.	2.3	6
72	Postoperative hypomagnesaemia is not associated with hypocalcemia in thyroid cancer patients undergoing total thyroidectomy plus central compartment neck dissection. <i>International Journal of Surgery</i> , 2017, 39, 192-196.	2.7	5

#	ARTICLE	IF	CITATIONS
73	<i>Pseudomonas aeruginosa</i> mannose sensitive hemagglutinin injection therapy for the treatment of chyle fistula following neck dissection. <i>Head and Neck</i> , 2020, 42, 725-731.	2.0	5
74	Long non-coding RNA signatures as predictors of prognosis in thyroid cancer: a narrative review. <i>Annals of Translational Medicine</i> , 2021, 9, 359-359.	1.7	5
75	p53-dependent apoptosis is essential for the antitumor effect of paclitaxel response to DNA damage in papillary thyroid carcinoma. <i>International Journal of Medical Sciences</i> , 2021, 18, 3197-3205.	2.5	5
76	Complement C4-A and Plasminogen as Potential Biomarkers for Prediction of Papillary Thyroid Carcinoma. <i>Frontiers in Endocrinology</i> , 2021, 12, 737638.	3.5	5
77	Does the number of autotransplanted parathyroid glands affect postoperative hypoparathyroidism and serum parathyroid hormone levels?. <i>Asian Journal of Surgery</i> , 2022, 45, 117-124.	0.4	5
78	2017 Chinese expert consensus on the clinical application of serum marker for thyroid cancer. <i>Cancer Biology and Medicine</i> , 2018, 15, 468.	3.0	4
79	Effects of energy-based ablation on thyroid function in treating benign thyroid nodules: a systematic review and meta-analysis. <i>International Journal of Hyperthermia</i> , 2020, 37, 1090-1102.	2.5	4
80	Predictors of thyroglobulin in the lymph nodes recurrence of papillary thyroid carcinoma undergoing total thyroidectomy. <i>BMC Surgery</i> , 2021, 21, 53.	1.3	4
81	Longitudinal Genomic Evolution of Conventional Papillary Thyroid Cancer With Brain Metastasis. <i>Frontiers in Oncology</i> , 2021, 11, 620924.	2.8	4
82	Near-Infrared Autofluorescence Imaging in Thyroid Surgery: A Systematic Review and Meta-Analysis. <i>Journal of Investigative Surgery</i> , 0, , 1-10.	1.3	4
83	Lymph node metastasis between the sternocleidomastoid and sternohyoid muscle in papillary thyroid carcinoma patients: A prospective study at multiple centers. <i>Asian Journal of Surgery</i> , 2021, 44, 1043-1049.	0.4	3
84	Correlation between Pre-Operative 25-Hydroxyvitamin D Levels and Poor Prognostic Factors for Papillary Thyroid Cancer. <i>Journal of Investigative Surgery</i> , 2021, , 1-7.	1.3	3
85	Radioactive iodine therapy may not improve disease-specific survival in follicular variant papillary thyroid cancer without distant metastasis: A propensity score-matched analysis. <i>Head and Neck</i> , 2021, 43, 1730-1738.	2.0	2
86	Case Report and Review of Literature: Thyroid Metastases From Breast Carcinoma. <i>Frontiers in Endocrinology</i> , 2021, 12, 631894.	3.5	2
87	CUNR scoring system for the prediction of lateral lymph node metastasis in papillary thyroid carcinoma. <i>Oncotarget</i> , 2018, 9, 167-177.	1.8	2
88	Impact of Extent of Surgery on Long-Term Prognosis of Follicular Thyroid Carcinoma Without Extrathyroidal Extension and Distant Metastasis. <i>World Journal of Surgery</i> , 2022, 46, 104-111.	1.6	2
89	The Diagnostic Accuracy of One-Step Nucleic Acid Amplification for Lymph Node Metastases of Papillary Thyroid Carcinoma: A Systematic Review and Meta-Analysis. <i>Frontiers in Endocrinology</i> , 2021, 12, 757766.	3.5	2
90	Evaluating the effectiveness of targeted therapies for thyroid carcinoma: an updated meta-analysis. <i>Annals of Translational Medicine</i> , 2019, 7, 802-802.	1.7	1

#	ARTICLE	IF	CITATIONS
91	<p>Large-Scale Comparative Analysis Reveals A Simple Model To Predict The Prevalence Of Thyroid Nodules</p>. Risk Management and Healthcare Policy, 2019, Volume 12, 225-232.	2.5	1
92	The effects of radioiodine therapy on parathyroid function among patients with papillary thyroid cancer: a retrospective cohort study. Endocrine, 2020, 70, 426-434.	2.3	1
93	Case Report: A New Entity: Multiple Differentiated Variant of Papillary Thyroid Carcinoma With Advanced Clinical Behavior. Frontiers in Endocrinology, 2021, 12, 654638.	3.5	1
94	Recombinant human adenovirus p53 injection enhanced sensitivity of chemotherapeutics through DNA damage response pathway in advanced papillary thyroid cancer in vitro and in vivo.. Journal of Clinical Oncology, 2016, 34, e17560-e17560.	1.6	1
95	Recombinant human adenovirus p53 injection (rAd-p53) is a challenge for anaplastic thyroid cancer treatment.. Journal of Clinical Oncology, 2016, 34, e17561-e17561.	1.6	1
96	Preoperative recombinant adenoviral human p53 gene combined with intensity-modulated radiation therapy in treatment of stage IV papillary thyroid carcinoma: A randomized clinical study.. Journal of Clinical Oncology, 2012, 30, 5550-5550.	1.6	1
97	Predictors of bilateral central neck lymph node dissection in unilateral papillary thyroid carcinoma.. Journal of Clinical Oncology, 2014, 32, e17012-e17012.	1.6	1
98	Prognostic factors for recurrence and reasonable operation method discussed of papillary thyroid carcinoma.. Journal of Clinical Oncology, 2014, 32, e17021-e17021.	1.6	0
99	Use of carbon nanoparticles to identify parathyroid glands at thyroidectomy for patients of papillary thyroid cancer.. Journal of Clinical Oncology, 2015, 33, e17006-e17006.	1.6	0
100	Predictive factors of contralateral paratracheal lymph node metastasis in unilateral papillary thyroid carcinoma.. Journal of Clinical Oncology, 2015, 33, e17005-e17005.	1.6	0
101	A new combination therapy using recombinant human adenovirus p53 injection (rAd-p53) to manage advanced thyroid cancer.. Journal of Clinical Oncology, 2017, 35, e17585-e17585.	1.6	0
102	Influence of Eastern Cooperative Oncology Group performance status (ECOG PS), tumor size and age on patient outcomes after anlotinib treatment: A subgroup analysis based on ALTER01031 trial for medullary thyroid carcinoma (MTC).. Journal of Clinical Oncology, 2020, 38, 6527-6527.	1.6	0
103	Exploration of associations between adverse drug reactions and clinical outcomes in anlotinib treatment against medullary thyroid carcinoma (MTC): A subgroup analysis based on the ALTER01031 trial.. Journal of Clinical Oncology, 2020, 38, e18518-e18518.	1.6	0
104	Association between calcitonin and efficacy of anlotinib in medullary thyroid carcinoma: An analysis based on the ALTER01031 trial.. Journal of Clinical Oncology, 2020, 38, 6526-6526.	1.6	0
105	Idiopathic Hypoparathyroidism With Papillary Thyroid Carcinoma in a Young Male: A Rare Case Report. Frontiers in Endocrinology, 2020, 11, 569308.	3.5	0
106	injection decreases drainage in lateral neck dissection for metastatic thyroid cancer. Gland Surgery, 2020, 9, 1543-1550.	1.1	0
107	A commentary on "thyroid gland invasion in total laryngectomy: A systematic review and meta-analysis"(int J surg 2022;99:106,262). International Journal of Surgery, 2022, , 106665.	2.7	0