

# Gerhard Gmel

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2109386/publications.pdf>

Version: 2024-02-01

182  
papers

14,865  
citations

81900

39  
h-index

19190

118  
g-index

189  
all docs

189  
docs citations

189  
times ranked

24970  
citing authors

#	ARTICLE	IF	CITATIONS
1	Young Swiss men's risky single-occasion drinking: Identifying those who do not respond to stricter alcohol policy environments. <i>Drug and Alcohol Dependence</i> , 2022, 234, 109410.	3.2	1
2	Gait quality scoring data of Franches-Montagnes stallions at walk and trot on a treadmill by experts of the breed and their reliability. <i>Data in Brief</i> , 2022, 42, 108123.	1.0	3
3	Age-based differences in quantity and frequency of consumption when screening for harmful alcohol use. <i>Addiction</i> , 2022, 117, 2431-2437.	3.3	3
4	Behavioral economics indices predict alcohol use and consequences in young men at 4-year follow-up. <i>Addiction</i> , 2022, 117, 2816-2825.	3.3	4
5	Cannabis use disorder trajectories and their prospective predictors in a large population-based sample of young Swiss men. <i>Addiction</i> , 2021, 116, 560-570.	3.3	6
6	Curvilinear associations between sexual orientation and problematic substance use, behavioural addictions and mental health among young Swiss men. <i>Addictive Behaviors</i> , 2021, 112, 106609.	3.0	9
7	Protective behavioral strategies and alcohol outcomes: Impact of mood and personality disorders. <i>Addictive Behaviors</i> , 2021, 112, 106615.	3.0	4
8	Comparison of Water Pipes vs Other Modes of Cannabis Consumption and Subsequent Illicit Drug Use in a Longitudinal Cohort of Young Swiss Men. <i>JAMA Network Open</i> , 2021, 4, e213220.	5.9	1
9	The psychological impact of the COVID-19 crisis is higher among young Swiss men with a lower socioeconomic status: Evidence from a cohort study. <i>PLoS ONE</i> , 2021, 16, e0255050.	2.5	20
10	Prosocialness in young males with substance and behavioral addictions. <i>Journal of Behavioral Addictions</i> , 2021, 10, 327-337.	3.7	2
11	Online Gambling's Associations With Gambling Disorder and Related Problems in a Representative Sample of Young Swiss Men. <i>Frontiers in Psychiatry</i> , 2021, 12, 703118.	2.6	6
12	Motivational interviewing technical and relational skills, change talk, and alcohol outcomes: A moderated mediation analysis. <i>Journal of Consulting and Clinical Psychology</i> , 2021, 89, 707-716.	2.0	5
13	Improving measurement of harms from others' drinking: Using item-response theory to scale harms from others' heavy drinking in 10 countries. <i>Drug and Alcohol Review</i> , 2021, , .	2.1	1
14	The psychological impact of the COVID-19 crisis on young Swiss men participating in a cohort study. <i>Swiss Medical Weekly</i> , 2021, 151, w30028.	1.6	8
15	Sexual Minority Orientation Is Associated With Greater Psychological Impact Due to the COVID-19 Crisis: Evidence From a Longitudinal Cohort Study of Young Swiss Men. <i>Frontiers in Public Health</i> , 2021, 9, 692884.	2.7	5
16	Routes of Administration of Illicit Drugs among Young Swiss Men: Their Prevalence and Associated Socio-Demographic Characteristics and Adverse Outcomes. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 11158.	2.6	6
17	Changes in substance use and other reinforcing behaviours during the COVID-19 crisis in a general population cohort study of young Swiss men. <i>Journal of Behavioral Addictions</i> , 2021, 10, 901-911.	3.7	4
18	Correlates of the use of electronic devices to vape cannabis in a cohort of young Swiss male reporting current cannabis use. <i>European Journal of Public Health</i> , 2021, 31, 437-441.	0.3	2

#	ARTICLE	IF	CITATIONS
19	Prevalence, modes of administration and motives for cannabidiol use in young Swiss men. , 2021, 151, w30054.		0
20	Identifying an accurate self-reported screening tool for alcohol use disorder: evidence from a Swiss, male population-based assessment. <i>Addiction</i> , 2020, 115, 426-436.	3.3	13
21	A randomized trial of brief web-based prevention of unhealthy alcohol use: Participant self-selection compared to a male young adult source population. <i>Internet Interventions</i> , 2020, 19, 100298.	2.7	1
22	The Association between Type and Intensity of Sport and Tobacco or Nicotine Use—A Cross-Sectional Study among Young Swiss Men. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 8299.	2.6	4
23	Are Changes in Personality Traits and Alcohol Use Associated? A Cohort Study Among Young Swiss Men. <i>Frontiers in Psychiatry</i> , 2020, 11, 591003.	2.6	9
24	Development of alcohol use disorder in young Swiss men: the influence of retrospectively perceived parenting profiles. <i>Drugs: Education, Prevention and Policy</i> , 2020, , 1-11.	1.3	0
25	Improving measurement of harms from others' drinking: A key informant study on type and severity of harm. <i>NAD Nordic Studies on Alcohol and Drugs</i> , 2020, 37, 122-140.	1.3	4
26	Screened Attention Deficit/Hyperactivity Disorder as a Predictor of Substance Use Initiation and Escalation in Early Adulthood and the Role of Self-Reported Conduct Disorder and Sensation Seeking: A 5-Year Longitudinal Study with Young Adult Swiss Men. <i>European Addiction Research</i> , 2020, 26, 233-244.	2.4	15
27	Social cohesion, depression, and substance use severity among young men: Cross-sectional and longitudinal analyses from a Swiss cohort. <i>Addictive Behaviors</i> , 2020, 110, 106510.	3.0	2
28	Should We Agree to Disagree? An Evaluation of the Inter-Rater Reliability of Gait Quality Traits in Franches-Montagnes Stallions. <i>Journal of Equine Veterinary Science</i> , 2020, 88, 102932.	0.9	8
29	Screening for alcohol use disorder among individuals with comorbid psychiatric disorders: Diagnostic accuracy in a sample of young Swiss men. <i>Addictive Behaviors</i> , 2020, 106, 106354.	3.0	2
30	Estimated changes in hospital admissions for alcohol intoxication after partial bans on off-premises sales of alcoholic beverages in the canton of Vaud, Switzerland: an interrupted time-series analysis. <i>Addiction</i> , 2020, 115, 1459-1469.	3.3	10
31	Multiple trajectories of alcohol use and the development of alcohol use disorder: Do Swiss men mature-out of problematic alcohol use during emerging adulthood?. <i>PLoS ONE</i> , 2020, 15, e0220232.	2.5	8
32	Detecting computer-generated random responding in online questionnaires: An extension of Dupuis, Meier & Cuneo (2019) on dichotomous data. <i>Personality and Individual Differences</i> , 2020, 157, 109812.	2.9	5
33	Smartphone-based secondary prevention intervention for university students with unhealthy alcohol use identified by screening: study protocol of a parallel group randomized controlled trial. <i>Trials</i> , 2020, 21, 191.	1.6	7
34	Performance of self-reported measures of alcohol use and of harmful drinking patterns against ethyl glucuronide hair testing among young Swiss men. <i>PLoS ONE</i> , 2020, 15, e0244336.	2.5	5
35	Title is missing!. , 2020, 15, e0244336.		0
36	Title is missing!. , 2020, 15, e0244336.		0

#	ARTICLE	IF	CITATIONS
37	Title is missing!. , 2020, 15, e0244336.		0
38	Title is missing!. , 2020, 15, e0244336.		0
39	Does level of attention deficit-hyperactivity disorder symptoms predicts poor transition into adulthood?. International Journal of Public Health, 2019, 64, 165-172.	2.3	6
40	Exposure to potentially traumatic events in young Swiss men: associations with socio-demographics and mental health outcomes (alcohol use disorder, major depression and suicide attempts). HÅrre Utbildning, 2019, 10, 1611093.	3.0	3
41	Reconsidering the associations between self-reported alcohol use disorder and mental health problems in the light of co-occurring addictions in young Swiss men. PLoS ONE, 2019, 14, e0222806.	2.5	8
42	Attention deficit hyperactivity disorder and future alcohol outcomes: Examining the roles of coping and enhancement drinking motives among young men. PLoS ONE, 2019, 14, e0218469.	2.5	9
43	Alcohol-induced blackouts at age 20 predict the incidence, maintenance and severity of alcohol dependence at age 25: a prospective study in a sample of young Swiss men. Addiction, 2019, 114, 1556-1566.	3.3	26
44	Problematic smartphone use in young Swiss men: Its association with problematic substance use and risk factors derived from the pathway model. Journal of Behavioral Addictions, 2019, 8, 326-334.	3.7	31
45	Longitudinal Associations Between Life Satisfaction and Cannabis Use Initiation, Cessation, and Disorder Symptom Severity in a Cohort of Young Swiss Men. International Journal of Environmental Research and Public Health, 2019, 16, 1372.	2.6	3
46	Comparing Mental Health across Distinct Groups of Users of Psychedelics, MDMA, Psychostimulants, and Cannabis. Journal of Psychoactive Drugs, 2019, 51, 236-246.	1.7	4
47	Protective Behavioral Strategies Scale: Psychometric properties of a French and German version among young males in Switzerland. International Journal of Methods in Psychiatric Research, 2019, 28, e1777.	2.1	2
48	Interpretation of DSM-5 alcohol use disorder criteria in self-report surveys may change with age. A longitudinal analysis of young Swiss men. Addiction Research and Theory, 2019, 27, 489-497.	1.9	10
49	Unique versus shared associations between self-reported behavioral addictions and substance use disorders and mental health problems: A commonality analysis in a large sample of young Swiss men. Journal of Behavioral Addictions, 2019, 8, 664-677.	3.7	34
50	Cybersex use and problematic cybersex use among young Swiss men: Associations with sociodemographic, sexual, and psychological factors. Journal of Behavioral Addictions, 2019, 8, 794-803.	3.7	20
51	Development of a short form of the compulsive internet use scale in Switzerland. International Journal of Methods in Psychiatric Research, 2019, 28, e1765.	2.1	16
52	Adult attention-deficit/hyperactivity disorder, risky substance use and substance use disorders: a follow-up study among young men. European Archives of Psychiatry and Clinical Neuroscience, 2019, 269, 667-679.	3.2	12
53	Light and heavy drinking in jurisdictions with different alcohol policy environments. International Journal of Drug Policy, 2019, 65, 86-96.	3.3	11
54	Depressive symptoms, alcohol use and coping drinking motives: Examining various pathways to suicide attempts among young men. Journal of Affective Disorders, 2018, 232, 243-251.	4.1	24

#	ARTICLE	IF	CITATIONS
55	Snus and Snuff Use in Switzerland Among Young Men: Are There Beneficial Effects on Smoking?. <i>Nicotine and Tobacco Research</i> , 2018, 20, 1301-1309.	2.6	5
56	Four-year follow-up of an internet-based brief intervention for unhealthy alcohol use in young men. <i>Addiction</i> , 2018, 113, 1517-1521.	3.3	5
57	Do sensation seeking and aggression traits moderate the association between peer influence and alcohol outcomes among young Swiss men?. <i>Addiction Research and Theory</i> , 2018, 26, 52-62.	1.9	0
58	Comorbidity of Symptoms of Alcohol and Cannabis Use Disorders among a Population-Based Sample of Simultaneous Users. Insight from a Network Perspective. <i>International Journal of Environmental Research and Public Health</i> , 2018, 15, 2893.	2.6	11
59	Bidirectional Associations Between Self-Reported Gaming Disorder and Adult Attention Deficit Hyperactivity Disorder: Evidence From a Sample of Young Swiss Men. <i>Frontiers in Psychiatry</i> , 2018, 9, 649.	2.6	23
60	Non-medical use of prescription drugs by young men: impact of potentially traumatic events and of social-environmental stressors. <i>HÅgre Utbildning</i> , 2018, 9, 1468706.	3.0	10
61	Comparison of self-reported measures of alcohol-related dependence among young Swiss men: a study protocol for a cross-sectional controlled sample. <i>BMJ Open</i> , 2018, 8, e023632.	1.9	8
62	Latent profiles of family background, personality and mental health factors and their association with behavioural addictions and substance use disorders in young Swiss men. <i>European Psychiatry</i> , 2018, 52, 76-84.	0.2	23
63	Game Addiction Scale Assessment Through a Nationally Representative Sample of Young Adult Men: Item Response Theory Graded-Response Modeling. <i>Journal of Medical Internet Research</i> , 2018, 20, e10058.	4.3	20
64	Gender Differences in Binge Drinking. <i>Alcohol Research: Current Reviews</i> , 2018, 39, 57-76.	3.6	49
65	Cigarette and Cannabis Use in Young Swiss Men: Examination of the Bidirectional, Longitudinal Associations Between Frequency of Use and Descriptive Norms. <i>Journal of Studies on Alcohol and Drugs</i> , 2018, 79, 585-590.	1.0	0
66	Validation of a brief form of the Perceived Neighborhood Social Cohesion questionnaire. <i>Journal of Health Psychology</i> , 2017, 22, 218-227.	2.3	14
67	Reciprocal Influences of Drinking Motives on Alcohol Use and Related Consequences: A Full Cross-Lagged Panel Study Among Young Adult Men. <i>Behavioral Medicine</i> , 2017, 43, 277-284.	1.9	21
68	Binge drinking: Health impact, prevalence, correlates and interventions. <i>Psychology and Health</i> , 2017, 32, 976-1017.	2.2	256
69	Life-time risk of mortality due to different levels of alcohol consumption in seven European countries: implications for low-risk drinking guidelines. <i>Addiction</i> , 2017, 112, 1535-1544.	3.3	47
70	Substance Use in Young Swiss Men: The Interplay of Perceived Social Support and Dispositional Characteristics. <i>Substance Use and Misuse</i> , 2017, 52, 798-810.	1.4	10
71	Alcohol's harm to others in Switzerland in the year 2011/2012. <i>Journal of Substance Use</i> , 2017, 22, 403-411.	0.7	8
72	Emerging Adulthood: A Time of Changes in Psychosocial Well-Being. <i>Evaluation and the Health Professions</i> , 2017, 40, 383-400.	1.9	48

#	ARTICLE	IF	CITATIONS
73	Beneficial effects of moderate alcohol useâ€”a case for Occam's razor?. <i>Addiction</i> , 2017, 112, 215-217.	3.3	6
74	Family-Related Stress versus External Stressors: Differential Impacts on Alcohol and Illicit Drug Use in Young Men. <i>European Addiction Research</i> , 2017, 23, 284-297.	2.4	10
75	Drinking Motives As Mediators of the Associations between Reinforcement Sensitivity and Alcohol Misuse and Problems. <i>Frontiers in Psychology</i> , 2016, 7, 718.	2.1	21
76	Factor structure and psychometric properties of a French and German shortened version of the Behavioural Inhibition System/Behavioural Activation System scales. <i>International Journal of Methods in Psychiatric Research</i> , 2016, 25, 44-54.	2.1	5
77	Reframing video gaming and internet use addiction: empirical crossâ€”national comparison of heavy use over time and addiction scales among young users. <i>Addiction</i> , 2016, 111, 513-522.	3.3	46
78	Is attention deficit/hyperactivity disorder among men associated with initiation or escalation of substance use at 15-month follow-up? A longitudinal study involving young Swiss men. <i>Addiction</i> , 2016, 111, 1867-1878.	3.3	31
79	Social roles among recruits in Switzerland: Do social roles relate to alcohol use and does role change have an impact?. <i>Addictive Behaviors</i> , 2016, 54, 59-63.	3.0	11
80	Psychometric properties of the 7-item game addiction scale among french and German speaking adults. <i>BMC Psychiatry</i> , 2016, 16, 132.	2.6	60
81	Are young men who overestimate drinking by others more likely to respond to an electronic normative feedback brief intervention for unhealthy alcohol use?. <i>Addictive Behaviors</i> , 2016, 63, 97-101.	3.0	13
82	Geographical variation in the prevalence of heavy drinking in young Swiss men. <i>European Journal of Public Health</i> , 2016, 26, 850-855.	0.3	12
83	We have to become more specific: A reply to Morrison <i>et al.</i> . <i>Drug and Alcohol Review</i> , 2016, 35, 58-60.	2.1	5
84	The association between alcohol abstinence, drinking or binge drinking and drug use: is alcohol abstinence that safe?. <i>Drugs and Alcohol Today</i> , 2016, 16, 212-221.	0.7	4
85	Risky substance use and peer pressure in Swiss young men: Test of moderation effects. <i>Drug and Alcohol Dependence</i> , 2016, 168, 89-98.	3.2	10
86	Socioeconomic status and substance use among Swiss young men: a population-based cross-sectional study. <i>BMC Public Health</i> , 2016, 16, 333.	2.9	42
87	Video Gaming Disorder and Sport and Exercise in Emerging Adulthood: A Longitudinal Study. <i>Behavioral Medicine</i> , 2016, 42, 105-111.	1.9	51
88	Trajectories of drug use among French young people: Prototypical stages of involvement in illicit drug use. <i>Journal of Substance Use</i> , 2016, 21, 485-490.	0.7	3
89	Validation of French and German versions of a Perceived Neighborhood Social Cohesion Questionnaire among young Swiss males, and its relationship with substance use. <i>Journal of Health Psychology</i> , 2016, 21, 171-182.	2.3	10
90	Are alcohol outlet densities strongly associated with alcoholâ€”related outcomes? A critical review of recent evidence. <i>Drug and Alcohol Review</i> , 2016, 35, 40-54.	2.1	131

#	ARTICLE	IF	CITATIONS
91	Change Talk During Brief Motivational Intervention With Young Adult Males: Strength Matters. <i>Journal of Substance Abuse Treatment</i> , 2016, 65, 58-65.	2.8	22
92	Associations of age at cannabis first use and later substance abuse with mental health and depression in young men. <i>Journal of Substance Use</i> , 2016, 21, 85-91.	0.7	6
93	Bidirectional relationship between the body mass index and substance use in young men. <i>Substance Abuse</i> , 2016, 37, 190-196.	2.3	5
94	Latent Class Analysis of Gambling Activities in a Sample of Young Swiss Men: Association with Gambling Problems, Substance Use Outcomes, Personality Traits and Coping Strategies. <i>Journal of Gambling Studies</i> , 2016, 32, 421-440.	1.6	23
95	Under what conditions? Therapist and client characteristics moderate the role of change talk in brief motivational intervention.. <i>Journal of Consulting and Clinical Psychology</i> , 2016, 84, 211-220.	2.0	25
96	E-cigarette use in young Swiss men: is vaping an effective way of reducing or quitting smoking?. <i>Swiss Medical Weekly</i> , 2016, 146, w14271.	1.6	41
97	When vaping lobbyists get science wrong â€“ reply to Poirson. <i>Swiss Medical Weekly</i> , 2016, 146, w14332.	1.6	1
98	Association between nonâ€œmedical prescription drug use and personality traits among young <sc>S</sc>wiss men. <i>Psychiatry and Clinical Neurosciences</i> , 2015, 69, 228-237.	1.8	4
99	Cannabis use and other predictors of the onset of daily cigarette use in young men: what matters most? Results from a longitudinal study. <i>BMC Public Health</i> , 2015, 15, 843.	2.9	24
100	Internetâ€œbased brief intervention for young men with unhealthy alcohol use: a randomized controlled trial in a general population sample. <i>Addiction</i> , 2015, 110, 1735-1743.	3.3	42
101	DSM-IV and DSM-5 alcohol use disorder among young Swiss men. <i>Addiction</i> , 2015, 110, 429-440.	3.3	10
102	Liberal alcohol legislation: does it amplify the effects among Swiss men of personâ€œrelated risk factors on heavy alcohol use?. <i>Addiction</i> , 2015, 110, 1746-1756.	3.3	9
103	Physical Activity and Snus: Is There a Link?. <i>International Journal of Environmental Research and Public Health</i> , 2015, 12, 7185-7198.	2.6	13
104	Internet-Based Brief Intervention to Prevent Unhealthy Alcohol Use among Young Men: A Randomized Controlled Trial. <i>PLoS ONE</i> , 2015, 10, e0144146.	2.5	17
105	Is the Relationship Between Major Depressive Disorder and Self-Reported Alcohol Use Disorder an Artificial One?. <i>Alcohol and Alcoholism</i> , 2015, 50, 195-199.	1.6	9
106	Temporal Patterns of Alcohol Consumption and Alcohol-Related Road Accidents in Young Swiss Men: Seasonal, Weekday and Public Holiday Effects. <i>Alcohol and Alcoholism</i> , 2015, 50, 565-572.	1.6	36
107	Cannabis use and other illicit drug use: do subjective experiences during first cannabis use increase the probability of using illicit drug?. <i>Journal of Substance Use</i> , 2015, 20, 234-238.	0.7	4
108	Not in Education, Employment, or Training Status Among Young Swiss Men. Longitudinal Associations With Mental Health and Substance Use. <i>Journal of Adolescent Health</i> , 2015, 56, 238-243.	2.5	73



#	ARTICLE	IF	CITATIONS
109	An 8-Item Short Form of the Inventory of Dimensions of Emerging Adulthood (IDEA) Among Young Swiss Men. <i>Evaluation and the Health Professions</i> , 2015, 38, 246-254.	1.9	32
110	Drinking locations and alcohol-related harm: Cross-sectional and longitudinal associations in a sample of young Swiss men. <i>International Journal of Drug Policy</i> , 2015, 26, 653-661.	3.3	20
111	The alcohol purchase task in young men from the general population. <i>Drug and Alcohol Dependence</i> , 2015, 146, 39-44.	3.2	41
112	Prevalence of and Associated Factors for Adult Attention Deficit Hyperactivity Disorder in Young Swiss Men. <i>PLoS ONE</i> , 2014, 9, e89298.	2.5	20
113	Does Drinking Location Matter? Profiles of Risky Single-Occasion Drinking by Location and Alcohol-Related Harm among Young Men. <i>Frontiers in Public Health</i> , 2014, 2, 64.	2.7	14
114	Use of Neuroenhancement Drugs: Prevalence, Frequency and Use Expectations in Switzerland. <i>International Journal of Environmental Research and Public Health</i> , 2014, 11, 3032-3045.	2.6	19
115	A Comparison of Two Case-Crossover Methods for Studying the Dose-Response Relationship between Alcohol and Injury. <i>Contemporary Drug Problems</i> , 2014, 41, 91-108.	1.6	1
116	Prevalence and factors associated with use of smokeless tobacco in young Swiss men. <i>European Journal of Public Health</i> , 2014, 24, 459-464.	0.3	20
117	Beverage preferences and associated drinking patterns, consequences and other substance use behaviours. <i>European Journal of Public Health</i> , 2014, 24, 496-501.	0.3	32
118	Concurrent Versus Simultaneous Use of Alcohol and Non-Medical Use of Prescription Drugs: Is Simultaneous Use Worse for Mental, Social, and Health Issues?. <i>Journal of Psychoactive Drugs</i> , 2014, 46, 334-339.	1.7	17
119	Regional abundance of on-premise outlets and drinking patterns among Swiss young men: District level analyses and geographic adjustments. <i>Drug and Alcohol Review</i> , 2014, 33, 526-533.	2.1	7
120	Influence of Counselor Characteristics and Behaviors on the Efficacy of a Brief Motivational Intervention for Heavy Drinking in Young Men-A Randomized Controlled Trial. <i>Alcoholism: Clinical and Experimental Research</i> , 2014, 38, 2138-2147.	2.4	39
121	Commentary on Rossow et al. (2014) and Norström & Svensson (2014): We want to believe-or do we have to?. <i>Addiction</i> , 2014, 109, 1459-1461.	3.3	2
122	Predictors of onset of cannabis and other drug use in male young adults: results from a longitudinal study. <i>BMC Public Health</i> , 2014, 14, 1202.	2.9	42
123	Patterns and Transitions in Substance Use Among Young Swiss Men. <i>Journal of Drug Issues</i> , 2014, 44, 381-393.	1.2	15
124	Non-medical prescription drug and illicit street drug use among young Swiss men and associated mental health issues. <i>International Journal of Adolescent Medicine and Health</i> , 2014, 26, 525-530.	1.3	9
125	Patterns of cannabis use and prospective associations with health issues among young males. <i>Addiction</i> , 2014, 109, 937-945.	3.3	26
126	Peer pressure and alcohol use in young men: A mediation analysis of drinking motives. <i>International Journal of Drug Policy</i> , 2014, 25, 700-708.	3.3	53



#	ARTICLE	IF	CITATIONS
127	Associations of physical activity and sport and exercise with at-risk substance use in young men: A longitudinal study. <i>Preventive Medicine</i> , 2014, 64, 27-31.	3.4	32
128	Routes of Administration of Cannabis Used for Nonmedical Purposes and Associations With Patterns of Drug Use. <i>Journal of Adolescent Health</i> , 2014, 54, 235-240.	2.5	63
129	Health-risk behaviors and quality of life among young men. <i>Quality of Life Research</i> , 2014, 23, 1009-1017.	3.1	14
130	Health impact of sport and exercise in emerging adult men: a prospective study. <i>Quality of Life Research</i> , 2014, 23, 2225-2234.	3.1	17
131	Association Between Nonmedical Prescription Drug Use and Health Status Among Young Swiss Men. <i>Journal of Adolescent Health</i> , 2014, 55, 549-555.	2.5	4
132	More Is Not Always Better—Comparison of Three Instruments Measuring Volume of Drinking in a Sample of Young Men and Their Association With Consequences. <i>Journal of Studies on Alcohol and Drugs</i> , 2014, 75, 880-888.	1.0	22
133	Concurrent and simultaneous polydrug use among young Swiss males: use patterns and associations of number of substances used with health issues. <i>International Journal of Adolescent Medicine and Health</i> , 2014, 26, 217-224.	1.3	29
134	Alcohol-attributable mortality in Switzerland in 2011 — age-specific causes of death and impact of heavy versus non-heavy drinking. <i>Swiss Medical Weekly</i> , 2014, 144, w13947.	1.6	27
135	Excessive alcohol consumption in young men: is there an association with their earlier family situation? A baseline-analysis of the C-SURF-study (Cohort Study on Substance Use Risk Factors). <i>Swiss Medical Weekly</i> , 2014, 144, w14007.	1.6	4
136	Risky single occasion drinking frequency and alcohol-related consequences: can abstinence during early adulthood lead to alcohol problems?. <i>Swiss Medical Weekly</i> , 2014, 144, w14017.	1.6	9
137	A Comparison of two Case-crossover Methods for Studying the Dose-Response Relationship Between Alcohol and Injury. <i>Contemporary Drug Problems</i> , 2014, 41, 04.	1.6	1
138	Parental monitoring: a way to decrease substance use among Swiss adolescents?. <i>European Journal of Pediatrics</i> , 2013, 172, 1229-1234.	2.7	32
139	The Change Questionnaire predicts change in hazardous tobacco and alcohol use. <i>Addictive Behaviors</i> , 2013, 38, 2718-2723.	3.0	10
140	Perception of tobacco, cannabis, and alcohol use of others is associated with one's own use. <i>Addiction Science &amp; Clinical Practice</i> , 2013, 8, 15.	2.6	29
141	Religion Is Good, Belief Is Better: Religion, Religiosity, and Substance Use Among Young Swiss Men. <i>Substance Use and Misuse</i> , 2013, 48, 1085-1098.	1.4	42
142	Does change talk during brief motivational interventions with young men predict change in alcohol use?. <i>Journal of Substance Abuse Treatment</i> , 2013, 44, 177-185.	2.8	44
143	Effectiveness of a brief integrative multiple substance use intervention among young men with and without booster sessions. <i>Journal of Substance Abuse Treatment</i> , 2013, 44, 231-240.	2.8	25
144	Examining non-response bias in substance use research—Are late respondents proxies for non-respondents?. <i>Drug and Alcohol Dependence</i> , 2013, 132, 316-323.	3.2	144

#	ARTICLE	IF	CITATIONS
145	Global alcohol exposure estimates by country, territory and region for 2005—a contribution to the comparative risk assessment for the 2010 Global Burden of Disease Study. <i>Addiction</i> , 2013, 108, 912-922.	3.3	125
146	Body mass index and health-related quality of life among young Swiss men. <i>BMC Public Health</i> , 2013, 13, 1028.	2.9	36
147	Need for Informed Consent in Substance Use Studies—Harm of Bias?. <i>Journal of Studies on Alcohol and Drugs</i> , 2013, 74, 931-940.	1.0	45
148	Factor Structure of Early Smoking Experiences and Associations with Smoking Behavior: Valence or Sensitivity Model?. <i>International Journal of Environmental Research and Public Health</i> , 2013, 10, 6305-6318.	2.6	2
149	A Pre-Post Study on the Appropriateness and Effectiveness of a Web- and Text Messaging-Based Intervention to Reduce Problem Drinking in Emerging Adults. <i>Journal of Medical Internet Research</i> , 2013, 15, e196.	4.3	59
150	Alcohol consumption in late adolescence and early adulthood - where is the problem?. <i>Swiss Medical Weekly</i> , 2013, 143, w13826.	1.6	98
151	A comparative risk assessment of burden of disease and injury attributable to 67 risk factors and risk factor clusters in 21 regions, 1990–2010: a systematic analysis for the Global Burden of Disease Study 2010. <i>Lancet</i> , The, 2012, 380, 2224-2260.	13.7	9,397
152	A quasi-randomized group trial of a brief alcohol intervention on risky single occasion drinking among secondary school students. <i>International Journal of Public Health</i> , 2012, 57, 935-944.	2.3	31
153	Predictive value of readiness, importance, and confidence in ability to change drinking and smoking. <i>BMC Public Health</i> , 2012, 12, 708.	2.9	55
154	Determining the best population-level alcohol consumption model and its impact on estimates of alcohol-attributable harms. <i>Population Health Metrics</i> , 2012, 10, 6.	2.7	115
155	Brief alcohol intervention as pragmatic intervention: Who is voluntarily taking an offered intervention?. <i>Alcohol</i> , 2012, 46, 551-558.	1.7	4
156	The association between drinking motives and alcohol-related consequences — room for biases and measurement issues?. <i>Addiction</i> , 2012, 107, 1580-1589.	3.3	29
157	Efficacy of brief motivational intervention in reducing binge drinking in young men: A randomized controlled trial. <i>Drug and Alcohol Dependence</i> , 2011, 113, 69-75.	3.2	42
158	Hospital admission rates for alcoholic intoxication after policy changes in the canton of Geneva, Switzerland. <i>Drug and Alcohol Dependence</i> , 2011, 118, 209-215.	3.2	34
159	Risky single-occasion drinking: bingeing is not bingeing. <i>Addiction</i> , 2011, 106, 1037-1045.	3.3	149
160	Is Brief Motivational Intervention Effective in Reducing Alcohol Use Among Young Men Voluntarily Receiving It? A Randomized Controlled Trial. <i>Alcoholism: Clinical and Experimental Research</i> , 2011, 35, 1822-1830.	2.4	20
161	International Differences in Alcohol Use According to Sexual Orientation. <i>Substance Abuse</i> , 2011, 32, 210-219.	2.3	39
162	Adding Tobacco to Cannabis—Its Frequency and Likely Implications. <i>Nicotine and Tobacco Research</i> , 2011, 13, 746-750.	2.6	55

#	ARTICLE	IF	CITATIONS
163	Case-crossover designs for alcohol use: The potential for more than one bias. <i>Journal of Studies on Alcohol and Drugs</i> , 2010, 71, 620-621.	1.0	3
164	Revising the Cannabis Use Disorders Identification Test (CUDIT) by means of Item Response Theory. <i>International Journal of Methods in Psychiatric Research</i> , 2010, 19, 142-155.	2.1	47
165	Change talk sequence during brief motivational intervention, towards or away from drinking. <i>Addiction</i> , 2010, 105, 2106-2112.	3.3	59
166	Challenging the "Inoffensiveness" of Regular Cannabis Use by Its Associations with Other Current Risky Substance Use: A Census of 20-Year-Old Swiss Men. <i>International Journal of Environmental Research and Public Health</i> , 2010, 7, 46-59.	2.6	9
167	Social roles and alcohol consumption: A study of 10 industrialised countries. <i>Social Science and Medicine</i> , 2009, 68, 1263-1270.	3.8	75
168	Alcohol and cannabis use as risk factors for injury – a case-crossover analysis in a Swiss hospital emergency department. <i>BMC Public Health</i> , 2009, 9, 40.	2.9	40
169	Sport and alcohol: An emergency department study in Switzerland. <i>European Journal of Sport Science</i> , 2009, 9, 11-22.	2.7	12
170	Who Drinks Most of the Total Alcohol in Young Men? Risky Single Occasion Drinking as Normative Behaviour. <i>Alcohol and Alcoholism</i> , 2008, 43, 692-697.	1.6	31
171	Acute Alcohol Consumption and Injury: Risk Associations and Attributable Fractions for Different Injury Mechanisms. <i>Journal of Studies on Alcohol and Drugs</i> , 2008, 69, 218-226.	1.0	30
172	Alcohol and Nonlethal Injuries: A Swiss Emergency Department Study on the Risk Relationship Between Acute Alcohol Consumption and Type of Injury. <i>Journal of Trauma</i> , 2008, 65, 203-211.	2.3	13
173	Do Objective Measures of Blood Alcohol Concentrations Make More Sense than Self-reports in Emergency Department Studies?. <i>Journal of Addiction Medicine</i> , 2008, 2, 96-102.	2.6	9
174	Brief alcohol interventions: Do counsellors' and patients' communication characteristics predict change?. <i>Alcohol and Alcoholism</i> , 2007, 43, 62-69.	1.6	109
175	Recall Bias for Seven-Day Recall Measurement of Alcohol Consumption Among Emergency Department Patients: Implications for Case-Crossover Designs*. <i>Journal of Studies on Alcohol and Drugs</i> , 2007, 68, 303-310.	1.0	125
176	Injury and repeated injury - what is the link with acute consumption, binge drinking and chronic heavy alcohol use?. <i>Swiss Medical Weekly</i> , 2007, 137, 642-8.	1.6	19
177	Alcohol-Attributable Injuries in Admissions to a Swiss Emergency Room: An Analysis of the Link Between Volume of Drinking, Drinking Patterns, and Preattendance Drinking. <i>Alcoholism: Clinical and Experimental Research</i> , 2006, 30, 501-509.	2.4	78
178	MEASURING ALCOHOL CONSUMPTION-IS A REASONABLE CHANGE ALWAYS REASONABLE? RESPONSE TO KIEFER & SPANAGEL (2006). <i>Addiction</i> , 2006, 101, 1216-1218.	3.3	1
179	The relationship of average volume of alcohol consumption and patterns of drinking to burden of disease: an overview. <i>Addiction</i> , 2003, 98, 1209-1228.	3.3	778
180	Is frequency of drinking an indicator of problem drinking? A psychometric analysis of a modified version of the alcohol use disorders identification test in Switzerland. <i>Drug and Alcohol Dependence</i> , 2001, 64, 151-163.	3.2	44

#	ARTICLE	IF	CITATIONS
181	The effect of mode of data collection and of non-response on reported alcohol consumption: a split-sample study in Switzerland. <i>Addiction</i> , 2000, 95, 123-134.	3.3	74
182	Aggregating dimensions of alcohol consumption to predict medical and social consequences. <i>Journal of Substance Abuse</i> , 2000, 12, 155-168.	1.1	40