

Chun-Hou Liao

List of Publications by Citations

Source: <https://exaly.com/author-pdf/2114639/chun-hou-liao-publications-by-citations.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

29
papers

324
citations

11
h-index

16
g-index

36
ext. papers

413
ext. citations

3.3
avg, IF

3.62
L-index

#	Paper	IF	Citations
29	Increased risk of large post-void residual urine and decreased long-term success rate after intravesical onabotulinumtoxinA injection for refractory idiopathic detrusor overactivity. <i>Journal of Urology</i> , 2013 , 189, 1804-10	2.5	56
28	Anti-angiogenic effects and mechanism of prazosin. <i>Prostate</i> , 2011 , 71, 976-84	4.2	26
27	Serum C-reactive protein levels are associated with residual urgency symptoms in patients with benign prostatic hyperplasia after medical treatment. <i>Urology</i> , 2011 , 78, 1373-8	1.6	25
26	Efficacy and safety of intravesical onabotulinumtoxinA injection on elderly patients with chronic central nervous system lesions and overactive bladder. <i>PLoS ONE</i> , 2014 , 9, e105989	3.7	22
25	Predictors of successful first-line antimuscarinic monotherapy in men with enlarged prostate and predominant storage symptoms. <i>Urology</i> , 2013 , 81, 1030-3	1.6	20
24	Low serum sex hormone-binding globulin: marker of inflammation?. <i>Clinica Chimica Acta</i> , 2012 , 413, 803-7.	4.2	19
23	Laparoscopic simultaneous bilateral partial and total adrenalectomy: a longer follow-up. <i>BJU International</i> , 2009 , 104, 1269-73	5.6	16
22	Progression of lower urinary tract symptoms after discontinuation of 1 medication from 2-year combined alpha-blocker and 5-alpha-reductase inhibitor therapy for benign prostatic hyperplasia in men--a randomized multicenter study. <i>Urology</i> , 2014 , 83, 416-21	1.6	14
21	Effect of Ginkgo biloba Extract (EGb-761) on Recovery of Erectile Dysfunction in Bilateral Cavernous Nerve Injury Rat Model. <i>Urology</i> , 2015 , 85, 1214.e7-1214.e15	1.6	13
20	Different number of intravesical onabotulinumtoxinA injections for patients with refractory detrusor overactivity do not affect treatment outcome: A prospective randomized comparative study. <i>Neurourology and Urodynamics</i> , 2016 , 35, 717-23	2.3	13
19	Indoxyl Sulfate, a Tubular Toxin, Contributes to the Development of Chronic Kidney Disease. <i>Toxins</i> , 2020 , 12,	4.9	11
18	Duration of Antimuscarinic Administration for Treatment of Overactive Bladder Before Which One Can Assess Efficacy: An Analysis of Predictive Factors. <i>International Neurourology Journal</i> , 2015 , 19, 171-7.	3.6	11
17	Intravesical OnabotulinumtoxinA Injection for Overactive Bladder Patients with Frailty, Medical Comorbidities or Prior Lower Urinary Tract Surgery. <i>Toxins</i> , 2016 , 8, 91	4.9	9
16	Perspectives on mirabegron in the treatment of overactive bladder syndrome: A new beta-3 adrenoceptor agonist. <i>Urological Science</i> , 2015 , 26, 17-23	0.3	8
15	Neuroprotective effect of docosahexaenoic acid nanoemulsion on erectile function in a rat model of bilateral cavernous nerve injury. <i>Scientific Reports</i> , 2016 , 6, 33040	4.9	8
14	Role of Bladder Dysfunction in Men with Lower Urinary Tract Symptoms Refractory to Alpha-blocker Therapy: A Video-urodynamic Analysis. <i>LUTS: Lower Urinary Tract Symptoms</i> , 2018 , 10, 32-37	1.9	7
13	Spontaneous Regeneration of Nerve Fiber and Irreversibility of Corporal Smooth Muscle Fibrosis After Cavernous Nerve Crush Injury: Evidence From Serial Transmission Electron Microscopy and Intracavernous Pressure. <i>Urology</i> , 2018 , 118, 98-106	1.6	7

12	5 α Reductase inhibitor is less effective in men with small prostate volume and low serum prostatic specific antigen level. <i>Journal of the Formosan Medical Association</i> , 2015 , 114, 865-71	3.2	6
11	TRPV1 Hyperfunction Involved in Uremic Toxin Indoxyl Sulfate-Mediated Renal Tubular Damage. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	6
10	Outcome of Surgery for Primary Hyperaldosteronism. <i>World Journal of Surgery</i> , 2012 , 36, 1209	3.3	4
9	Can Botulinum Toxin A Still Have a Role in Treatment of Lower Urinary Tract Symptoms/Benign Prostatic Hyperplasia Through Inhibition of Chronic Prostatic Inflammation?. <i>Toxins</i> , 2019 , 11,	4.9	3
8	Body mass index and age are predictors for symptom improvement after high-power laser vaporization for benign prostatic hyperplasia. <i>Journal of the Formosan Medical Association</i> , 2015 , 114, 268-73	3.2	3
7	CXCL5 Cytokine Is a Major Factor in Platelet-Rich Plasma $\&$ Preservation of Erectile Function in Rats After Bilateral Cavernous Nerve Injury. <i>Journal of Sexual Medicine</i> , 2021 , 18, 698-710	1.1	3
6	Smooth Muscle Progenitor Cells Preserve the Erectile Function by Reducing Corporal Smooth Muscle Cell Apoptosis after Bilateral Cavernous Nerve Crush Injury in Rats. <i>BioMed Research International</i> , 2019 , 2019, 8520523	3	3
5	Long-term Combination Therapy With β Blockers and 5 α Reductase Inhibitors in Benign Prostatic Hyperplasia: Patient Adherence and Causes of Withdrawal From Medication. <i>International Neurourology Journal</i> , 2016 , 20, 356-362	2.6	2
4	Intravesical Instillation of Norketamine, a Ketamine Metabolite, and Induced Bladder Functional Changes in Rats. <i>Toxics</i> , 2021 , 9,	4.7	2
3	Increased incidences of multidrug-resistant gonorrhoea in Taiwanese men: Experiences from a single institute. <i>Urological Science</i> , 2016 , 27, 86-90	0.3	2
2	Primary obstructive megaureter with ruptured kidney. <i>American Journal of Emergency Medicine</i> , 2009 , 27, 133.e5-133.e6	2.9	1
1	Dual effect of chitosan activated platelet rich plasma (cPRP) improved erectile function after cavernous nerve injury. <i>Journal of the Formosan Medical Association</i> , 2021 ,	3.2	1