

Lawrence Fisher

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2146506/publications.pdf>

Version: 2024-02-01

99
papers

8,809
citations

61984

43
h-index

43889

91
g-index

100
all docs

100
docs citations

100
times ranked

6268
citing authors

#	ARTICLE	IF	CITATIONS
1	Assessing Psychosocial Distress in Diabetes: Development of the Diabetes Distress Scale. <i>Diabetes Care</i> , 2005, 28, 626-631.	8.6	1,087
2	Diabetes Distress but Not Clinical Depression or Depressive Symptoms Is Associated With Glycemic Control in Both Cross-Sectional and Longitudinal Analyses. <i>Diabetes Care</i> , 2010, 33, 23-28.	8.6	523
3	Psychological Insulin Resistance in Patients With Type 2 Diabetes: The scope of the problem. <i>Diabetes Care</i> , 2005, 28, 2543-2545.	8.6	490
4	When Is Diabetes Distress Clinically Meaningful?. <i>Diabetes Care</i> , 2012, 35, 259-264.	8.6	461
5	A longitudinal study of affective and anxiety disorders, depressive affect and diabetes distress in adults with Type 2 diabetes. <i>Diabetic Medicine</i> , 2008, 25, 1096-1101.	2.3	423
6	Clinical Depression Versus Distress Among Patients With Type 2 Diabetes. <i>Diabetes Care</i> , 2007, 30, 542-548.	8.6	407
7	Structured Self-Monitoring of Blood Glucose Significantly Reduces A1C Levels in Poorly Controlled, Noninsulin-Treated Type 2 Diabetes. <i>Diabetes Care</i> , 2011, 34, 262-267.	8.6	384
8	Development of a Brief Diabetes Distress Screening Instrument. <i>Annals of Family Medicine</i> , 2008, 6, 246-252.	1.9	356
9	The confusing tale of depression and distress in patients with diabetes: a call for greater clarity and precision. <i>Diabetic Medicine</i> , 2014, 31, 764-772.	2.3	325
10	The Relationship Between Diabetes Distress and Clinical Depression With Glycemic Control Among Patients With Type 2 Diabetes. <i>Diabetes Care</i> , 2010, 33, 1034-1036.	8.6	274
11	Understanding the sources of diabetes distress in adults with type 1 diabetes. <i>Journal of Diabetes and Its Complications</i> , 2015, 29, 572-577.	2.3	253
12	Depression in Diabetes: Have We Been Missing Something Important?. <i>Diabetes Care</i> , 2011, 34, 236-239.	8.6	231
13	REDEEM: A Pragmatic Trial to Reduce Diabetes Distress. <i>Diabetes Care</i> , 2013, 36, 2551-2558.	8.6	206
14	Predicting diabetes distress in patients with Type 2 diabetes: a longitudinal study. <i>Diabetic Medicine</i> , 2009, 26, 622-627.	2.3	178
15	The family and disease management in Hispanic and European-American patients with type 2 diabetes. <i>Diabetes Care</i> , 2000, 23, 267-272.	8.6	152
16	Contributors to Depression in Latino and European-American Patients With Type 2 Diabetes. <i>Diabetes Care</i> , 2001, 24, 1751-1757.	8.6	141
17	The Family and Type 2 Diabetes: A Framework for Intervention. <i>The Diabetes Educator</i> , 1998, 24, 599-607.	2.5	137
18	Diabetes distress in adults with type 1 diabetes: Prevalence, incidence and change over time. <i>Journal of Diabetes and Its Complications</i> , 2016, 30, 1123-1128.	2.3	126

#	ARTICLE	IF	CITATIONS
19	Addressing diabetes distress in clinical care: a practical guide. <i>Diabetic Medicine</i> , 2019, 36, 803-812.	2.3	124
20	Can addressing family relationships improve outcomes in chronic disease? Report of the National Working Group on Family-Based Interventions in Chronic Disease. <i>Journal of Family Practice</i> , 2000, 49, 561-6.	0.2	113
21	A Mobile Health Intervention Supporting Heart Failure Patients and Their Informal Caregivers: A Randomized Comparative Effectiveness Trial. <i>Journal of Medical Internet Research</i> , 2015, 17, e142.	4.3	111
22	Effective interventions for reducing diabetes distress: systematic review and meta-analysis. <i>International Diabetes Nursing</i> , 2015, 12, 40-55.	0.1	104
23	Diabetes distress is linked with worsening diabetes management over time in adults with Type 1 diabetes. <i>Diabetic Medicine</i> , 2017, 34, 1228-1234.	2.3	99
24	Applying the COM-B model to creation of an IT-enabled health coaching and resource linkage program for low-income Latina moms with recent gestational diabetes: the STAR MAMA program. <i>Implementation Science</i> , 2015, 11, 73.	6.9	83
25	Reductions in Regimen Distress Are Associated With Improved Management and Glycemic Control Over Time. <i>Diabetes Care</i> , 2014, 37, 617-624.	8.6	81
26	The early impact of the COVID-19 pandemic on adults with type 1 or type 2 diabetes: A national cohort study. <i>Journal of Diabetes and Its Complications</i> , 2020, 34, 107748.	2.3	77
27	Minimal intervention needed for change: definition, use, and value for improving health and health research. <i>Translational Behavioral Medicine</i> , 2014, 4, 26-33.	2.4	75
28	Prevalence of depression in Type 1 diabetes and the problem of overdiagnosis. <i>Diabetic Medicine</i> , 2016, 33, 1590-1597.	2.3	74
29	Patient age: A neglected factor when considering disease management in adults with type 2 diabetes. <i>Patient Education and Counseling</i> , 2011, 85, 154-159.	2.2	72
30	The Effects of Family Conflict Resolution and Decision Making on the Provision of Help for an Elder With Alzheimer's Disease. <i>Gerontologist</i> , The, 1999, 39, 159-166.	3.9	70
31	Investigating Hypoglycemic Confidence in Type 1 and Type 2 Diabetes. <i>Diabetes Technology and Therapeutics</i> , 2017, 19, 131-136.	4.4	68
32	Self-Monitoring of Blood Glucose in Noninsulin-Using Type 2 Diabetic Patients. <i>Diabetes Care</i> , 2013, 36, 179-182.	8.6	66
33	Health and Psychosocial Outcomes of a Telephonic Couples Behavior Change Intervention in Patients With Poorly Controlled Type 2 Diabetes: A Randomized Clinical Trial. <i>Diabetes Care</i> , 2016, 39, 2165-2173.	8.6	64
34	Patient-Appraised Couple Emotion Management and Disease Management Among Chinese American Patients With Type 2 Diabetes. <i>Journal of Family Psychology</i> , 2004, 18, 302-310.	1.3	63
35	T1-REDEEM: A Randomized Controlled Trial to Reduce Diabetes Distress Among Adults With Type 1 Diabetes. <i>Diabetes Care</i> , 2018, 41, 1862-1869.	8.6	63
36	Identifying the worries and concerns about hypoglycemia in adults with type 2 diabetes. <i>Journal of Diabetes and Its Complications</i> , 2015, 29, 1171-1176.	2.3	57

#	ARTICLE	IF	CITATIONS
37	Depression and Anxiety Among Partners of European-American and Latino Patients With Type 2 Diabetes. <i>Diabetes Care</i> , 2002, 25, 1564-1570.	8.6	51
38	A Contextual Model of Control Beliefs, Behavior, and Health: Latino and European Americans with Type 2 Diabetes. <i>Psychology and Health</i> , 2003, 18, 295-312.	2.2	49
39	Understanding the Areas and Correlates of Diabetes-Related Distress in Parents of Teens With Type 1 Diabetes. <i>Journal of Pediatric Psychology</i> , 2016, 41, 750-758.	2.1	49
40	Alzheimer's Disease: The Impact of the Family on Spouses, Offspring, and Inlaws. <i>Family Process</i> , 1994, 33, 305-325.	2.6	47
41	Psychology and primary care: New collaborations for providing effective care for adults with chronic health conditions.. <i>American Psychologist</i> , 2014, 69, 355-363.	4.2	47
42	An Empirically Derived Typology of Families: I. Relationships with Adult Health. <i>Family Process</i> , 1995, 34, 161-182.	2.6	45
43	A practical framework for encouraging and supporting positive behaviour change in diabetes. <i>Diabetic Medicine</i> , 2017, 34, 1658-1666.	2.3	45
44	The California Family Health Project: I. Introduction and a Description of Adult Health. <i>Family Process</i> , 1992, 31, 231-250.	2.6	43
45	AASAP: A program to increase recruitment and retention in clinical trials. <i>Patient Education and Counseling</i> , 2012, 86, 372-377.	2.2	43
46	The California Family Health Project' Project: II. Family World View and Adult Health. <i>Family Process</i> , 1992, 31, 251-267.	2.6	39
47	Psychosocial Impact of the Bionic Pancreas During Summer Camp. <i>Journal of Diabetes Science and Technology</i> , 2016, 10, 840-844.	2.2	39
48	Impact of baseline patient characteristics on interventions to reduce diabetes distress: the role of personal conscientiousness and diabetes self-efficacy. <i>Diabetic Medicine</i> , 2014, 31, 739-746.	2.3	34
49	When Does Personalized Feedback Make A Difference? A Narrative Review of Recent Findings and Their Implications for Promoting Better Diabetes Self-Care. <i>Current Diabetes Reports</i> , 2015, 15, 50.	4.2	34
50	Advancing a Family Perspective in Health Research: Models and Methods. <i>Family Process</i> , 1990, 29, 177-189.	2.6	31
51	Emotion regulation contributes to the development of diabetes distress among adults with type 1 diabetes. <i>Patient Education and Counseling</i> , 2018, 101, 124-131.	2.2	31
52	Assessing quality of life in diabetes: II "Deconstructing measures into a simple framework. <i>Diabetes Research and Clinical Practice</i> , 2017, 126, 286-302.	2.8	28
53	The California Family Health Project: III. Family Emotion Management and Adult Health. <i>Family Process</i> , 1992, 31, 269-287.	2.6	27
54	The California Family Health Project: IV. Family Structure/Organization and Adult Health. <i>Family Process</i> , 1992, 31, 399-419.	2.6	26

#	ARTICLE	IF	CITATIONS
55	Developing a strategy for managing behavioral health care within the context of primary care. Archives of Family Medicine, 1997, 6, 324-333.	1.2	25
56	Assessing quality of life in diabetes: I. A practical guide to selecting the best instruments and using them wisely. Diabetes Research and Clinical Practice, 2017, 126, 278-285.	2.8	24
57	The impact of non-severe hypoglycemia on quality of life in patients with type 2 diabetes. Journal of Diabetes and Its Complications, 2018, 32, 373-378.	2.3	24
58	Integrating psychosocial support into routine diabetes care: perspectives from participants at the Self-Management Alliance meeting 2016. Diabetic Medicine, 2019, 36, 847-853.	2.3	23
59	Are Patients's Initial Experiences at the Diagnosis of Type 2 Diabetes Associated With Attitudes and Self-management Over Time?. The Diabetes Educator, 2010, 36, 828-834.	2.5	22
60	High rates of elevated diabetes distress in research populations: A systematic review and meta-analysis. International Diabetes Nursing, 2015, 12, 93-107.	0.1	22
61	Causal and bidirectional linkages over time between depression and diabetes regimen distress in adults with type 2 diabetes. Diabetes Research and Clinical Practice, 2015, 108, 360-366.	2.8	21
62	Two for one? Effects of a couples intervention on partners of persons with Type 2 diabetes: a randomized controlled trial. Diabetic Medicine, 2019, 36, 473-481.	2.3	20
63	Motivation and attitudes toward changing health (MATCH): A new patient-reported measure to inform clinical conversations. Journal of Diabetes and Its Complications, 2018, 32, 665-669.	2.3	19
64	The California Family Health Project: VII. Summary and Integration of Findings. Family Process, 1993, 32, 69-86.	2.6	18
65	Disease Management Advice Provided to African-American and Chinese-American Patients With Type 2 Diabetes. Diabetes Care, 2004, 27, 2249-2250.	8.6	17
66	Self-management support for chronic disease in primary care: frequency of patient self-management problems and patient reported priorities, and alignment with ultimate behavior goal selection. BMC Family Practice, 2019, 20, 120.	2.9	17
67	Toward a more comprehensive understanding of the emotional side of type 2 diabetes: A re-envisioning of the assessment of diabetes distress. Journal of Diabetes and Its Complications, 2022, 36, 108103.	2.3	17
68	An Empirically Derived Typology of Families: II. Relationships with Adolescent Health. Family Process, 1995, 34, 183-197.	2.6	15
69	Impact of an Automated Bihormonal Delivery System on Psychosocial Outcomes in Adults with Type 1 Diabetes. Diabetes Technology and Therapeutics, 2017, 19, 723-729.	4.4	13
70	Personal Continuous Glucose Monitoring Use Among Adults with Type 2 Diabetes: Clinical Efficacy and Economic Impacts. Current Diabetes Reports, 2021, 21, 49.	4.2	13
71	There is value in treating elevated levels of diabetes distress: the clinical impact of targeted interventions in adults with Type 1 diabetes. Diabetic Medicine, 2020, 37, 71-74.	2.3	12
72	Hyperglycemia aversiveness: Investigating an overlooked problem among adults with type 1 diabetes. Journal of Diabetes and Its Complications, 2021, 35, 107925.	2.3	11

#	ARTICLE	IF	CITATIONS
73	A new perspective on diabetes distress using the type 2 diabetes distress assessment system (T2-DDAS): Prevalence and change over time. <i>Journal of Diabetes and Its Complications</i> , 2022, 36, 108256.	2.3	11
74	Primary care physician perspectives on basal insulin initiation and maintenance in patients with type 2 diabetes mellitus. <i>Primary Care Diabetes</i> , 2018, 12, 155-162.	1.8	10
75	A Cluster Randomized Trial Comparing Strategies for Translating Self-Management Support into Primary Care Practices. <i>Journal of the American Board of Family Medicine</i> , 2019, 32, 341-352.	1.5	10
76	Toward effective interventions to reduce diabetes distress among adults with type 1 diabetes: Enhancing emotion regulation and cognitive skills. <i>Patient Education and Counseling</i> , 2019, 102, 1499-1505.	2.2	10
77	The California Family Health Project: V. Family Problem Solving and Adult Health. <i>Family Process</i> , 1992, 31, 421-431.	2.6	9
78	Effects of Accessible Health Technology and Caregiver Support Posthospitalization on 30-Day Readmission Risk: A Randomized Trial. <i>Joint Commission Journal on Quality and Patient Safety</i> , 2020, 46, 109-117.	0.7	9
79	Experiences of Adults With Type 1 Diabetes Using Glucose Sensor-Based Mobile Technology for Glycemic Variability: Qualitative Study. <i>JMIR Diabetes</i> , 2019, 4, e14032.	1.9	9
80	Evaluating a Glucose-Sensor-Based Tool to Help Clinicians and Adults With Type 1 Diabetes Improve Self-Management Skills. <i>Journal of Diabetes Science and Technology</i> , 2018, 12, 1143-1151.	2.2	8
81	Worries and concerns about hypoglycemia in adults with type 1 diabetes: An examination of the reliability and validity of the Hypoglycemic Attitudes and Behavior Scale (HABS). <i>Journal of Diabetes and Its Complications</i> , 2020, 34, 107606.	2.3	8
82	A Scoping Review and General User's Guide for Facilitating the Successful Use of eHealth Programs for Diabetes in Clinical Care. <i>Diabetes Technology and Therapeutics</i> , 2021, 23, 133-145.	4.4	8
83	A protocol for a cluster randomized trial comparing strategies for translating self-management support into primary care practices. <i>BMC Family Practice</i> , 2018, 19, 126.	2.9	7
84	Practice Characteristics Associated with Better Implementation of Patient Self-Management Support. <i>Journal of the American Board of Family Medicine</i> , 2019, 32, 329-340.	1.5	7
85	Reductions in Management Distress Following a Randomized Distress Intervention Are Associated With Improved Diabetes Behavioral and Glycemic Outcomes Over Time. <i>Diabetes Care</i> , 2021, 44, 1472-1479.	8.6	7
86	The California Family Health Project: VI. Multidomain Analyses. <i>Family Process</i> , 1993, 32, 49-68.	2.6	6
87	Translation and cultural adaptation into Brazilian culture of type 1 diabetes distress scale. <i>Diabetology and Metabolic Syndrome</i> , 2017, 9, 61.	2.7	6
88	Recruiting Primary Care Practices for Research: Reflections and Reminders. <i>Journal of the American Board of Family Medicine</i> , 2018, 31, 947-951.	1.5	6
89	Predicting immediate outcome of genetic counseling following genetic screening. <i>Social Biology</i> , 1979, 26, 289-301.	0.5	4
90	Basal Insulin Initiation and Maintenance in Adults with Type 2 Diabetes Mellitus in the United States. <i>Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy</i> , 2020, Volume 13, 1023-1033.	2.4	4

#	ARTICLE	IF	CITATIONS
91	Economic costs of implementing group interventions to reduce diabetes distress in adults with type 1 diabetes mellitus in the T1-REDEEM trial. <i>Journal of Diabetes and Its Complications</i> , 2019, 33, 107416.	2.3	3
92	How Frequently and for How Long Do Adults With Type 2 Diabetes Use Management Apps? The REALL Study. <i>Journal of Diabetes Science and Technology</i> , 2023, 17, 345-352.	2.2	2
93	Family process in health research: Extending a family typology to a new cultural context.. <i>Health Psychology</i> , 1998, 17, 358-366.	1.6	2
94	Can a Basic Management App Paired With A Glucose Meter Help Reduce Glucose Levels Among Adults With Type 2 Diabetes? The REALL Study. <i>Journal of Diabetes Science and Technology</i> , 2024, 18, 99-105.	2.2	2
95	Comment on the consensus report on the management of hyperglycaemia in Type 2 diabetes by the American Diabetes Association and the European Association for the Study of Diabetes. <i>Diabetic Medicine</i> , 2019, 36, 911-912.	2.3	1
96	Examining Variations in Action Plan Quality Among Adults With Type 2 Diabetes in Primary Care. <i>Journal of the American Board of Family Medicine</i> , 2021, 34, 608-617.	1.5	1
97	When patient-reported experience does not match change in clinical outcomes: A perplexing view from the inside of a diabetes distress intervention. <i>Journal of Diabetes and Its Complications</i> , 2020, 34, 107533.	2.3	0
98	Eight tips for managing diabetes distress. <i>Diabetes Self-management</i> , 2006, 23, 8-10.	0.0	0
99	The ubiquity of diabetes distress among adults with type 1 diabetes in an urban, academic practice: a template for intervention. <i>Diabetic Medicine</i> , 2022, , e14832.	2.3	0