

# Olgierd Rowinski

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2164256/publications.pdf>

Version: 2024-02-01

34  
papers

364  
citations

933447

10  
h-index

888059

17  
g-index

34  
all docs

34  
docs citations

34  
times ranked

670  
citing authors

#	ARTICLE	IF	CITATIONS
1	MR Imaging of Pulmonary Nodules: Detection Rate and Accuracy of Size Estimation in Comparison to Computed Tomography. <i>PLoS ONE</i> , 2016, 11, e0156272.	2.5	57
2	Non-Contrast-Enhanced Whole-Body Magnetic Resonance Imaging in the General Population: The Incidence of Abnormal Findings in Patients 50 Years Old and Younger Compared to Older Subjects. <i>PLoS ONE</i> , 2014, 9, e107840.	2.5	52
3	Promoting False-Lumen Thrombosis after Thoracic Endovascular Aneurysm Repair in Type B Aortic Dissection by Selectively Excluding False-Lumen Distal Entry Tears. <i>Journal of Vascular and Interventional Radiology</i> , 2017, 28, 168-175.	0.5	25
4	CT Angiography in the Diagnosis of Brain Death. <i>Polski Przegląd Radiologii I Medycyny Nuklearnej</i> , 2014, 79, 417-421.	1.0	20
5	Systematic and Multidisciplinary Evaluation of Fibromuscular Dysplasia Patients Reveals High Prevalence of Previously Undetected Fibromuscular Dysplasia Lesions and Affects Clinical Decisions. <i>Hypertension</i> , 2020, 75, 1102-1109.	2.7	20
6	Selective occlusion of splenic artery aneurysms with the coil packing technique: the impact of packing density on aneurysm reperfusion correlated between contrast-enhanced MR angiography and digital subtraction angiography. <i>Radiologia Medica</i> , 2019, 124, 450-459.	7.7	15
7	Refined balloon pulmonary angioplasty in inoperable chronic thromboembolic pulmonary hypertension – A multi-modality approach to the treated lesion. <i>International Journal of Cardiology</i> , 2014, 177, e139-e141.	1.7	13
8	Correlation between magnetic resonance imaging classification of endolymphatic hydrops and clinical manifestations and audiovestibular test results in patients with definite Ménière's disease. <i>Auris Nasus Larynx</i> , 2022, 49, 34-45.	1.2	13
9	Usefulness of Different Imaging Modalities in Evaluation of Patients with Non-Alcoholic Fatty Liver Disease. <i>Biomedicines</i> , 2020, 8, 298.	3.2	12
10	Mechanical thrombectomy in acute stroke – Five years of experience in Poland. <i>Neurologia I Neurochirurgia Polska</i> , 2017, 51, 339-346.	1.2	11
11	Original Protocol Using Computed Tomographic Angiography for Diagnosis of Brain Death: A Better Alternative to Standard Two-Phase Technique?. <i>Annals of Transplantation</i> , 2015, 20, 449-460.	0.9	11
12	Treatment Algorithm of Peripancreatic Arteries Aneurysm Coexisting with Coeliac Artery Lesion: Single Institution Experience. <i>BioMed Research International</i> , 2018, 2018, 1-7.	1.9	9
13	Improving the results of transarterial embolization of type 2 endoleaks with the embolic polymer Onyx. <i>Wideochirurgia I Inne Techniki Maloinwazyjne</i> , 2016, 4, 259-267.	0.7	8
14	Aneurysms of Peripancreatic Arterial Arcades Coexisting with Celiac Trunk Stenosis or Occlusion: Single Institution Experience. <i>BioMed Research International</i> , 2017, 2017, 1-5.	1.9	8
15	Intramedullary spinal tumor-like lesions. <i>Acta Radiologica</i> , 2019, 60, 994-1010.	1.1	8
16	Role of Diffusion Tensor Imaging Parameters in the Characterization and Differentiation of Infiltrating and Non-Infiltrating Spinal Cord Tumors. <i>Clinical Neuroradiology</i> , 2020, 30, 739-747.	1.9	8
17	Ultra-low radiation dose protocol for CT-guided intrathecal nusinersen injections for patients with spinal muscular atrophy and severe scoliosis. <i>Neuroradiology</i> , 2021, 63, 539-545.	2.2	8
18	Ultrasound-guided percutaneous aspiration of adventitial cysts in the occluded popliteal artery – clinical results and MR findings at 5-year follow-up. <i>Journal of Ultrasonography: Official Publication of Polish Ultrasound Society / Red Nacz Iwona Sudoła-Szopińska</i> , 2017, 17, 212-216.	1.2	8

#	ARTICLE	IF	CITATIONS
19	Changes of size and shape of small, unruptured intracranial aneurysms in repeated computed tomography angiography studies. <i>Wideochirurgia I Inne Techniki Maloinwazyjne</i> , 2015, 2, 178-188.	0.7	7
20	Dissecting visceral fibromuscular dysplasia reveals a new vascular phenotype of the disease: a report from the ARCADIA-POL study. <i>Journal of Hypertension</i> , 2020, 38, 737-744.	0.5	7
21	Implementation of Computed Tomography Angiography (CTA) and Computed Tomography Perfusion (CTP) in Polish Guidelines for Determination of Cerebral Circulatory Arrest (CCA) during Brain Death/Death by Neurological Criteria (BD/DNC) Diagnosis Procedure. <i>Journal of Clinical Medicine</i> , 2021, 10, 4237.	2.4	7
22	Gd-EOB-DTPA-Enhanced MR Imaging of the Liver: The Effect on T2 Relaxation Times and Apparent Diffusion Coefficient (ADC). <i>Polski Przegląd Radiologii I Medycyny Nuklearnej</i> , 2016, 81, 103-109.	1.0	6
23	Percutaneous Bilateral Adrenal Radiofrequency Ablation in Severe Adrenocorticotrophic Hormone-dependent Cushing Syndrome. <i>Journal of Clinical Imaging Science</i> , 2020, 10, 60.	1.1	6
24	Impact of Body Composition on the Risk of Hepatocellular Carcinoma Recurrence After Liver Transplantation. <i>Journal of Clinical Medicine</i> , 2019, 8, 1672.	2.4	5
25	Computed tomography evaluation of patent paraumbilical vein and its aneurysm in relation to other portosystemic collateral channels in patients with liver cirrhosis and portal hypertension. <i>Polish Journal of Radiology</i> , 2019, 84, 112-117.	0.9	5
26	Supporting diagnostics and therapy planning for percutaneous ablation of liver and abdominal tumors and pre-clinical evaluation. <i>Computerized Medical Imaging and Graphics</i> , 2019, 78, 101664.	5.8	4
27	Age- and gender-dependent variability in the geometry of middle cerebral artery bifurcations. <i>Journal of Anatomy</i> , 2021, 238, 765-784.	1.5	3
28	Correlation Between Findings of Multislice Helical Computed Tomography (CT), Endoscopic Examinations, Endovascular Procedures, and Surgery in Patients with Symptoms of Acute Gastrointestinal Bleeding. <i>Polish Journal of Radiology</i> , 2017, 82, 676-684.	0.9	2
29	Clinical utility of the updated European Organization for Research and Treatment of Cancer/Invasive Fungal Infections Cooperative Group and the National Institute of Allergy and the Mycoses Study Group Education and Research Consortium computed tomography criteria of invasive pulmonary aspergillosis in hematological malignancies. <i>Hematology</i> , 2021, 26, 398-407.	1.5	2
30	Performance of initial LI-RADS 2018 treatment response in predicting survival of patients with hepatocellular carcinoma following TACE: a retrospective, single-center cohort study. <i>Journal of Cancer Research and Clinical Oncology</i> , 2021, 147, 3673-3683.	2.5	2
31	Inter-observer agreement using the LI-RADS version 2018 CT treatment response algorithm in patients with hepatocellular carcinoma treated with conventional transarterial chemoembolization. <i>Abdominal Radiology</i> , 2021, , 1.	2.1	2
32	Association between Time to Local Tumor Control and Treatment Outcomes Following Repeated Loco-Regional Treatment Session in Patients with Hepatocellular Carcinoma: A Retrospective, Single-Center Study. <i>Life</i> , 2021, 11, 1062.	2.4	0
33	Management of the occlusion and stenosis of the aortic arch branches in the course of Takayasu's arteritis. <i>Chinese Medical Journal</i> , 2013, 126, 4800-1.	2.3	0
34	Kidney salvage by catheter guided thrombolysis in acute renal artery thromboembolic occlusions. <i>Chinese Medical Journal</i> , 2014, 127, 4147-9.	2.3	0