Katrina L Randall

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2254821/publications.pdf

Version: 2024-02-01

687363 677142 1,181 23 13 22 citations h-index g-index papers 25 25 25 2192 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Dock8 mutations cripple B cell immunological synapses, germinal centers and long-lived antibody production. Nature Immunology, 2009, 10, 1283-1291.	14.5	236
2	Redemption of autoantibodies on anergic B cells by variable-region glycosylation and mutation away from self-reactivity. Proceedings of the National Academy of Sciences of the United States of America, 2014, 111, E2567-75.	7.1	208
3	DOCK8 deficiency impairs CD8 T cell survival and function in humans and mice. Journal of Experimental Medicine, 2011, 208, 2305-2320.	8.5	175
4	A DOCK8-WIP-WASp complex links T cell receptors to the actin cytoskeleton. Journal of Clinical Investigation, 2016, 126, 3837-3851.	8.2	93
5	Rituximab in autoimmune diseases. Australian Prescriber, 2016, 39, 131-134.	1.0	72
6	Dedicator of cytokinesis 8–deficient CD4 + TÂcells are biased to a T H 2 effector fate at the expense of T H 1 and T H 17Âcells. Journal of Allergy and Clinical Immunology, 2017, 139, 933-949.	2.9	69
7	DOCK8 is critical for the survival and function of NKT cells. Blood, 2013, 122, 2052-2061.	1.4	68
8	Neutrophil extracellular traps and their histones promote Th17 cell differentiation directly via TLR2. Nature Communications, 2022, 13, 528.	12.8	59
9	DOCK8 regulates signal transduction events to control immunity. Cellular and Molecular Immunology, 2017, 14, 406-411.	10.5	51
10	Antihistamines and allergy. Australian Prescriber, 2018, 41, 42-45.	1.0	34
11	STAT3 regulates cytotoxicity of human CD57+ CD4+ T cells in blood and lymphoid follicles. Scientific Reports, 2018, 8, 3529.	3.3	29
12	DOCK8 Drives Src-Dependent NK Cell Effector Function. Journal of Immunology, 2017, 199, 2118-2127.	0.8	18
13	Delayed control of herpes simplex virus infection and impaired CD4 + Tâ \in ell migration to the skin in mouse models of DOCK8 deficiency. Immunology and Cell Biology, 2015, 93, 517-521.	2.3	16
14	The significance of ANCA positivity in patients with inflammatory bowel disease. Pathology, 2019, 51, 634-639.	0.6	16
15	The essential role of DOCK8 in humoral immunity. Disease Markers, 2010, 29, 141-50.	1.3	12
16	DOCK8 deficiency diminishes thymic Tâ€regulatory cell development but not thymic deletion. Clinical and Translational Immunology, 2021, 10, e1236.	3.8	6
17	Generating humoral immune memory following infection or vaccination. Expert Review of Vaccines, 2010, 9, 1083-1093.	4.4	4
18	Comparison of enzyme-linked immunosorbent assay and rapid chemiluminescent analyser in the detection of myeloperoxidase and proteinase 3 autoantibodies. Pathology, 2017, 49, 413-418.	0.6	4

#	Article	IF	CITATIONS
19	Goat's milk allergy in a family following household sensitization to goat's milk soap. Asia Pacific Allergy, 2021, 11, e13.	1.3	4
20	Symptomatic hypereosinophilia associated with <i>Necator americanus</i> selfâ€inoculation. Internal Medicine Journal, 2018, 48, 475-477.	0.8	3
21	Protection from EAE in DOCK8 mutant mice occurs despite increased Th17 cell frequencies in the periphery. European Journal of Immunology, 2019, 49, 770-781.	2.9	3
22	IgE-mediated allergy to remifentanil?. Anaesthesia and Intensive Care, 2019, 47, 98-99.	0.7	1
23	â€^Epinephrine-resistant' angioedema. BMJ Case Reports, 2016, 2016, bcr2015213880.	0.5	0