

Young Suk Jo

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2359420/publications.pdf>

Version: 2024-02-01

55
papers

2,637
citations

257101

24
h-index

197535

49
g-index

55
all docs

55
docs citations

55
times ranked

4827
citing authors

#	ARTICLE	IF	CITATIONS
1	Long Non-Coding RNA-Based Functional Prediction Reveals Novel Targets in Notch-Upregulated Ovarian Cancer. <i>Cancers</i> , 2022, 14, 1557.	1.7	2
2	ASO Author Reflection: The Effect of Dyslipidemia on the Occurrence of Secondary Cancer in Patients With thyroid Cancer. <i>Annals of Surgical Oncology</i> , 2021, 28, 4385-4386.	0.7	1
3	Impact of Dyslipidemia on the Risk of Second Cancer in Thyroid Cancer Patients: A Korean National Cohort Study. <i>Annals of Surgical Oncology</i> , 2021, 28, 4373-4384.	0.7	16
4	Cooperative Subtype Switch of Thyroid Hormone Receptor and Nuclear Receptor Corepressor Related Epithelial-Mesenchymal Transition in Papillary Thyroid Cancer. <i>International Journal of Thyroidology</i> , 2021, 14, 152-169.	0.1	0
5	Detailed characterization of metastatic lymph nodes improves the prediction accuracy of currently used risk stratification systems in N1 stage papillary thyroid cancer. <i>European Journal of Endocrinology</i> , 2020, 183, 83-93.	1.9	9
6	Liver X Receptor β Related to Tumor Progression and Ribosome Gene Expression in Papillary Thyroid Cancer. <i>Endocrinology and Metabolism</i> , 2020, 35, 656-668.	1.3	9
7	Artificial intelligence to predict the BRAFV600E mutation in patients with thyroid cancer. <i>PLoS ONE</i> , 2020, 15, e0242806.	1.1	26
8	Clinical Value of Lymph Node Ratio Integration with the 8th Edition of the UICC TNM Classification and 2015 ATA Risk Stratification Systems for Recurrence Prediction in Papillary Thyroid Cancer. <i>Scientific Reports</i> , 2019, 9, 13361.	1.6	19
9	Peripheral location and infiltrative margin predict invasive features of papillary thyroid microcarcinoma. <i>European Journal of Endocrinology</i> , 2019, 181, 139-149.	1.9	14
10	Effects of Oxytocin on Cell Proliferation in a Corticotroph Adenoma Cell Line. <i>Endocrinology and Metabolism</i> , 2019, 34, 302.	1.3	3
11	Growth differentiation factor 15 ameliorates nonalcoholic steatohepatitis and related metabolic disorders in mice. <i>Scientific Reports</i> , 2018, 8, 6789.	1.6	75
12	Whole Exome Sequencing Identifies a Novel Hedgehog-Interacting Protein G516R Mutation in Locally Advanced Papillary Thyroid Cancer. <i>International Journal of Molecular Sciences</i> , 2018, 19, 2867.	1.8	10
13	Long-term oncologic outcomes of papillary thyroid microcarcinoma according to the presence of clinically apparent lymph node metastasis: a large retrospective analysis of 5,348 patients. <i>Cancer Management and Research</i> , 2018, Volume 10, 2883-2891.	0.9	29
14	Association between Obesity and Tumor Size in Patients with Papillary Thyroid Cancer. <i>Journal of Endocrine Surgery</i> , 2018, 18, 173.	0.0	2
15	Long-term Recurrence of Small Papillary Thyroid Cancer and Its Risk Factors in a Korean Multicenter Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2017, 102, jc.2016-2287.	1.8	27
16	Practical Performance of the 2015 American Thyroid Association Guidelines for Predicting Tumor Recurrence in Patients with Papillary Thyroid Cancer in South Korea. <i>Thyroid</i> , 2017, 27, 174-181.	2.4	28
17	Transaxillary robotic modified radical neck dissection: a 5-year assessment of operative and oncologic outcomes. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2017, 31, 1599-1606.	1.3	38
18	Distinct Features of Nonthyroidal Illness in Critically Ill Patients With Infectious Diseases. <i>Medicine (United States)</i> , 2016, 95, e3346.	0.4	13

#	ARTICLE	IF	CITATIONS
19	Optimal Cut-Off Values of Lymph Node Ratio Predicting Recurrence in Papillary Thyroid Cancer. <i>Medicine (United States)</i> , 2016, 95, e2692.	0.4	24
20	Upregulation of long noncoding RNA LOC100507661 promotes tumor aggressiveness in thyroid cancer. <i>Molecular and Cellular Endocrinology</i> , 2016, 431, 36-45.	1.6	38
21	Long-term oncologic outcome of robotic versus open total thyroidectomy in PTC: a case-matched retrospective study. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2016, 30, 3474-3479.	1.3	45
22	Metabolic characterization of imatinib-resistant BCR-ABL T315I chronic myeloid leukemia cells indicates down-regulation of glycolytic pathway and low ROS production. <i>Leukemia and Lymphoma</i> , 2016, 57, 2180-2188.	0.6	14
23	Relationship of Focally Amplified Long Noncoding on Chromosome 1 (FAL1) lncRNA with E2F Transcription Factors in Thyroid Cancer. <i>Medicine (United States)</i> , 2016, 95, e2592.	0.4	49
24	Coupling of LETM1 up-regulation with oxidative phosphorylation and platelet-derived growth factor receptor signaling via YAP1 transactivation. <i>Oncotarget</i> , 2016, 7, 66728-66739.	0.8	9
25	GLI1 Transcription Factor Affects Tumor Aggressiveness in Patients With Papillary Thyroid Cancers. <i>Medicine (United States)</i> , 2015, 94, e998.	0.4	17
26	Phosphorylation of the nuclear receptor corepressor 1 by protein kinase B switches its corepressor targets in the liver in mice. <i>Hepatology</i> , 2015, 62, 1606-1618.	3.6	46
27	Molecular Testing in Diagnosis of Thyroid Cancer. <i>The Korean Journal of Endocrine Surgery</i> , 2015, 15, 53.	0.1	0
28	A Metabolic Phenotype Based on Mitochondrial Ribosomal Protein Expression as a Predictor of Lymph Node Metastasis in Papillary Thyroid Carcinoma. <i>Medicine (United States)</i> , 2015, 94, e380.	0.4	22
29	Differences in Physicians' and Patients' Perception of Acute Hypothyroid Symptoms Induced by Thyroid Hormone Withdrawal in Thyroid Cancer Patients: A Multicenter Survey in Korea. <i>European Thyroid Journal</i> , 2015, 4, 48-54.	1.2	5
30	Thyroid Dysfunction Associated With Follicular Cell Steatosis in Obese Male Mice and Humans. <i>Endocrinology</i> , 2015, 156, 1181-1193.	1.4	37
31	KSR1 is coordinately regulated with Notch signaling and oxidative phosphorylation in thyroid cancer. <i>Journal of Molecular Endocrinology</i> , 2015, 54, 115-124.	1.1	9
32	Aberrant Expression of COT Is Related to Recurrence of Papillary Thyroid Cancer. <i>Medicine (United States)</i> , 2015, 94, e380.	0.4	4
33	Association Between Obesity and BRAFV600E Mutation Status in Patients with Papillary Thyroid Cancer. <i>Annals of Surgical Oncology</i> , 2015, 22, 683-690.	0.7	22
34	Molecular Testing in Diagnosis of Thyroid Cancer. <i>The Korean Journal of Endocrine Surgery</i> , 2015, 15, 53.	0.1	0
35	Circadian Rhythm Disruption and Metabolic Syndrome. <i>Journal of Korean Diabetes</i> , 2014, 15, 216.	0.1	0
36	Pharmacological Inhibition of Poly(ADP-Ribose) Polymerases Improves Fitness and Mitochondrial Function in Skeletal Muscle. <i>Cell Metabolism</i> , 2014, 19, 1034-1041.	7.2	211

#	ARTICLE	IF	CITATIONS
37	A SIRT7-Dependent Acetylation Switch of GABP ² 1 Controls Mitochondrial Function. <i>Cell Metabolism</i> , 2014, 20, 856-869.	7.2	214
38	Sirt1 induction confers resistance to etoposide-induced genotoxic apoptosis in thyroid cancers. <i>International Journal of Oncology</i> , 2014, 45, 2065-2075.	1.4	15
39	Clinical implications of follicular and Hurthle cell carcinoma in an iodine-sufficient area. <i>Korean Journal of Internal Medicine</i> , 2014, 29, 305.	0.7	1
40	The NAD ⁺ /Sirtuin Pathway Modulates Longevity through Activation of Mitochondrial UPR and FOXO Signaling. <i>Cell</i> , 2013, 154, 430-441.	13.5	951
41	Mitochondrial Oxidative Phosphorylation Reserve Is Required for Hormone- and PPAR ³ Agonist-Induced Adipogenesis. <i>Molecules and Cells</i> , 2013, 35, 134-141.	1.0	31
42	Crif1 Deficiency Reduces Adipose OXPHOS Capacity and Triggers Inflammation and Insulin Resistance in Mice. <i>PLoS Genetics</i> , 2013, 9, e1003356.	1.5	55
43	IGF ¹ receptor deficiency in thyrocytes impairs thyroid hormone secretion and completely inhibits TSH ¹ stimulated goiter. <i>FASEB Journal</i> , 2013, 27, 4899-4908.	0.2	39
44	NAD(P)H: Quinone Oxidoreductase 1 and NRH:Quinone Oxidoreductase 2 Polymorphisms in Papillary Thyroid Microcarcinoma: Correlation with Phenotype. <i>Yonsei Medical Journal</i> , 2013, 54, 1158.	0.9	9
45	Dual specificity phosphatase 6 as a predictor of invasiveness in papillary thyroid cancer. <i>European Journal of Endocrinology</i> , 2012, 167, 93-101.	1.9	28
46	Aberrant L1 Cell Adhesion Molecule Affects Tumor Behavior and Chemosensitivity in Anaplastic Thyroid Carcinoma. <i>Clinical Cancer Research</i> , 2012, 18, 3071-3078.	3.2	22
47	CRIF1 Is Essential for the Synthesis and Insertion of Oxidative Phosphorylation Polypeptides in the Mammalian Mitochondrial Membrane. <i>Cell Metabolism</i> , 2012, 16, 274-283.	7.2	97
48	Mitochondrial Localization and Regulation of BRAFV600E in Thyroid Cancer: A Clinically Used RAF Inhibitor Is Unable to Block the Mitochondrial Activities of BRAFV600E. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2011, 96, E19-E30.	1.8	51
49	Diagnostic value of pyrosequencing for the BRAF ^{V600E} mutation in ultrasound ¹ guided fine ¹ needle aspiration biopsy samples of thyroid incidentalomas. <i>Clinical Endocrinology</i> , 2009, 70, 139-144.	1.2	70
50	Expression of miRNA 146a/b, 221 and 222 in Thyroid Cancer. <i>Journal of Korean Endocrine Society</i> , 2009, 24, 17.	0.1	1
51	Change in Thyroid Autoantibodies According to the Clinical Course of Painless Thyroiditis Excluding Postpartum Thyroiditis. <i>Journal of Korean Endocrine Society</i> , 2008, 23, 245.	0.1	0
52	Management Guidelines for Patients with Thyroid Nodules and Thyroid Cancer. <i>Journal of Korean Endocrine Society</i> , 2007, 22, 157.	0.1	29
53	The Relationship between the Expression of MHC Class II Antigens and the Clinical Prognosis of Papillary Thyroid Carcinoma Patients. <i>Journal of Korean Endocrine Society</i> , 2007, 22, 26.	0.1	0
54	Influence of the BRAF V600E Mutation on Expression of Vascular Endothelial Growth Factor in Papillary Thyroid Cancer. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2006, 91, 3667-3670.	1.8	144

#	ARTICLE	IF	CITATIONS
55	Lymphocytic Hypophysitis with Diabetes Insipidus: Improvement by Methylprednisolone Pulse Therapy. Korean Journal of Internal Medicine, 2004, 19, 189-192.	0.7	7