

Kentaro Minami

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2428373/publications.pdf>

Version: 2024-02-01

18
papers

175
citations

1307594

7
h-index

1125743

13
g-index

18
all docs

18
docs citations

18
times ranked

359
citing authors

#	ARTICLE	IF	CITATIONS
1	Uninterrupted vs. interrupted periprocedural direct oral anticoagulants for catheter ablation of atrial fibrillation: a prospective randomized single-centre study on post-ablation thrombo-embolic and haemorrhagic events. <i>Europace</i> , 2019, 21, 259-267.	1.7	48
2	Silent Cerebral Ischemic Lesions After Catheter Ablation of Atrial Fibrillation in Patients on 5 Types of Periprocedural Oral Anticoagulationâ€”Predictors of Diffusion-Weighted Imaging-Positive Lesions and Follow-up Magnetic Resonance Imaging â€”. <i>Circulation Journal</i> , 2016, 80, 870-877.	1.6	29
3	Location of epicardial adipose tissue affects the efficacy of a combined dominant frequency and complex fractionated atrial electrogram ablation of atrial fibrillation. <i>Heart Rhythm</i> , 2015, 12, 257-265.	0.7	28
4	Impact of the type of electroanatomic mapping system on the incidence of cerebral embolism after radiofrequency catheter ablation of left atrial tachycardias. <i>Heart Rhythm</i> , 2020, 17, 250-257.	0.7	13
5	The efficacy of ablation based on the combined use of the dominant frequency and complex fractionated atrial electrograms for non-paroxysmal atrial fibrillation. <i>Journal of Cardiology</i> , 2016, 67, 545-550.	1.9	12
6	Optimal local impedance drops for an effective radiofrequency ablation during cavoâ€”tricuspid isthmus ablation. <i>Journal of Arrhythmia</i> , 2020, 36, 905-911.	1.2	11
7	Incidence and characteristics of silent cerebral embolisms after radiofrequencyâ€”based atrial fibrillation ablation: A propensity scoreâ€”matched analysis between different mapping catheters and indices for guiding ablation. <i>Journal of Cardiovascular Electrophysiology</i> , 2021, 32, 16-26.	1.7	8
8	Prevalence, characteristics, and predictors of endocardial and nonendocardial conduction gaps during local impedanceâ€”guided extensive pulmonary vein isolation of atrial fibrillation with highâ€”resolution mapping. <i>Journal of Cardiovascular Electrophysiology</i> , 2021, 32, 2045-2059.	1.7	7
9	Effect of ablation at highâ€”dominant frequency sites overlapping with lowâ€”voltage areas after pulmonary vein isolation of nonparoxysmal atrial fibrillation. <i>Journal of Cardiovascular Electrophysiology</i> , 2019, 30, 1850-1859.	1.7	5
10	Evaluation of the atrial substrate based on lowâ€”voltage areas and dominant frequencies after pulmonary vein isolation in nonparoxysmal atrial fibrillation. <i>Journal of Arrhythmia</i> , 2018, 34, 230-238.	1.2	3
11	The effect of bilateral cardiac sympathetic denervation for refractory ventricular tachycardia in ischemic cardiomyopathy. <i>Journal of Arrhythmia</i> , 2020, 36, 524-527.	1.2	3
12	Efficacy of atrial substrate modification based on dominant frequency of paroxysmal atrial fibrillation. <i>Journal of Arrhythmia</i> , 2016, 32, 212-217.	1.2	2
13	Three-dimensional electroanatomical mapping for non-pulmonary vein foci in a patient with complete situs inversus and dextrocardia. <i>Indian Pacing and Electrophysiology Journal</i> , 2018, 18, 115-119.	0.6	2
14	Local impedance measurements during contact forceâ€”guided cavotricuspid isthmus ablation for predicting an effective radiofrequency ablation. <i>Journal of Arrhythmia</i> , 2022, 38, 245-252.	1.2	2
15	Association between epicardial adipose tissue and coronary artery vasospasm during pulmonary vein isolation. <i>Journal of Arrhythmia</i> , 2018, 34, 207-209.	1.2	1
16	Effect of preventing air intrusion on silent strokes during atrial fibrillation ablation using a miniâ€”basket catheter. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2021, 44, 71-81.	1.2	1
17	Symptomatic and asymptomatic intracerebral hemorrhages detected by magnetic resonance imaging after catheter ablation of atrial fibrillation. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2021, , 1.	1.3	0
18	Antiphospholipid Syndrome Diagnosed as a Result of the Occurrence of an Ischemic Stroke After a Successful Catheter Ablation of Atrial Fibrillation and Continuous Direct Oral Anticoagulants. <i>International Heart Journal</i> , 2022, 63, 153-158.	1.0	0