Andis Graudins

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/2543095/andis-graudins-publications-by-year.pdf
Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

122 papers	2,785 citations	32 h-index	49 g-index
125 ext. papers	3,154 ext. citations	3.1 avg, IF	5.21 L-index

#	Paper	IF	Citations
122	Not a common cause of poisoning: severe potassium permanganate toxicity with upper gastrointestinal injury.. *Clinical Toxicology*, **2022**, 1-2	2.9	
121	Comparing development of liver injury using the two versus three bag acetylcysteine regimen despite early treatment in paracetamol overdose. *Clinical Toxicology*, **2021**, 1-8	2.9	1
120	Comment on Poor relationship between N-terminal pro-brain natriuretic peptide (NT-proBNP) and level of consciousness following intentional ingestion of eucalyptus oil. *Clinical Toxicology*, **2021**, 59, 1035	2.9	1
119	Review article: Up (to) date for Australian Toxicology and Toxinology guidelines. *EMA - Emergency Medicine Australasia*, **2021**, 33, 6-8	1.5	0
118	Interventions for escalation of therapy for acute exacerbations of asthma in children: An overview of Cochrane reviews. *Paediatric Respiratory Reviews*, **2021**, 38, 63-65	4.8	
117	Efficacy of sustained low-efficiency dialysis in the management of sodium valproate overdose. *Internal Medicine Journal*, **2021**, 51, 295-296	1.6	1
116	A two-bag acetylcysteine regimen is associated with shorter delays and interruptions in the treatment of paracetamol overdose. *Clinical Toxicology*, **2021**, 1-5	2.9	1
115	Efficacy of a two bag acetylcysteine regimen to treat paracetamol overdose (2NAC study). *EClinicalMedicine*, **2020**, 20, 100288	11.3	7
114	Adducts Post Acetaminophen Overdose Treated with a 12-Hour vs 20-Hour Acetylcysteine Infusion. *Journal of Medical Toxicology*, **2020**, 16, 188-194	2.6	
113	Restrictive interventions in Victorian emergency departments: A study of current clinical practice. *EMA - Emergency Medicine Australasia*, **2020**, 32, 393-400	1.5	11
112	Interventions for escalation of therapy for acute exacerbations of asthma in children: an overview of Cochrane Reviews. *The Cochrane Library*, **2020**, 8, CD012977	5.2	9
111	Treatment for beta-blocker poisoning: a systematic review. *Clinical Toxicology*, **2020**, 58, 943-983	2.9	12
110	Comparing propofol with placebo for early resolution of acute migraine in adult emergency department patients: A double-blind randomised controlled trial. *EMA - Emergency Medicine Australasia*, **2020**, 33, 465	1.5	2
109	Visual analog scale rating change cut-offs for detection of improvement in nausea severity. *EMA - Emergency Medicine Australasia*, **2019**, 31, 673-675	1.5	1
108	Deliberate Self-poisoning with a Lethal Dose of Pentobarbital with Confirmatory Serum Drug Concentrations: Survival After Cardiac Arrest with Supportive Care. *Journal of Medical Toxicology*, **2019**, 15, 45-48	2.6	10
107	The NACSTOP Trial: A Multicenter, Cluster-Controlled Trial of Early Cessation of Acetylcysteine in Acetaminophen Overdose. *Hepatology*, **2019**, 69, 774-784	11.2	18
106	Improving the management of the paracetamol poisoned patient. *EClinicalMedicine*, **2019**, 12, 10	11.3	3

105	Therapeutic trends in the treatment of barbiturate poisoning: The Scandinavian methodS *EMA - Emergency Medicine Australasia*, **2019**, 31, 893-894	1.5	1
104	Paracetamol metabolite concentrations following low risk overdose treated with an abbreviated 12-h versus 20-h acetylcysteine infusion. *Clinical Toxicology*, **2019**, 57, 312-317	2.9	3
103	Randomized Placebo-controlled Trial of Droperidol and Ondansetron for Adult Emergency Department Patients With Nausea. *Academic Emergency Medicine*, **2019**, 26, 867-877	3.4	5
102	Prolonged coma resulting from massive levothyroxine overdose and the utility of N-terminal prohormone brain natriuretic peptide (NT-proBNP). *Clinical Toxicology*, **2019**, 57, 415-417	2.9	5
101	Extended-release quetiapine overdose is associated with delayed onset of toxicity compared to immediate-release quetiapine overdose. *EMA - Emergency Medicine Australasia*, **2019**, 31, 562-568	1.5	1
100	Review article: A primer for clinical researchers in the emergency department: Part VI. Measuring what matters: Core outcome sets in emergency medicine research. *EMA - Emergency Medicine Australasia*, **2019**, 31, 29-34	1.5	1
99	In reply. *European Journal of Clinical Pharmacology*, **2018**, 74, 253	2.8	
98	Elderly patients with suspected chronic digoxin toxicity: A comparison of clinical characteristics of patients receiving and not receiving digoxin-Fab. *EMA - Emergency Medicine Australasia*, **2018**, 30, 242-248	1.5	6
97	Interventions for escalation of therapy for acute exacerbations of asthma in children: an overview of Cochrane Reviews. *The Cochrane Library*, **2018**,	5.2	4
96	Hepatotoxicity after paracetamol overdose in a patient with cystic fibrosis despite early acetylcysteine and utility of microRNA to predict hepatotoxicity. *Clinical Toxicology*, **2018**, 56, 904-906	2.9	2
95	Antiemetic treatment in the emergency department: Patient opinions and expectations. *EMA - Emergency Medicine Australasia*, **2018**, 30, 36-41	1.5	4
94	Analysis of an 8-hour acetylcysteine infusion protocol for repeated supratherapeutic ingestion (RSTI) of paracetamol. *Clinical Toxicology*, **2018**, 56, 199-203	2.9	8
93	The Use of Peritoneal Dialysis in Phenobarbitone Toxicity in a Critically Unwell Neonate. *Neonatology*, **2018**, 113, 117-121	4	1
92	Accuracy of the paracetamol-aminotransferase product to predict hepatotoxicity in paracetamol overdose treated with a 2-bag acetylcysteine regimen. *Clinical Toxicology*, **2018**, 56, 182-188	2.9	7
91	The use of sustained low efficiency dialysis (SLED) in massive paracetamol overdose. *Clinical Toxicology*, **2018**, 56, 229-231	2.9	3
90	The pharmacokinetics of intranasal droperidol in volunteers characterised via population modelling. *SAGE Open Medicine*, **2018**, 6, 2050312118813283	2.4	0
89	Accuracy of the paracetamol-aminotransferase multiplication product to predict hepatotoxicity in modified-release paracetamol overdose. *Clinical Toxicology*, **2017**, 55, 346-351	2.9	9
88	Risk prediction of hepatotoxicity in paracetamol poisoning. *Clinical Toxicology*, **2017**, 55, 879-892	2.9	35

87	Pharmacokinetic modelling of modified acetylcysteine infusion regimens used in the treatment of paracetamol poisoning. *European Journal of Clinical Pharmacology*, **2017**, 73, 1103-1110	2.8	10
86	Do antiemetic drugs benefit adult emergency department patients with nausea? The literature says no, but is it right?. *EMA - Emergency Medicine Australasia*, **2017**, 29, 736-739	1.5	2
85	Treatments for Latrodectism-A Systematic Review on Their Clinical Effectiveness. *Toxins*, **2017**, 9,	4.9	12
84	Iminostilbene Anticonvulsants: Carbamazepine and Oxcarbazine **2017**, 1053-1063		
83	Anti-Xa activity in apixaban overdose: a case report. *Clinical Toxicology*, **2016**, 54, 871-873	2.9	11
82	Systematic review of the effect of intravenous lipid emulsion therapy for non-local anesthetics toxicity. *Clinical Toxicology*, **2016**, 54, 194-221	2.9	68
81	Simplification of the standard three-bag intravenous acetylcysteine regimen for paracetamol poisoning results in a lower incidence of adverse drug reactions. *Clinical Toxicology*, **2016**, 54, 115-9	2.9	43
80	Intrathecal Clonidine Pump Failure Causing Acute Withdrawal Syndrome With Stress-InducedS Cardiomyopathy. *Journal of Medical Toxicology*, **2016**, 12, 134-8	2.6	17
79	Iminostilbene Anticonvulsants: Carbamazepine/Oxcarbazepine **2016**, 1-12		
78	N-acetylcysteine regimens for paracetamol overdose: Time for a change?. *EMA - Emergency Medicine Australasia*, **2016**, 28, 749-751	1.5	8
77	Outcome at 30 days for low-risk chest pain patients assessed using an accelerated diagnostic pathway in the emergency department. *EMA - Emergency Medicine Australasia*, **2016**, 28, 279-86	1.5	4
76	Evidence-based recommendations on the use of intravenous lipid emulsion therapy in poisoning. *Clinical Toxicology*, **2016**, 54, 899-923	2.9	81
75	A randomised controlled trial of paracetamol and ibuprofen with or without codeine or oxycodone as initial analgesia for adults with moderate pain from limb injury. *EMA - Emergency Medicine Australasia*, **2016**, 28, 666-672	1.5	20
74	Adolescent deliberate self-poisoning in South-East Melbourne. *EMA - Emergency Medicine Australasia*, **2016**, 28, 704-710	1.5	8
73	Calcium channel antagonist and beta-blocker overdose: antidotes and adjunct therapies. *British Journal of Clinical Pharmacology*, **2016**, 81, 453-61	3.8	67
72	Methodology for AACT evidence-based recommendations on the use of intravenous lipid emulsion therapy in poisoning. *Clinical Toxicology*, **2015**, 53, 557-64	2.9	18
71	Intermittent haemodialysis and sustained low-efficiency dialysis (SLED) for acute theophylline toxicity. *Journal of Medical Toxicology*, **2015**, 11, 359-63	2.6	6
70	Paracetamol poisoning in adolescents in an Australian setting: not quite adults. *EMA - Emergency Medicine Australasia*, **2015**, 27, 139-44	1.5	10

69	Oxycodone/naloxone preparation can cause acute withdrawal symptoms when misused parenterally or taken orally. *Clinical Toxicology*, **2015**, 53, 815-8	2.9	12
68	Management of mental health patients in Victorian emergency departments: A 10 year follow-up study. *EMA - Emergency Medicine Australasia*, **2015**, 27, 529-536	1.5	14
67	Off-label and unlicenced medicine administration to paediatric emergency department patients. *EMA - Emergency Medicine Australasia*, **2015**, 27, 440-6	1.5	10
66	Summary statement: new guidelines for the management of paracetamol poisoning in Australia and New Zealand. *Medical Journal of Australia*, **2015**, 203, 215-8	4	35
65	The PICHFORK (Pain in Children Fentanyl or Ketamine) trial: a randomized controlled trial comparing intranasal ketamine and fentanyl for the relief of moderate to severe pain in children with limb injuries. *Annals of Emergency Medicine*, **2015**, 65, 248-254.e1	2.1	84
64	Paracetamol toxicity: what would be the implications of a change in Australian treatment guidelines?. *EMA - Emergency Medicine Australasia*, **2014**, 26, 183-7	1.5	7
63	Efficacy of Australian red-back spider (Latrodectus hasselti) antivenom in the treatment of clinical envenomation by the cupboard spider Steatoda capensis (Theridiidae). *Toxicon*, **2014**, 86, 68-78	2.8	6
62	An in vitro analysis of the effects of intravenous lipid emulsion on free and total local anaesthetic concentrations in human blood and plasma. *Critical Care Research and Practice*, **2014**, 2014, 236520	1.5	1
61	Overdose with modified-release paracetamol (Panadol Osteo) presenting to a metropolitan emergency medicine network: a case series. *EMA - Emergency Medicine Australasia*, **2014**, 26, 398-402	1.5	12
60	Sub-dissociative-dose intranasal ketamine for moderate to severe pain in adult emergency department patients. *EMA - Emergency Medicine Australasia*, **2014**, 26, 237-42	1.5	33
59	A retrospective descriptive study of the characteristics of deliberate self-poisoning patients with single or repeat presentations to an Australian emergency medicine network in a one year period. *BMC Emergency Medicine*, **2014**, 14, 21	2.4	10
58	Deliberate self-poisoning presenting to an emergency medicine network in South-East melbourne: a descriptive study. *Emergency Medicine International*, **2014**, 2014, 461841	1.4	14
57	The PICHFORK (Pain InCHildren Fentanyl OR Ketamine) trial comparing the efficacy of intranasal ketamine and fentanyl in the relief of moderate to severe pain in children with limb injuries: study protocol for a randomized controlled trial. *Trials*, **2013**, 14, 208	2.8	8
56	Acetaminophen protein adduct formation following low-dose acetaminophen exposure: comparison of immediate-release vs extended-release formulations. *European Journal of Clinical Pharmacology*, **2013**, 69, 851-7	2.8	34
55	An assessment of the in vivo effects of intravenous lipid emulsion on blood drug concentration and haemodynamics following oro-gastric amitriptyline overdose. *Clinical Toxicology*, **2013**, 51, 208-15	2.9	49
54	Sub-dissociative dose intranasal ketamine for limb injury pain in children in the emergency department: a pilot study. *EMA - Emergency Medicine Australasia*, **2013**, 25, 161-7	1.5	49
53	Characterization of monomeric and multimeric snake neurotoxins and other bioactive proteins from the venom of the lethal Australian common copperhead (Austrelaps superbus). *Biochemical Pharmacology*, **2013**, 85, 1555-73	6	8
52	Characteristics of Aboriginal and Torres Strait Islander presentations to three Victorian emergency departments. *EMA - Emergency Medicine Australasia*, **2013**, 25, 573-9	1.5	5

51	Characteristics of paediatric frequent presenters to an Australian emergency medicine network. *Journal of Paediatrics and Child Health*, **2013**, 49, 950-954	1.3	6
50	Cloning and activity of a novel α-latrotoxin from red-back spider venom. *Biochemical Pharmacology*, **2012**, 83, 170-83	6	35
49	The effects of fructose-1,6-diphosphate on haemodynamic parameters and survival in a rodent model of propranolol and verapamil poisoning. *Clinical Toxicology*, **2012**, 50, 546-54	2.9	5
48	Levosimendan does not improve cardiac output or blood pressure in a rodent model of propranolol toxicity when administered using various dosing regimens. *International Journal of Toxicology*, **2012**, 31, 166-74	2.4	9
47	Levosimendan infusion improves cardiac output but not blood pressure in a rodent model of severe metoprolol toxicity. *Human and Experimental Toxicology*, **2012**, 31, 955-63	3.4	7
46	Management of cardiac arrest following poisoning. *EMA - Emergency Medicine Australasia*, **2011**, 23, 16-22	1.5	20
45	Intravenous lipid emulsion as antidote: a summary of published human experience. *EMA - Emergency Medicine Australasia*, **2011**, 23, 123-41	1.5	82
44	α-Elapitoxin-Aa2a, a long-chain snake α-neurotoxin with potent actions on muscle α(1)β(2)δε nicotinic receptors, lacks the classical high affinity for neuronal α7 nicotinic receptors. *Biochemical Pharmacology*, **2011**, 81, 314-25	6	14
43	Characteristics of frequent emergency department presenters to an Australian emergency medicine network. *BMC Emergency Medicine*, **2011**, 11, 21	2.4	35
42	The comparative pharmacokinetics of modified-release and immediate-release paracetamol in a simulated overdose model. *EMA - Emergency Medicine Australasia*, **2010**, 22, 548-55	1.5	14
41	Overdose with modified-release paracetamol results in delayed and prolonged absorption of paracetamol. *Internal Medicine Journal*, **2010**, 40, 72-6	1.6	14
40	Comparative hemodynamic effects of levosimendan alone and in conjunction with 4-aminopyridine or calcium chloride in a rodent model of severe verapamil poisoning. *Journal of Medical Toxicology*, **2010**, 6, 85-93	2.6	17
39	FDA proposals to limit the hepatotoxicity of paracetamol (acetaminophen): are they reasonable?. *Inflammopharmacology*, **2010**, 18, 47-55	5.1	17
38	Neuroleptic malignant syndrome developing after acute overdose with olanzapine and chlorpromazine. *Journal of Medical Toxicology*, **2009**, 5, 27-31	2.6	17
37	Letter regarding levosimendan in a rat model of severe verapamil poisoning. *Journal of Medical Toxicology*, **2009**, 5, 175; author reply 176	2.6	
36	Early presentation following overdose of modified-release paracetamol (Panadol Osteo) with biphasic and prolonged paracetamol absorption. *New Zealand Medical Journal*, **2009**, 122, 64-71	0.8	6
35	Treatment of experimental verapamil poisoning with levosimendan utilizing a rodent model of drug toxicity. *Clinical Toxicology*, **2008**, 46, 50-6	2.9	20
34	Population pharmacokinetics of intravenous, intramuscular, and intranasal naloxone in human volunteers. *Therapeutic Drug Monitoring*, **2008**, 30, 490-6	3.2	70

33	Gamma-hydroxybutyrate poisoning from toy beads. *Medical Journal of Australia*, **2008**, 188, 54-5	4	22
32	Guidelines for the management of paracetamol poisoning in Australia and New Zealand--explanation and elaboration. A consensus statement from clinical toxicologists consulting to the Australasian poisons information centres. *Medical Journal of Australia*, **2008**, 188, 296-301	4	133
31	Activated charcoal decreases the risk of QT prolongation after citalopram overdose. *Annals of Emergency Medicine*, **2007**, 50, 593-600, 600.e1-46	2.1	40
30	Arachnid toxinology in Australia: from clinical toxicology to potential applications. *Toxicon*, **2006**, 48, 872-98	2.8	45
29	Comparative pharmacokinetics of Panadol Extend and immediate-release paracetamol in a simulated overdose model. *EMA - Emergency Medicine Australasia*, **2006**, 18, 398-403	1.5	15
28	TACTIC Randomized Trial of Different Loading Infusion Rates of N-Acetylcysteine. *Annals of Emergency Medicine*, **2006**, 47, 124-125	2.1	2
27	Delayed Neurologic Sequelae Resulting from Epidemic Diethylene Glycol Poisoning. *Clinical Toxicology*, **2005**, 43, 155-159	2.9	39
26	The Australasian Clinical Toxicology Investigators Collaboration randomized trial of different loading infusion rates of N-acetylcysteine. *Annals of Emergency Medicine*, **2005**, 45, 402-8	2.1	131
25	Quality of poisoning management advice in the Monthly Index of Medical Specialties Annual. *EMA - Emergency Medicine Australasia*, **2005**, 17, 511-9	1.5	6
24	Pethidine in emergency departments: promoting evidence-based prescribing. *Medical Journal of Australia*, **2005**, 183, 129-133	4	16
23	Delayed Neurologic Sequelae Resulting from Epidemic Diethylene Glycol Poisoning. *Clinical Toxicology*, **2005**, 43, 155-159	2.9	11
22	Pethidine in emergency departments: promoting evidence-based prescribing. *Medical Journal of Australia*, **2005**, 183, 129-33	4	5
21	A comparison of the pharmacokinetics of oral and sublingual cyproheptadine. *Journal of Toxicology: Clinical Toxicology*, **2004**, 42, 79-83		14
20	Antivenoms for the Treatment of Spider Envenomation. *Toxin Reviews*, **2003**, 22, 35-59		7
19	Antivenom treatment in arachnidism. *Journal of Toxicology: Clinical Toxicology*, **2003**, 41, 291-300		85
18	Massive overdose with controlled-release carbamazepine resulting in delayed peak serum concentrations and life-threatening toxicity. *EMA - Emergency Medicine Australasia*, **2002**, 14, 89-94	1.5	35
17	The toxicity of antidepressant poisoning: is it changing? A comparative study of cyclic and newer serotonin-specific antidepressants. *EMA - Emergency Medicine Australasia*, **2002**, 14, 440-6	1.5	12
16	Spiders of medical importance in the Asia-Pacific: atracotoxin, latrotoxin and related spider neurotoxins. *Clinical and Experimental Pharmacology and Physiology*, **2002**, 29, 785-94	3	55

15	Cross-reactivity of Sydney funnel-web spider antivenom: neutralization of the in vitro toxicity of other Australian funnel-web (Atrax and Hadronyche) spider venoms. *Toxicon*, **2002**, 40, 259-66	2.8	37
14	Clinical and in vitro evidence for the efficacy of Australian red-back spider (Latrodectus hasselti) antivenom in the treatment of envenomation by a Cupboard spider (Steatoda grossa). *Toxicon*, **2002**, 40, 767-75	2.8	36
13	Red-back spider (Latrodectus hasselti) antivenom prevents the toxicity of widow spider venoms. *Annals of Emergency Medicine*, **2001**, 37, 154-60	2.1	49
12	A comparison of physostigmine and benzodiazepines for the treatment of anticholinergic poisoning. *Annals of Emergency Medicine*, **2000**, 35, 374-81	2.1	156
11	Triethylene glycol poisoning treated with intravenous ethanol infusion. *Journal of Toxicology: Clinical Toxicology*, **1999**, 37, 773-6		11
10	Treatment of the serotonin syndrome with cyproheptadine. *Journal of Emergency Medicine*, **1998**, 16, 615-9	1.5	208
9	Serotonin syndrome resulting from drug interactions. *Medical Journal of Australia*, **1998**, 169, 523-5	4	50
8	Diagnosis and treatment of sulfonylurea-induced hyperinsulinemic hypoglycemia. *American Journal of Emergency Medicine*, **1997**, 15, 95-6	2.9	32
7	Fluoxetine-induced cardiotoxicity with response to bicarbonate therapy. *American Journal of Emergency Medicine*, **1997**, 15, 501-3	2.9	35
6	Treatment of methanol poisoning with intravenous 4-methylpyrazole. *Annals of Emergency Medicine*, **1997**, 30, 829-32	2.1	58
5	Regional intravenous infusion of calcium gluconate for hydrofluoric acid burns of the upper extremity. *Annals of Emergency Medicine*, **1997**, 30, 604-7	2.1	40
4	Acute dystonia in a child associated with therapeutic ingestion of a dextromethorphan containing cough and cold syrup. *Journal of Toxicology: Clinical Toxicology*, **1996**, 34, 351-2		26
3	Delayed peak serum valproic acid in massive divalproex overdose--treatment with charcoal hemoperfusion. *Journal of Toxicology: Clinical Toxicology*, **1996**, 34, 335-41		27
2	Overdose of extended-release acetaminophen. *New England Journal of Medicine*, **1995**, 333, 196	59.2	10
1	The care of older children when a sibling is born. *Australian and New Zealand Journal of Obstetrics and Gynaecology*, **1985**, 25, 74-6	1.7	1