
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2586408/publications.pdf Version: 2024-02-01



IAN MUSOM

#	Article	IF	CITATIONS
1	Fecal incontinence in nonpregnant nulliparous women aged 25 to 64 years-a randomly selected national cohort prevalence study. American Journal of Obstetrics and Gynecology, 2022, 226, 706.e1-706.e23.	1.3	4
2	Detection of ectopic pregnancy and serum beta hCG levels in women undergoing very early medical abortion: a retrospective cohort study. European Journal of Contraception and Reproductive Health Care, 2022, , 1-7.	1.5	2
3	Influence of the COVID-19 pandemic on abortions and births in Sweden: a mixed-methods study. BMJ Open, 2022, 12, e054076.	1.9	0
4	Colposcopic assessment by Swedescore, evaluation of effectiveness in the Swedish screening programme: a crossâ€sectional study. BJOG: an International Journal of Obstetrics and Gynaecology, 2022, 129, 1261-1267.	2.3	3
5	Which drugs are best for overactive bladder? From patients' expectations to physicians' decisions. International Journal of Clinical Practice, 2021, 75, e13870.	1.7	3
6	Symptoms of fecal incontinence two decades after no, one, or two obstetrical anal sphincter injuries. American Journal of Obstetrics and Gynecology, 2021, 224, 276.e1-276.e23.	1.3	20
7	Lymphadenectomy, obesity and open surgery are associated with surgical complications in endometrial cancer. European Journal of Surgical Oncology, 2021, 47, 2907-2914.	1.0	4
8	Multicriteria Decision Analysis Applied to the Clinical Use of Pharmacotherapy for Overactive Bladder Symptom Complex. European Urology Focus, 2020, 6, 522-530.	3.1	19
9	Risk of vaginal cancer among hysterectomised women with cervical intraepithelial neoplasia: a populationâ€based national cohort study. BJOG: an International Journal of Obstetrics and Gynaecology, 2020, 127, 448-454.	2.3	10
10	The Convention on the Rights of the Child (UNCRC) and its implementation in paediatric clinical research. Acta Paediatrica, International Journal of Paediatrics, 2020, 109, 2454-2458.	1.5	3
11	Smoking cessation prior to gynecological surgery—A registryâ€based randomized trial. Acta Obstetricia Et Gynecologica Scandinavica, 2020, 99, 1230-1237.	2.8	7
12	Surgeon's experience and clinical outcome after retropubic tensionâ€free vaginal tape—A case series. Acta Obstetricia Et Gynecologica Scandinavica, 2020, 99, 1071-1077.	2.8	5
13	Breaking news in the prediction of pelvic floor disorders. Best Practice and Research in Clinical Obstetrics and Gynaecology, 2019, 54, 41-48.	2.8	25
14	The retropubic tensionâ€free vaginal tape procedure—Efficacy, risk factors for recurrence and longâ€ŧerm safety. Acta Obstetricia Et Gynecologica Scandinavica, 2019, 98, 722-728.	2.8	5
15	A Nordic registry-based study of drug treatment patterns in overactive bladder patients. Scandinavian Journal of Urology, 2019, 53, 246-254.	1.0	3
16	The rate of deterioration of erectile function increases with age: results from a longitudinal population based survey. Scandinavian Journal of Urology, 2019, 53, 161-165.	1.0	4
17	Prevalence and predictors of overactive bladder in nonpregnant nulliparous women below 65Âyears of age. International Urogynecology Journal, 2018, 29, 531-537.	1.4	3
18	Predicting risk of pelvic floor disorders 12 and 20 years after delivery. American Journal of Obstetrics and Gynecology, 2018, 218, 222.e1-222.e19.	1.3	62

#	Article	IF	CITATIONS
19	Factors influencing the outcome of surgery for pelvic organ prolapse. International Urogynecology Journal, 2018, 29, 81-89.	1.4	25
20	Ecological study on the use of hormonal contraception, abortions and births among teenagers in the Nordic countries. BMJ Open, 2018, 8, e022473.	1.9	11
21	Reply. American Journal of Obstetrics and Gynecology, 2017, 216, 426.	1.3	1
22	Long-term clinical outcomes with the retropubic tension-free vaginal tape (TVT) procedure compared to Burch colposuspension for correcting stress urinary incontinence (SUI). International Urogynecology Journal, 2017, 28, 1739-1746.	1.4	16
23	Can incontinence be cured? A systematic review of cure rates. BMC Medicine, 2017, 15, 63.	5.5	68
24	Contraceptive use in the Nordic countries. Acta Obstetricia Et Gynecologica Scandinavica, 2017, 96, 19-28.	2.8	80
25	Development of a core set of outcome measures for OAB treatment. International Urogynecology Journal, 2017, 28, 1785-1793.	1.4	18
26	High birth rates despite easy access to contraception and abortion: a crossâ€sectional study. Acta Obstetricia Et Gynecologica Scandinavica, 2017, 96, 1414-1422.	2.8	12
27	Urine neutrophil gelatinase-associated lipocalin and other biomarkers in infants with urinary tract infection and in febrile controls. Pediatric Nephrology, 2017, 32, 2079-2087.	1.7	30
28	Urinary tract infection in small children: the evolution of renal damage over time. Pediatric Nephrology, 2017, 32, 1907-1913.	1.7	32
29	Factors influencing the incidence and remission of urinary incontinence after hysterectomy. American Journal of Obstetrics and Gynecology, 2017, 216, 53.e1-53.e9.	1.3	26
30	Urinary incontinence in nulliparous women aged 25-64Âyears: a national survey. American Journal of Obstetrics and Gynecology, 2017, 216, 149.e1-149.e11.	1.3	50
31	Influence of the modifiable lifeâ€style factors body mass index and smoking on the outcome of hysterectomy. Acta Obstetricia Et Gynecologica Scandinavica, 2016, 95, 65-73.	2.8	24
32	Obstetrical outcome in women with urinary tract infections in childhood. Acta Obstetricia Et Gynecologica Scandinavica, 2016, 95, 452-457.	2.8	9
33	Attitudes towards new assisted reproductive technologies in Sweden: a survey in women 30–39 years of age. Acta Obstetricia Et Gynecologica Scandinavica, 2016, 95, 38-44.	2.8	70
34	The changing pattern of contraceptive use and pregnancies in four generations of young women. Acta Obstetricia Et Gynecologica Scandinavica, 2016, 95, 1264-1272.	2.8	20
35	Carl Gustav Nilsson 1944–2015. International Urogynecology Journal, 2016, 27, 509-510.	1.4	0
36	Somatic Comorbidity in Women with Overactive Bladder Syndrome. Journal of Urology, 2016, 196, 473-477.	0.4	17

#	Article	IF	CITATIONS
37	Long-term effects of vacuum extraction on pelvic floor function: a cohort study in primipara. International Urogynecology Journal, 2016, 27, 1051-1056.	1.4	13
38	Urinary tract infection in infants: the significance of low bacterial count. Pediatric Nephrology, 2016, 31, 239-245.	1.7	41
39	The influence of the modifiable life-style factors body mass index and smoking on the outcome of mid-urethral sling procedures for female urinary incontinence. International Urogynecology Journal, 2015, 26, 343-351.	1.4	14
40	The relationship between BMI and urinary incontinence subgroups: Results from EpiLUTS. Neurourology and Urodynamics, 2014, 33, 392-399.	1.5	72
41	Twenty-four-hour ambulatory blood pressure in adult women with urinary tract infection in childhood. Journal of Hypertension, 2014, 32, 1658-1664.	0.5	19
42	Global Prevalence and Economic Burden of Urgency Urinary Incontinence: A Systematic Review. European Urology, 2014, 65, 79-95.	1.9	306
43	Oestrogens and overactive bladder. Neurourology and Urodynamics, 2014, 33, 1086-1091.	1.5	65
44	Effect of Bothersome Overactive Bladder Symptoms on Health-related Quality of Life, Anxiety, Depression, and Treatment Seeking in the United States: Results From EpiLUTS. Urology, 2012, 80, 90-96.	1.0	217
45	Hormonal contraception and venous thromboembolism. Acta Obstetricia Et Gynecologica Scandinavica, 2012, 91, 769-778.	2.8	67
46	Genetic Influences Are Important for Most But Not All Lower Urinary Tract Symptoms: A Population-Based Survey in a Cohort of Adult Swedish Twins. European Urology, 2011, 59, 1032-1038.	1.9	53
47	The long-term influence of combined oral contraceptives on body weight. Human Reproduction, 2011, 26, 1917-1924.	0.9	23
48	Urinary Incontinence, Overactive Bladder, and Other Lower Urinary Tract Symptoms: A Longitudinal Population-Based Survey in Men Aged 45–103 Years. European Urology, 2010, 58, 149-156.	1.9	128
49	A longitudinal study of contraception and pregnancies in the same women followed for a quarter of a century. Human Reproduction, 2010, 25, 1415-1422.	0.9	15
50	Value of Ultrasound in Evaluation of Infants With First Urinary Tract Infection. Journal of Urology, 2010, 183, 1984-1988.	0.4	57
51	A Longitudinal Population-based Survey of Urinary Incontinence, Overactive Bladder, and Other Lower Urinary Tract Symptoms in Women. European Urology, 2009, 55, 783-791.	1.9	141
52	The economic impact of overactive bladder syndrome in six Western countries. BJU International, 2009, 103, 202-209.	2.5	183
53	Costâ€effectiveness analysis of solifenacin flexible dosing in patients with overactive bladder symptoms in four Nordic countries. Acta Obstetricia Et Gynecologica Scandinavica, 2009, 88, 693-699.	2.8	12
54	Contraceptive use and pregnancy outcome in three generations of Swedish female teenagers from the same urban population. Contraception, 2009, 80, 163-169.	1.5	32

#	Article	IF	CITATIONS
55	Lower urinary tract symptoms in women. Current Opinion in Urology, 2009, 19, 337-341.	1.8	83
56	The impact of overactive bladder, incontinence and other lower urinary tract symptoms on quality of life, work productivity, sexuality and emotional wellâ€being in men and women: results from the EPIC study. BJU International, 2008, 101, 1388-1395.	2.5	700
57	Ovulation incidence with oral contraceptives: a literature review. Journal of Family Planning and Reproductive Health Care, 2008, 34, 237-246.	0.8	41
58	The levonorgestrel-releasing intrauterine system as an alternative to hysterectomy in peri-menopausal women. Contraception, 2007, 75, S152-S154.	1.5	22
59	A Cross-Sectional, Population-Based, Multinational Study of the Prevalence of Overactive Bladder and Lower Urinary Tract Symptoms: Results from the EPIC Study. European Urology Supplements, 2007, 6, 4-9.	0.1	39
60	An important Finnish contribution to the advancement of women's reproductive health. Acta Obstetricia Et Gynecologica Scandinavica, 2007, 86, 645-647.	2.8	1
61	Short- and long-term results of the tension-free vaginal tape procedure in the treatment of female urinary incontinence. Acta Obstetricia Et Gynecologica Scandinavica, 2006, 85, 986-992.	2.8	45
62	Ten-year results of randomized treatment of children with severe vesicoureteral reflux. Final report of the International Reflux Study in Children. Pediatric Nephrology, 2006, 21, 785-792.	1.7	202
63	Population-Based Survey of Urinary Incontinence, Overactive Bladder, and Other Lower Urinary Tract Symptoms in Five Countries: Results of the EPIC Study. European Urology, 2006, 50, 1306-1315.	1.9	2,119
64	The performance of a new scoring system for colposcopy in detecting high-grade dysplasia in the uterine cervix. Acta Obstetricia Et Gynecologica Scandinavica, 2005, 84, 1013-1017.	2.8	63
65	A three-armed randomized trial comparing open Burch colposuspension using sutures with laparoscopic colposuspension using sutures and laparoscopic colposuspension using mesh and staples in women with stress urinary incontinence. Acta Obstetricia Et Gynecologica Scandinavica, 2005, 84, 773-779.	2.8	6
66	Changes in attitudes, knowledge and hormone replacement therapy use: a comparative study in two random samples with 6-year interval. Acta Obstetricia Et Gynecologica Scandinavica, 2005, 84, 395-401.	2.8	11
67	DIMERCAPTO-SUCCINIC ACID SCINTIGRAPHY INSTEAD OF VOIDING CYSTOURETHROGRAPHY FOR INFANTS WITH URINARY TRACT INFECTION. Journal of Urology, 2004, 172, 1071-1074.	0.4	212
68	Women's experience of coping with a positive Pap smear: a register-based study of women with two consecutive Pap smears reported as CIN 1. Acta Obstetricia Et Gynecologica Scandinavica, 2003, 82, 756-761.	2.8	42
69	Symptoms, diagnosis and treatment of vaginal atrophy. The Journal of the British Menopause Society, 2002, 8, 115-116.	1.3	1
70	Comparison of the efficacy and safety of nonprescription doses of naproxen and naproxen sodium with ibuprofen, acetaminophen, and placebo in the treatment of primary dysmenorrhea: a pooled analysis of five studies. Clinical Therapeutics, 2002, 24, 1384-1400.	2.5	77
71	Ask the Expert. Pediatric Nephrology, 2002, 17, 465-465.	1.7	1
72	Can changes in sex hormone binding globulin predict the risk of venous thromboembolism with combined oral contraceptive pills?. Acta Obstetricia Et Gynecologica Scandinavica, 2002, 81, 482-490.	2.8	42

#	Article	IF	CITATIONS
73	Knowledge and attitudes about the Pap-smear screening program: a population-based study of women aged 20-59 years. Acta Obstetricia Et Gynecologica Scandinavica, 2002, 81, 962-967.	2.8	31
74	A population based study of Swedish women's opinions about antenatal, delivery and postpartum care. Acta Obstetricia Et Gynecologica Scandinavica, 2001, 80, 130-136.	2.8	13
75	Factors associated with climacteric symptoms and the use of hormone replacement therapy. Acta Obstetricia Et Gynecologica Scandinavica, 2000, 79, 286-292.	2.8	17
76	The prevalence of urinary incontinence. Acta Obstetricia Et Gynecologica Scandinavica, 2000, 79, 1056-1059.	2.8	33
77	Detection of urographic scars in girls with pyelonephritis followed for 13-38 years. Pediatric Nephrology, 2000, 14, 1006-1010.	1.7	28
78	Oral contraceptives and thrombosis, From risk estimates to health impact. Acta Obstetricia Et Gynecologica Scandinavica, 1999, 78, 142-149.	2.8	10
79	The prevalence of urinary incontinence and its influence on the quality of life in women from an urban Swedish population. Acta Obstetricia Et Gynecologica Scandinavica, 1999, 78, 546-551.	2.8	60
80	Factors influencing the presence of uterine cavity fluid in a random sample of asymptomatic postmenopausal women. Acta Obstetricia Et Gynecologica Scandinavica, 1998, 77, 751-757.	2.8	7
81	Increased circulating concentrations of asymmetric dimethyl arginine (ADMA), an endogenous inhibitor of nitric oxide synthesis, in preeclampsia. Acta Obstetricia Et Gynecologica Scandinavica, 1998, 77, 808-813.	2.8	56
82	Swedish gynecologists' and general practitioners' views on the climacteric period, Knowledge, attitudes and management strategies. Acta Obstetricia Et Gynecologica Scandinavica, 1998, 77, 909-916.	2.8	8
83	Urogenital Ageing. The Journal of the British Menopause Society, 1998, 4, 151-156.	1.3	6
84	URINARY INCONTINENCE AND LOWER URINARY TRACT SYMPTOMS: AN EPIDEMIOLOGICAL STUDY OF MEN AGED 45 TO 99 YEARS. Journal of Urology, 1997, 158, 1733-1737.	0.4	178
85	Epstein-Barr virus DNA in the uterine cervix of teenage girls. Acta Obstetricia Et Gynecologica Scandinavica, 1997, 76, 779-783.	2.8	12
86	Fetal fibronectin and microorganisms in vaginal fluid of women with complicated pregnancies. Acta Obstetricia Et Gynecologica Scandinavica, 1997, 76, 521-527.	2.8	15
87	The prevalence and severity of climacteric symptoms and the use of different treatment regimens in a Swedish population. Acta Obstetricia Et Gynecologica Scandinavica, 1997, 76, 442-448.	2.8	69
88	Estrogen and progestagen modify the hemodynamic response to mental stress in young women. Acta Obstetricia Et Gynecologica Scandinavica, 1996, 75, 57-62.	2.8	9
89	A comparison of contraceptive habits and pregnancy outcome at 19 years of age in two cohorts of Swedish women born 1962 and 1972. Contraception, 1996, 53, 259-265.	1.5	12
90	Rational Prescribing for Postmenopausal Urogenital Complaints. Drugs and Aging, 1996, 9, 78-86.	2.7	6

#	Article	IF	CITATIONS
91	The pill: The controversy continues. Acta Obstetricia Et Gynecologica Scandinavica, 1996, 75, 93-97.	2.8	13
92	Age of sexual debut related to life-style and reproductive health factors in a group of Swedish teenage girls. Acta Obstetricia Et Gynecologica Scandinavica, 1996, 75, 484-489.	2.8	64
93	Contraceptive practice and attitudes in Sweden 1994. Acta Obstetricia Et Gynecologica Scandinavica, 1996, 75, 932-940.	2.8	35
94	Girls prone to urinary infections followed into adulthood. Indices of renal disease. Pediatric Nephrology, 1996, 10, 139-142.	1.7	77
95	Girls prone to urinary infections followed into adulthood. Indices of renal disease. Pediatric Nephrology, 1996, 10, 139-142.	1.7	2
96	Urinary infection, reflux and renal scarring in females continuously followed for 13?38 years. Pediatric Nephrology, 1995, 9, 131-136.	1.7	100
97	Treatment trials on children with acute pyelonephritis. Pediatric Nephrology, 1994, 8, 278-279.	1.7	7
98	Factors influencing vaginal cytology, pH and bacterial flora in elderly women. Acta Obstetricia Et Gynecologica Scandinavica, 1993, 72, 286-291.	2.8	62
99	Blood Group Non-Secretors Have an Increased Inflammatory Response to Urinary Tract Infection. Scandinavian Journal of Infectious Diseases, 1992, 24, 77-83.	1.5	30
100	Incidence, Serogroups and Case-Fatality Rate of Invasive Meningococcal Infections in a Swedish Region 1975–1989. Scandinavian Journal of Infectious Diseases, 1992, 24, 333-338.	1.5	24
101	Ask the expert. Pediatric Nephrology, 1992, 6, 344-344.	1.7	0
102	A Comparison between Experienced and Objectively Demonstrated Urinary Leakage in 85â€year Old Men and Women. Scandinavian Journal of Caring Sciences, 1991, 5, 17-22.	2.1	15
103	Effects of Intravenous Terbutaline on Maternal Circulation and Fetal Heart Activity. Acta Obstetricia Et Gynecologica Scandinavica, 1990, 69, 223-228.	2.8	12
104	Factors in the infertile couple influencing the success of artificial insemination with donor semen. Fertility and Sterility, 1990, 53, 81-87.	1.0	25
105	Factors influencing the prevalence and severity of dysmenorrhoea in young women. BJOC: an International Journal of Obstetrics and Gynaecology, 1990, 97, 588-594.	2.3	314
106	A Doubleâ€Blind Crossâ€Over Study Comparing Flurbiprofen With Naproxenâ€Sodium For The Treatment Of Primary Dysmenorrhea. Acta Obstetricia Et Gynecologica Scandinavica, 1989, 68, 555-558.	2.8	3
107	A Double-Blind Cross-Over Study Comparing Flurbiprofen with Naproxen-Sodium for the Treatment of Primary Dysmenorrhea. Acta Obstetricia Et Gynecologica Scandinavica, 1989, 68, 555-558.	2.8	2
108	Postprandial Portal Venous Blood Flow and Portal Plasma Vasoactive Intestinal Peptide in Man. Annals of the New York Academy of Sciences, 1988, 527, 591-594.	3.8	2

#	Article	IF	CITATIONS
109	Plasma and Urine Concentrations of Trimethoprim-Sulphadiazine (Co-trimazine) in Children Given One Dose per Day. Scandinavian Journal of Infectious Diseases, 1988, 20, 91-95.	1.5	7
110	The Effect of Flurbiprofen and Naproxen Sodium on Intra-Uterine Pressure and Menstrual Pain in Patients with Primary Dysmenorrhea. Acta Obstetricia Et Gynecologica Scandinavica, 1988, 67, 711-716.	2.8	17
111	An Objective Evaluation of Flurbiprofen and Tranexamic Acid in the Treatment of Idiopathic Menorrhagia. Acta Obstetricia Et Gynecologica Scandinavica, 1988, 67, 645-648.	2.8	60
112	Rehabilitation of the Dysfunctional Bladder in Children: Method and 3-Year Followup. Journal of Urology, 1987, 138, 847-849.	0.4	130
113	The Natural History of Bacteriuria in Childhood. Infectious Disease Clinics of North America, 1987, 1, 713-730.	5.1	201
114	Pad Tests in Children with Incontinence. Scandinavian Journal of Urology and Nephrology, 1986, 20, 47-50.	1.4	16
115	lbuprofen and naproxen-sodium in the treatment of primary dysmenorrhea: A double-blind cross-over study. International Journal of Gynecology and Obstetrics, 1985, 23, 305-310.	2.3	13
116	Effect of ibuprofen, naproxen sodium and paracetamol on intrauterine pressure and menstrual pain in dysmenorrhoea. BJOG: an International Journal of Obstetrics and Gynaecology, 1984, 91, 1129-1135.	2.3	40
117	A Study of Parental Attitudes after Donor Insemination (AID). Acta Obstetricia Et Gynecologica Scandinavica, 1982, 61, 125-128.	2.8	32
118	Measurement of stroke volume with impedance cardiography. Clinical Physiology, 1982, 2, 409-417.	0.7	42