

# Martin Klein

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/264807/publications.pdf>

Version: 2024-02-01

142  
papers

8,782  
citations

46918

47  
h-index

46693

89  
g-index

148  
all docs

148  
docs citations

148  
times ranked

8968  
citing authors

#	ARTICLE	IF	CITATIONS
1	Cellular Substrates of Functional Network Integration and Memory in Temporal Lobe Epilepsy. <i>Cerebral Cortex</i> , 2022, 32, 2424-2436.	1.6	6
2	Long-term impact of adult WHO grade II or III gliomas on health-related quality of life: A systematic review. <i>Neuro-Oncology Practice</i> , 2022, 9, 3-17.	1.0	5
3	Do neurocognitive impairments explain the differences between brain tumor patients and their proxies when assessing the patient's IADL?. <i>Neuro-Oncology Practice</i> , 2022, 9, 271-283.	1.0	1
4	Prognostic Significance of DNA Methylation Profiles at MRI Enhancing Tumor Recurrence: a Report from the EORTC 26091 TAVAREC Trial. <i>Clinical Cancer Research</i> , 2022, 28, 2440-2448.	3.2	3
5	Corticosteroids use and neurocognitive functioning in patients with recurrent glioblastoma: Evidence from European Organization for Research and Treatment of Cancer (EORTC) trial 26101. <i>Neuro-Oncology Practice</i> , 2022, 9, 310-316.	1.0	7
6	Prevalence of Prodromal Symptoms of Parkinson's Disease in the Late Middle-Aged Population. <i>Journal of Parkinson's Disease</i> , 2022, 12, 967-974.	1.5	17
7	Is poor sleep quality associated with poor neurocognitive outcome in cancer survivors? A systematic review. <i>Journal of Cancer Survivorship</i> , 2022, , 1.	1.5	5
8	Reducing severe fatigue in patients with diffuse glioma: a study protocol for an RCT on the effect of blended cognitive behavioural therapy. <i>Trials</i> , 2022, 23, .	0.7	6
9	Long-Term Disease Burden and Survivorship Issues After Surgery and Radiotherapy of Intracranial Meningioma Patients. <i>Neurosurgery</i> , 2021, 88, 155-164.	0.6	15
10	Memory in low-grade glioma patients treated with radiotherapy or temozolomide: a correlative analysis of EORTC study 22033-26033. <i>Neuro-Oncology</i> , 2021, 23, 803-811.	0.6	25
11	CODEL: phase III study of RT, RT+ TMZ, or TMZ for newly diagnosed 1p/19q codeleted oligodendroglioma. Analysis from the initial study design. <i>Neuro-Oncology</i> , 2021, 23, 457-467.	0.6	58
12	Determinants and predictors for the long-term disease burden of intracranial meningioma patients. <i>Journal of Neuro-Oncology</i> , 2021, 151, 201-210.	1.4	14
13	Development of an EORTC questionnaire measuring instrumental activities of daily living (IADL) in patients with brain tumours: phase III. <i>Quality of Life Research</i> , 2021, 30, 1491-1502.	1.5	5
14	Objective neurocognitive functioning and neurocognitive complaints in patients with high-grade glioma: Evidence of cognitive awareness from the European Organisation for Research and Treatment of Cancer brain tumour clinical trials. <i>European Journal of Cancer</i> , 2021, 144, 162-168.	1.3	12
15	A Web-Based Lifestyle Intervention Aimed at Improving Cognition in Patients With Cancer Returning to Work in an Outpatient Setting: Protocol for a Randomized Controlled Trial. <i>JMIR Research Protocols</i> , 2021, 10, e22670.	0.5	3
16	Understanding Global Brain Network Alterations in Glioma Patients. <i>Brain Connectivity</i> , 2021, 11, 865-874.	0.8	20
17	In Reply: Functional Outcomes and Health-Related Quality of Life Following Glioma Surgery. <i>Neurosurgery</i> , 2021, 89, E189-E189.	0.6	0
18	Impaired Set-Shifting from Dorsal Stream Disconnection: Insights from a European Series of Right Parietal Lower-Grade Glioma Resection. <i>Cancers</i> , 2021, 13, 3337.	1.7	5

#	ARTICLE	IF	CITATIONS
19	Development of Randomized Trials in Adults with Medulloblastomaâ€”The Example of EORTC 1634-BTG/NOA-23. <i>Cancers</i> , 2021, 13, 3451.	1.7	8
20	Cognitive Functioning and Hippocampal Connectivity in Patients With Longstanding Type 1 Diabetes and Apolipoprotein E Î¼4. <i>Diabetes Care</i> , 2021, 44, 2388-2396.	4.3	3
21	Functional Outcomes and Health-Related Quality of Life Following Glioma Surgery. <i>Neurosurgery</i> , 2021, 88, 720-732.	0.6	35
22	The long-term caregiver burden in World Health Organization grade I and II meningioma: It is not just the patient. <i>Neuro-Oncology Advances</i> , 2021, 3, vdaa169.	0.4	6
23	QOLP-14. LONG-TERM IMPACT OF ADULT GLIOMA ON HEALTH-RELATED QUALITY OF LIFE: A SYSTEMATIC REVIEW. <i>Neuro-Oncology</i> , 2021, 23, vi185-vi186.	0.6	0
24	QOLP-05. HEALTH-RELATED QUALITY OF LIFE IN LOW-GRADE GLIOMA SURVIVORS 26 YEARS AFTER DIAGNOSIS. <i>Neuro-Oncology</i> , 2021, 23, vi183-vi183.	0.6	0
25	NCOG-49. UNMET NEEDS AND WISH FOR SUPPORT OF FAMILY CAREGIVERS OF PRIMARY BRAIN TUMOUR PATIENTS. <i>Neuro-Oncology</i> , 2021, 23, vi162-vi163.	0.6	0
26	Slowing as a multidomain and vascular geriatric syndrome: Apathy symptoms, gait speed and information processing speed in a geriatric memory clinic population. <i>Alzheimer's and Dementia</i> , 2021, 17, .	0.4	0
27	CSF Biomarkers Reflecting Protein Pathology and Axonal Degeneration Are Associated with Memory, Attentional, and Executive Functioning in Early-Stage Parkinsonâ€™s Disease. <i>International Journal of Molecular Sciences</i> , 2020, 21, 8519.	1.8	7
28	Healthcare utilization and productivity loss in glioma patients and family caregivers: the impact of treatable psychological symptoms. <i>Journal of Neuro-Oncology</i> , 2020, 147, 485-494.	1.4	16
29	Postoperative oscillatory brain activity as an add-on prognostic marker in diffuse glioma. <i>Journal of Neuro-Oncology</i> , 2020, 147, 49-58.	1.4	19
30	Processing speed is related to striatal dopamine transporter availability in Parkinson's disease. <i>NeuroImage: Clinical</i> , 2020, 26, 102257.	1.4	22
31	CTNI-29. CODEL: PHASE III TRIAL OF RT ALONE, RT PLUS TMZ, OR TMZ ALONE FOR NEWLY-DIAGNOSED, 1p/19q CODELETED ANAPLASTIC OLIGODENDROGLIOMA. ANALYSIS FROM THE INITIAL STUDY DESIGN. (NCCTG N0577,) <i>Journal of Neuro-Oncology</i> , 2020, 147, 130-137.	1.4	130.78431
32	Association between tumor location and neurocognitive functioning using tumor localization maps. <i>Journal of Neuro-Oncology</i> , 2019, 144, 573-582.	1.4	35
33	Evaluation of the Hippocampal Normal Tissue Complication Model in a Prospective Cohort of Low Grade Glioma Patientsâ€”An Analysis Within the EORTC 22033 Clinical Trial. <i>Frontiers in Oncology</i> , 2019, 9, 991.	1.3	24
34	The presence of cerebral white matter lesions and lower skin microvascular perfusion predicts lower cognitive performance in type 1 diabetes patients with retinopathy but not in healthy controlsâ€”A longitudinal study. <i>Microcirculation</i> , 2019, 26, e12530.	1.0	8
35	Assessment of Neurocognitive Functioning in Clinical Practice and for Trial Purposes. , 2019, , 121-131.		0
36	Understanding cognitive functioning in glioma patients: The relevance of IDHâ€™mutation status and functional connectivity. <i>Brain and Behavior</i> , 2019, 9, e01204.	1.0	42

#	ARTICLE	IF	CITATIONS
37	The association between preoperative edema and postoperative cognitive functioning and health-related quality of life in WHO grade I meningioma patients. <i>Acta Neurochirurgica</i> , 2019, 161, 579-588.	0.9	20
38	Accelerated executive functions decline and gray matter structural changes in middle-aged type 1 diabetes mellitus patients with proliferative retinopathy. <i>Journal of Diabetes</i> , 2018, 10, 835-846.	0.8	9
39	Linking late cognitive outcome with glioma surgery location using resection cavity maps. <i>Human Brain Mapping</i> , 2018, 39, 2064-2074.	1.9	38
40	Internet-based guided self-help for glioma patients with depressive symptoms: a randomized controlled trial. <i>Journal of Neuro-Oncology</i> , 2018, 137, 191-203.	1.4	46
41	Individual changes in neurocognitive functioning and health-related quality of life in patients with brain oligometastases treated with stereotactic radiotherapy. <i>Journal of Neuro-Oncology</i> , 2018, 139, 359-368.	1.4	23
42	MNGI-25. THE CAREGIVER BURDEN IN MENINGIOMA: LONG-TERM RESULTS AND ITS EFFECTS ON CAREGIVER HEALTH-RELATED QUALITY OF LIFE, ANXIETY AND DEPRESSION. <i>Neuro-Oncology</i> , 2018, 20, vi154-vi154.	0.6	0
43	MNGI-26. THE DISEASE BURDEN OF MENINGIOMA PATIENTS: LONG-TERM RESULTS ON WORK PRODUCTIVITY AND HEALTHCARE CONSUMPTION. <i>Neuro-Oncology</i> , 2018, 20, vi154-vi154.	0.6	1
44	MNGI-27. THE LONG-TERM DISEASE BURDEN OF MENINGIOMA PATIENTS: RESULTS ON HEALTH-RELATED QUALITY OF LIFE, COGNITIVE FUNCTION, ANXIETY AND DEPRESSION. <i>Neuro-Oncology</i> , 2018, 20, vi154-vi155.	0.6	0
45	NCOG-09. THE LEVEL OF REPORTING OF NEUROCOGNITIVE OUTCOMES IN RANDOMIZED CONTROLLED TRIALS OF BRAIN TUMOR PATIENTS: A SYSTEMATIC REVIEW. <i>Neuro-Oncology</i> , 2018, 20, vi174-vi174.	0.6	0
46	Detecting Mild Cognitive Deficits in Parkinson's Disease: A Comparison of Neuropsychological Tests. <i>Movement Disorders</i> , 2018, 33, 1750-1759.	2.2	42
47	Cognitive functioning and functional brain networks in postoperative WHO grade I meningioma patients. <i>Journal of Neuro-Oncology</i> , 2018, 140, 605-613.	1.4	17
48	The level of reporting of neurocognitive outcomes in randomised controlled trials of brain tumour patients: A systematic review. <i>European Journal of Cancer</i> , 2018, 100, 104-125.	1.3	6
49	Bevacizumab and temozolomide in patients with first recurrence of WHO grade II and III glioma, without 1p/19q co-deletion (TAVAREC): a randomised controlled phase 2 EORTC trial. <i>Lancet Oncology</i> , 2018, 19, 1170-1179.	5.1	80
50	Oscillatory brain activity associates with neuroligin-3 expression and predicts progression free survival in patients with diffuse glioma. <i>Journal of Neuro-Oncology</i> , 2018, 140, 403-412.	1.4	31
51	Large and fast human pyramidal neurons associate with intelligence. <i>ELife</i> , 2018, 7, .	2.8	103
52	Dynamic hub load predicts cognitive decline after resective neurosurgery. <i>Scientific Reports</i> , 2017, 7, 42117.	1.6	39
53	Altered eigenvector centrality is related to local resting-state network functional connectivity in patients with longstanding type 1 diabetes mellitus. <i>Human Brain Mapping</i> , 2017, 38, 3623-3636.	1.9	33
54	Survey on current cognitive practices within the European Low-Grade Glioma Network: towards a European assessment protocol. <i>Acta Neurochirurgica</i> , 2017, 159, 1167-1178.	0.9	80

#	ARTICLE	IF	CITATIONS
55	Lomustine and Bevacizumab in Progressive Glioblastoma. <i>New England Journal of Medicine</i> , 2017, 377, 1954-1963.	13.9	670
56	Impact of neurocognitive deficits on patientâ€‘proxy agreement regarding health-related quality of life in low-grade glioma patients. <i>Quality of Life Research</i> , 2017, 26, 869-880.	1.5	29
57	NCOG-07. MEMORY FUNCTIONING IN LOW-GRADE GLIOMA PATIENTS TREATED WITH EITHER RADIOTHERAPY (RT) OR TEMOZOLOMIDE (TMZ) CHEMOTHERAPY. Aâ€‘CORRELATIVE ANALYSIS OF EUROPEAN ORGANIZATION FOR RESEARCH AND TREATMENT (EORTC) STUDY 22033-26033. <i>Neuro-Oncology</i> , 2017, 19, vi139-vi139.	0.6	5
58	Quality of Life in Patients with Diffuse Low-Grade Glioma. , 2017, , 235-252.		2
59	Cortical Thickness, Surface Area and Subcortical Volume Differentially Contribute to Cognitive Heterogeneity in Parkinsonâ€‘s Disease. <i>PLoS ONE</i> , 2016, 11, e0148852.	1.1	44
60	ACTR-18. MOLECULAR GENETIC, HOST-DERIVED AND CLINICAL DETERMINANTS OF LONG-TERM SURVIVAL IN GLIOBLASTOMA: AN UPDATE FROM THE BRAIN TUMOR FUNDERSâ€‘ COLLABORATIVE CONSORTIUM. <i>Neuro-Oncology</i> , 2016, 18, vi5-vi5.	0.6	0
61	Subgenual Cingulate Cortex Functional Connectivity in Relation to Depressive Symptoms and Cognitive Functioning in Type 1 Diabetes Mellitus Patients. <i>Psychosomatic Medicine</i> , 2016, 78, 740-749.	1.3	16
62	Profiling cognitive and neuropsychiatric heterogeneity in Parkinsonâ€‘s disease. <i>Parkinsonism and Related Disorders</i> , 2016, 28, 130-136.	1.1	15
63	Health-related quality of life in patients with high-risk low-grade glioma (EORTC 22033-26033): a randomised, open-label, phase 3 intergroup study. <i>Lancet Oncology</i> , The, 2016, 17, 1533-1542.	5.1	97
64	Lesion momentum as explanation for preoperative neurocognitive function in patients with malignant glioma. <i>Neuro-Oncology</i> , 2016, 18, 1595-1596.	0.6	16
65	Attitudes and preferences toward monitoring symptoms, distress, and quality of life in glioma patients and their informal caregivers. <i>Supportive Care in Cancer</i> , 2016, 24, 3011-22.	1.0	23
66	Determining priority signs and symptoms for use as clinical outcomes assessments in trials including patients with malignant gliomas: Panel 1 Report. <i>Neuro-Oncology</i> , 2016, 18, ii1-ii12.	0.6	26
67	Disrupted subjectâ€‘specific gray matter network properties and cognitive dysfunction in type 1 diabetes patients with and without proliferative retinopathy. <i>Human Brain Mapping</i> , 2016, 37, 1194-1208.	1.9	25
68	Docosahexaenoic Acid Slows Visual Field Progression in X-Linked Retinitis Pigmentosa: Ancillary Outcomes of the DHAX Trial. , 2015, 56, 6646.		46
69	Psychiatric symptoms in glioma patients: from&nbsp;diagnosis to management. <i>Neuropsychiatric Disease and Treatment</i> , 2015, 11, 1413.	1.0	72
70	Health-Related Quality of Life in Stable, Long-Term Survivors of Low-Grade Glioma. <i>Journal of Clinical Oncology</i> , 2015, 33, 1023-1029.	0.8	64
71	Neurocognitive functioning and health-related quality of life in patients treated with stereotactic radiotherapy for brain metastases: a prospective study. <i>Neuro-Oncology</i> , 2015, 18, 435-444.	0.6	89
72	The association between cognitive functioning and health-related quality of life in low-grade glioma patients. <i>Neuro-Oncology Practice</i> , 2014, 1, 40-46.	1.0	37

#	ARTICLE	IF	CITATIONS
73	Differential impact of subclinical carotid artery disease on cerebral structure and functioning in type 1 diabetes patients with versus those without proliferative retinopathy. <i>Cardiovascular Diabetology</i> , 2014, 13, 58.	2.7	6
74	Health-related quality of life and cognitive functioning in long-term anaplastic oligodendroglioma and oligoastrocytoma survivors. <i>Journal of Neuro-Oncology</i> , 2014, 116, 161-168.	1.4	83
75	Cerebrospinal fluid levels of Alzheimer's disease biomarkers in middle-aged patients with type 1 diabetes. <i>Diabetologia</i> , 2014, 57, 2208-2214.	2.9	40
76	Ventral Striatum, but Not Cortical Volume Loss, Is Related to Cognitive Dysfunction in Type 1 Diabetic Patients With and Without Microangiopathy. <i>Diabetes Care</i> , 2014, 37, 2483-2490.	4.3	31
77	Changes in MEG resting-state networks are related to cognitive decline in type 1 diabetes mellitus patients. <i>NeuroImage: Clinical</i> , 2014, 5, 69-76.	1.4	19
78	Symptom management and quality of life in glioma patients. <i>CNS Oncology</i> , 2014, 3, 37-47.	1.2	71
79	Internet-based guided self-help for glioma patients with depressive symptoms: design of a randomized controlled trial. <i>BMC Neurology</i> , 2014, 14, 81.	0.8	21
80	Proliferative Retinopathy in Type 1 Diabetes Is Associated With Cerebral Microbleeds, Which Is Part of Generalized Microangiopathy. <i>Diabetes Care</i> , 2014, 37, 1165-1168.	4.3	61
81	Tumour and surgery effects on cognitive functioning in high-grade glioma patients. <i>Acta Neurochirurgica</i> , 2014, 156, 1451-1459.	0.9	100
82	Alleviation of Brain Edema and Restoration of Functional Independence by Bevacizumab in Brain-Metastatic Breast Cancer: A Case Report. <i>Breast Care</i> , 2014, 9, 134-134.	0.8	25
83	Health-related quality of life of significant others of patients with malignant CNS versus non-CNS tumors: a comparative study. <i>Journal of Neuro-Oncology</i> , 2013, 115, 87-94.	1.4	47
84	Enhancing quality of life and mastery of informal caregivers of high-grade glioma patients: a randomized controlled trial. <i>Journal of Neuro-Oncology</i> , 2013, 111, 303-311.	1.4	96
85	The effect of modafinil on fatigue, cognitive functioning, and mood in primary brain tumor patients: a multicenter randomized controlled trial. <i>Neuro-Oncology</i> , 2013, 15, 1420-1428.	0.6	109
86	Levetiracetam improves verbal memory in high-grade glioma patients. <i>Neuro-Oncology</i> , 2013, 15, 216-223.	0.6	57
87	Evaluation of cognitive functions and quality of life. <i>Handbook of Clinical Neurology / Edited By P J Vinken and G W Bruyn</i> , 2012, 104, 173-183.	1.0	5
88	Neurocognitive functioning in adult WHO grade II gliomas: impact of old and new treatment modalities. <i>Neuro-Oncology</i> , 2012, 14, iv17-iv24.	0.6	65
89	PS11 - 50. Depressive symptoms exacerbate the negative effects of type 1 diabetes and microangiopathy on brain functioning. <i>Nederlands Tijdschrift Voor Diabetologie</i> , 2012, 10, 133-133.	0.0	0
90	Improved, personalized treatment of glioma necessitates long-term follow-up of cognitive functioning. <i>Pharmacogenomics</i> , 2012, 13, 1667-1669.	0.6	7

#	ARTICLE	IF	CITATIONS
91	Resting-State Brain Networks in Type 1 Diabetic Patients With and Without Microangiopathy and Their Relation to Cognitive Functions and Disease Variables. <i>Diabetes</i> , 2012, 61, 1814-1821.	0.3	109
92	Improving the Accuracy and Precision of Cognitive Testing in Mild Dementia. <i>Journal of the International Neuropsychological Society</i> , 2012, 18, 314-322.	1.2	15
93	Decision-making in the end-of-life phase of high-grade glioma patients. <i>European Journal of Cancer</i> , 2012, 48, 226-232.	1.3	102
94	Trial design on prophylaxis and treatment of brain metastases: Lessons learned from the EORTC Brain Metastases Strategic Meeting 2012. <i>European Journal of Cancer</i> , 2012, 48, 3439-3447.	1.3	37
95	Cognition and resective surgery for diffuse infiltrative glioma: an overview. <i>Journal of Neuro-Oncology</i> , 2012, 108, 309-318.	1.4	129
96	MEG Network Differences between Low- and High-Grade Glioma Related to Epilepsy and Cognition. <i>PLoS ONE</i> , 2012, 7, e50122.	1.1	100
97	Long-term Impact of Cognitive Deficits and Epilepsy on Quality of Life in Patients With Low-Grade Meningiomas. <i>Neurosurgery</i> , 2011, 69, 72-79.	0.6	86
98	PS1 - 6. Cerebral resting-state network changes in patients with type 1 diabetes with and without microangiopathy relate to cognitive functions. <i>Nederlands Tijdschrift Voor Diabetologie</i> , 2011, 9, 94-94.	0.0	0
99	Compromised Health-Related Quality of Life in Patients With Low-Grade Glioma. <i>Journal of Clinical Oncology</i> , 2011, 29, 4430-4435.	0.8	160
100	An Informant Questionnaire for Detecting Alzheimer's Disease: Are Some Items Better Than Others?. <i>Journal of the International Neuropsychological Society</i> , 2011, 17, 674-681.	1.2	2
101	Cognitive functioning in glioblastoma patients during radiotherapy and temozolomide treatment: initial findings. <i>Journal of Neuro-Oncology</i> , 2010, 97, 89-94.	1.4	71
102	Epilepsy is related to theta band brain connectivity and network topology in brain tumor patients. <i>BMC Neuroscience</i> , 2010, 11, 103.	0.8	145
103	The Lesioned Brain: Still a Small-World?. <i>Frontiers in Human Neuroscience</i> , 2010, 4, 174.	1.0	29
104	Symptoms and problems in the end-of-life phase of high-grade glioma patients. <i>Neuro-Oncology</i> , 2010, 12, 1162-1166.	0.6	171
105	How Useful Is the IQCODE for Discriminating between Alzheimer's Disease, Mild Cognitive Impairment and Subjective Memory Complaints?. <i>Dementia and Geriatric Cognitive Disorders</i> , 2010, 30, 411-416.	0.7	35
106	CSF $\beta$ -Synuclein Does Not Discriminate Dementia with Lewy Bodies from Alzheimer's Disease. <i>Journal of Alzheimer's Disease</i> , 2010, 22, 87-95.	1.2	87
107	Functional Brain Connectivity and Neurocognitive Functioning in Patients With Long-Standing Type 1 Diabetes With and Without Microvascular Complications. <i>Diabetes</i> , 2009, 58, 2335-2343.	0.3	67
108	Cognitive Rehabilitation in Patients With Gliomas: A Randomized, Controlled Trial. <i>Journal of Clinical Oncology</i> , 2009, 27, 3712-3722.	0.8	294



#	ARTICLE	IF	CITATIONS
109	The size of the treatment effect: do patients and proxies agree?. BMC Neurology, 2009, 9, 12.	0.8	7
110	Cognitive and radiological effects of radiotherapy in patients with low-grade glioma: long-term follow-up. Lancet Neurology, The, 2009, 8, 810-818.	4.9	598
111	Fatigue in low-grade glioma. Journal of Neuro-Oncology, 2009, 92, 73-78.	1.4	77
112	Disturbed functional brain networks and neurocognitive function in low-grade glioma patients: a graph theoretical analysis of resting-state MEG. Nonlinear Biomedical Physics, 2009, 3, 9.	1.5	116
113	Patients With Alzheimer Disease With Multiple Microbleeds. Stroke, 2009, 40, 3455-3460.	1.0	202
114	Health-related quality of life of long-term high-grade glioma survivors. Neuro-Oncology, 2009, 11, 51-58.	0.6	70
115	Functional connectivity in the brain before and during intra-arterial amobarbital injection (Wada) Tj ETQq1 1 0.784314 rgBT /Overlock 2.1 28	2.1	28
116	Immunobiological and Neural Substrates of Cancer-Related Neurocognitive Deficits. , 2009, , 327-340.		1
117	Subjective Ratings vs. Objective Measurement of Cognitive Function: In Regard to Van Beek etÂal. (Int J) Tj ETQq1 1 0.784314 rgBT /Overlock 0.4 7 2008, 70, 961-962.	0.4	7
118	Longitudinal proxy measurements in multiple sclerosis: patient-proxy agreement on the impact of MS on daily life over a period of two years. BMC Neurology, 2008, 8, 2.	0.8	7
119	Treatment-related changes in functional connectivity in brain tumor patients: A magnetoencephalography study. Experimental Neurology, 2008, 212, 285-290.	2.0	64
120	Synchronized brain activity and neurocognitive function in patients with low-grade glioma: A magnetoencephalography study. Neuro-Oncology, 2008, 10, 734-744.	0.6	119
121	Implementation of Guidelines for the Treatment of Acute ST-Elevation Myocardial Infarction. Circulation: Cardiovascular Interventions, 2008, 1, 95-102.	1.4	14
122	In Reference to Maschio et al. (Neuro-Oncology. 2008;10:106â€“107). Neuro-Oncology, 2008, 10, 1172-1172.	0.6	2
123	Cognitive Impairment in Alzheimerâ€™s Disease Is Modified by APOE Genotype. Dementia and Geriatric Cognitive Disorders, 2007, 24, 98-103.	0.7	66
124	The course of neurocognitive functioning in high-grade glioma patients1. Neuro-Oncology, 2007, 9, 53-62.	0.6	153
125	Detection of memory impairment in the general population: screening by questionnaire and telephone compared to subsequent face-to-face assessment. International Journal of Geriatric Psychiatry, 2007, 22, 203-210.	1.3	21
126	Precuneus atrophy in early-onset Alzheimerâ€™s disease: a morphometric structural MRI study. Neuroradiology, 2007, 49, 967-976.	1.1	251



#	ARTICLE	IF	CITATIONS
127	Differential effect of surgery and radiotherapy on neurocognitive functioning and health-related quality of life in WHO grade I meningioma patients. <i>Journal of Neuro-Oncology</i> , 2007, 84, 271-278.	1.4	105
128	Disturbed functional connectivity in brain tumour patients: Evaluation by graph analysis of synchronization matrices. <i>Clinical Neurophysiology</i> , 2006, 117, 2039-2049.	0.7	257
129	How do brain tumors alter functional connectivity? A magnetoencephalography study. <i>Annals of Neurology</i> , 2006, 59, 128-138.	2.8	164
130	EORTC QLQ-C15-PAL: the new standard in the assessment of health-related quality of life in advanced cancer?. <i>Palliative Medicine</i> , 2006, 20, 1-2.	1.3	46
131	The Measurement of Cognitive Functioning in Low-Grade Glioma Patients After Radiotherapy. <i>Journal of Clinical Oncology</i> , 2004, 22, 966-967.	0.8	32
132	Cognitive deficits in adult patients with brain tumours. <i>Lancet Neurology</i> , The, 2004, 3, 159-168.	4.9	641
133	Epilepsy in low-grade gliomas: The impact on cognitive function and quality of life. <i>Annals of Neurology</i> , 2003, 54, 514-520.	2.8	358
134	Title is missing!. <i>Epilepsy and Behavior</i> , 2003, 4, 91.	0.9	1
135	Cognition and health-related quality of life in chronic well-controlled patients with partial epilepsy on carbamazepine monotherapy. <i>Epilepsy and Behavior</i> , 2002, 3, 316-321.	0.9	26
136	The effectiveness of psychological interventions for patients with relatively well-controlled epilepsy. <i>Epilepsy and Behavior</i> , 2002, 3, 420-426.	0.9	13
137	Cognition and health-related quality of life in a well-defined subgroup of patients with partial epilepsy. <i>Journal of Neurology</i> , 2002, 249, 294-299.	1.8	36
138	The Effectiveness of Cognitive Rehabilitation for Attention Deficits in Focal Seizures: A Randomized Controlled Study. <i>Epilepsia</i> , 2002, 43, 587-595.	2.6	117
139	Neurobehavioral Status and Health-Related Quality of Life in Newly Diagnosed High-Grade Glioma Patients. <i>Journal of Clinical Oncology</i> , 2001, 19, 4037-4047.	0.8	232
140	Effect of test duration on age-related differences in stroop interference. <i>Journal of Clinical and Experimental Neuropsychology</i> , 1997, 19, 77-82.	0.8	88
141	Long-Term Persisting Cognitive Sequelae of Traumatic Brain Injury and the Effect of Age. <i>Journal of Nervous and Mental Disease</i> , 1996, 184, 459-467.	0.5	89
142	Agranulocytosis Secondary to Chlorthalidone Therapy. <i>JAMA - Journal of the American Medical Association</i> , 1963, 184, 310.	3.8	9