

Lucy J Salmon

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/2657350/lucy-j-salmon-publications-by-year.pdf>

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

54
papers

3,843
citations

29
h-index

58
g-index

58
ext. papers

4,301
ext. citations

5.4
avg, IF

5.16
L-index

#	Paper	IF	Citations
54	Surgery for Osteoarthritis: Total Joint Arthroplasty, Realistic Expectations of Rehabilitation and Surgical Outcomes: A Narrative Review.. <i>Clinics in Geriatric Medicine</i> , 2022 , 38, 385-396	3.8	0
53	Conforming patellar button design improves outcome of total knee arthroplasty. <i>Knee</i> , 2021 , 29, 399-404	4.6	0
52	Stable Lateral Meniscal Posterior Root Tears Left In Situ at Time of Anterior Cruciate Ligament Reconstruction Are of Minimal Long-Term Clinical Detriment. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2021 , 37, 3500-3506	5.4	1
51	Improvement in Sleep Patterns After Hip and Knee Arthroplasty: A Prospective Study in 780 Patients. <i>Journal of Arthroplasty</i> , 2021 , 36, 442-448	4.4	3
50	Allograft Donor Characteristics Significantly Influence Graft Rupture After Anterior Cruciate Ligament Reconstruction in a Young Active Population: Response. <i>American Journal of Sports Medicine</i> , 2021 , 49, NP18	6.8	0
49	Management of the female anterior cruciate ligament: current concepts. <i>Journal of ISAKOS</i> , 2020 , 5, 123-127	1.1	0
48	Utility of preoperative blood screening before hip and knee arthroplasty. <i>ANZ Journal of Surgery</i> , 2020 , 90, 350-354	1	2
47	Transphyseal anterior cruciate ligament reconstruction using living parental donor hamstring graft: excellent clinical results at 2 years in a cohort of 100 patients. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2020 , 28, 2511-2518	5.5	4
46	Allograft Donor Characteristics Significantly Influence Graft Rupture After Anterior Cruciate Ligament Reconstruction in a Young Active Population. <i>American Journal of Sports Medicine</i> , 2020 , 48, 2401-2407	6.8	7
45	Bioabsorbable Versus Titanium Screws in Anterior Cruciate Ligament Reconstruction Using Hamstring Autograft: A Prospective, Randomized Controlled Trial With 13-Year Follow-up. <i>American Journal of Sports Medicine</i> , 2020 , 48, 1316-1326	6.8	6
44	Midterm Outcomes of Arthroscopic Reduction and Internal Fixation of Anterior Cruciate Ligament Tibial Eminence Avulsion Fractures With K-Wire Fixation. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2019 , 35, 1533-1544	5.4	6
43	A Randomized Controlled Trial of PEEK Versus Titanium Interference Screws for Anterior Cruciate Ligament Reconstruction With 2-Year Follow-up. <i>American Journal of Sports Medicine</i> , 2019 , 47, 2386-2393	6.8	14
42	5-Year Survival of Pediatric Anterior Cruciate Ligament Reconstruction With Living Donor Hamstring Tendon Grafts. <i>American Journal of Sports Medicine</i> , 2019 , 47, 41-51	6.8	10
41	Side-to-Side Differences in Varus Thrust and Knee Abduction Moment in High-Functioning Individuals With Chronic Anterior Cruciate Ligament Deficiency. <i>American Journal of Sports Medicine</i> , 2019 , 47, 590-597	6.8	1
40	Supercritical Carbon Dioxide-Sterilized Bone Allograft in the Treatment of Tunnel Defects in 2-Stage Revision Anterior Cruciate Ligament Reconstruction: A Histologic Evaluation. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2018 , 34, 706-713	5.4	10
39	20-Year Outcomes of Anterior Cruciate Ligament Reconstruction With Hamstring Tendon Autograft: The Catastrophic Effect of Age and Posterior Tibial Slope. <i>American Journal of Sports Medicine</i> , 2018 , 46, 531-543	6.8	117
38	Measurement of physical activity in the pre- and early post-operative period after total knee arthroplasty for Osteoarthritis using a Fitbit Flex device. <i>Medical Engineering and Physics</i> , 2018 , 51, 31-40	2.4	26

37	Inpatient rehabilitation did not positively affect 6-month patient-reported outcomes after hip or knee arthroplasty. <i>ANZ Journal of Surgery</i> , 2018 , 88, 1056-1060	1	5
36	Feedback From Activity Trackers Improves Daily Step Count After Knee and Hip Arthroplasty: A Randomized Controlled Trial. <i>Journal of Arthroplasty</i> , 2018 , 33, 3422-3428	4.4	20
35	Variability in static alignment and kinematics for kinematically aligned TKA. <i>Knee</i> , 2017 , 24, 733-744	2.6	25
34	The Use of Routine Postoperative Microscopy and Culture Screening Following Elective Hip and Knee Arthroplasty: An Unnecessary Cost With No Effect on Clinical Management?. <i>Journal of Arthroplasty</i> , 2017 , 32, 1128-1131	4.4	1
33	Does Age Influence the Risk of Incident Knee Osteoarthritis After a Traumatic Anterior Cruciate Ligament Injury?. <i>American Journal of Sports Medicine</i> , 2016 , 44, 2399-405	6.8	21
32	Fifteen-Year Survival of Endoscopic Anterior Cruciate Ligament Reconstruction in Patients Aged 18 Years and Younger. <i>American Journal of Sports Medicine</i> , 2016 , 44, 384-92	6.8	114
31	Twenty-Year Outcome of a Longitudinal Prospective Evaluation of Isolated Endoscopic Anterior Cruciate Ligament Reconstruction With Patellar Tendon or Hamstring Autograft. <i>American Journal of Sports Medicine</i> , 2016 , 44, 3083-3094	6.8	71
30	Construct Validity and Test Re-Test Reliability of the Forgotten Joint Score. <i>Journal of Arthroplasty</i> , 2015 , 30, 1902-5	4.4	52
29	Twenty-year outcomes of a longitudinal prospective evaluation of isolated endoscopic anterior cruciate ligament reconstruction with patellar tendon autografts. <i>American Journal of Sports Medicine</i> , 2015 , 43, 2164-74	6.8	50
28	Bioabsorbable Versus Titanium Screws in Anterior Cruciate Ligament Reconstruction Using Hamstring Autograft: A Prospective, Blinded, Randomized Controlled Trial With 5-Year Follow-up. <i>American Journal of Sports Medicine</i> , 2015 , 43, 1893-901	6.8	31
27	Randomized controlled trial of osteoconductive fixation screws for anterior cruciate ligament reconstruction: a comparison of the Calaxo and Milagro screws. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2013 , 29, 74-82	5.4	35
26	Posterior tibial slope and further anterior cruciate ligament injuries in the anterior cruciate ligament-reconstructed patient. <i>American Journal of Sports Medicine</i> , 2013 , 41, 2800-4	6.8	180
25	Endoscopic anterior cruciate ligament reconstruction in children using living donor hamstring tendon allografts. <i>American Journal of Sports Medicine</i> , 2013 , 41, 567-74	6.8	49
24	Survival of the anterior cruciate ligament graft and the contralateral ACL at a minimum of 15 years. <i>American Journal of Sports Medicine</i> , 2012 , 40, 1985-92	6.8	156
23	Outcome of anatomic transphyseal anterior cruciate ligament reconstruction in Tanner stage 1 and 2 patients with open physes. <i>American Journal of Sports Medicine</i> , 2012 , 40, 1093-8	6.8	93
22	Disabling synovitis associated with LARS artificial ligament use in anterior cruciate ligament reconstruction: a case report. <i>American Journal of Sports Medicine</i> , 2012 , 40, 1167-71	6.8	38
21	Clinical results and risk factors for reinjury 15 years after anterior cruciate ligament reconstruction: a prospective study of hamstring and patellar tendon grafts. <i>American Journal of Sports Medicine</i> , 2012 , 40, 595-605	6.8	230
20	The outcome at 15 years of endoscopic anterior cruciate ligament reconstruction using hamstring tendon autograft for isolated anterior cruciate ligament rupture. <i>Journal of Bone and Joint Surgery: British Volume</i> , 2012 , 94, 630-7		70

19	Anterior Cruciate Ligament Reconstruction With Hamstring Tendons 2012 , 393-402		1
18	Fifteen-year outcome of endoscopic anterior cruciate ligament reconstruction with patellar tendon autograft for "isolated" anterior cruciate ligament tear. <i>American Journal of Sports Medicine</i> , 2011 , 39, 89-98	6.8	140
17	Long-term survival of high tibial osteotomy for medial compartment osteoarthritis of the knee. <i>American Journal of Sports Medicine</i> , 2011 , 39, 64-70	6.8	158
16	Warfarin management in patients on continuous anticoagulation therapy undergoing total knee replacement. <i>Journal of Bone and Joint Surgery: British Volume</i> , 2011 , 93, 1497-502		12
15	Five-year comparison of oxidized zirconium and cobalt-chromium femoral components in total knee arthroplasty: a randomized controlled trial. <i>Journal of Bone and Joint Surgery - Series A</i> , 2011 , 93, 624-30	5.6	54
14	Why autologous hamstring tendon reconstruction should now be considered the gold standard for anterior cruciate ligament reconstruction in athletes. <i>British Journal of Sports Medicine</i> , 2009 , 43, 325-7	10.3	22
13	Radiological landmarks for placement of the tunnels in single-bundle reconstruction of the anterior cruciate ligament. <i>Journal of Bone and Joint Surgery: British Volume</i> , 2008 , 90, 172-9		110
12	A 10-year comparison of anterior cruciate ligament reconstructions with hamstring tendon and patellar tendon autograft: a controlled, prospective trial. <i>American Journal of Sports Medicine</i> , 2007 , 35, 564-74	6.8	495
11	Long-term outcome of endoscopic anterior cruciate ligament reconstruction with patellar tendon autograft: minimum 13-year review. <i>American Journal of Sports Medicine</i> , 2006 , 34, 721-32	6.8	216
10	Revision anterior cruciate ligament reconstruction with hamstring tendon autograft: 5- to 9-year follow-up. <i>American Journal of Sports Medicine</i> , 2006 , 34, 1604-14	6.8	97
9	Gender differences in outcome after anterior cruciate ligament reconstruction with hamstring tendon autograft. <i>American Journal of Sports Medicine</i> , 2006 , 34, 621-9	6.8	67
8	Incidence and risk factors for graft rupture and contralateral rupture after anterior cruciate ligament reconstruction. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2005 , 21, 948-57	5.4	385
7	A 7-year follow-up of patellar tendon and hamstring tendon grafts for arthroscopic anterior cruciate ligament reconstruction: differences and similarities. <i>American Journal of Sports Medicine</i> , 2005 , 33, 1337-45	6.8	175
6	The influence of supplementary tibial fixation on laxity measurements after anterior cruciate ligament reconstruction with hamstring tendons in female patients. <i>American Journal of Sports Medicine</i> , 2005 , 33, 94-101	6.8	61
5	Endoscopic single-bundle posterior cruciate ligament reconstruction: results at minimum 2-year follow-up. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2003 , 19, 955-62	5.4	45
4	A five-year comparison of patellar tendon versus four-strand hamstring tendon autograft for arthroscopic reconstruction of the anterior cruciate ligament. <i>American Journal of Sports Medicine</i> , 2002 , 30, 523-36	6.8	228
3	Concomitant partial meniscectomy worsens outcome after arthroscopic anterior cruciate ligament reconstruction. <i>Acta Orthopaedica</i> , 2002 , 73, 179-85		42
2	The influence of reverse-thread screw femoral fixation on laxity measurements after anterior cruciate ligament reconstruction with hamstring tendon. <i>American Journal of Sports Medicine</i> , 2000 , 28, 695-9	6.8	15

- 1 Endoscopic reconstruction of the anterior cruciate ligament with an ipsilateral patellar tendon autograft. A prospective longitudinal five-year study. *Journal of Bone and Joint Surgery: British Volume*, **2000**, 82, 984-91