## John E Ware Jr

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2751147/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Improving multimorbidity measurement using individualized disease-specific quality of life impact assessments: predictive validity of a new comorbidity index. Health and Quality of Life Outcomes, 2022, 20, .	1.0	2
2	Impact of comorbid conditions on disease-specific quality of life in older men and women with atrial fibrillation. Quality of Life Research, 2020, 29, 3285-3296.	1.5	4
3	Developing a New Version of the SF-6D Health State Classification System From the SF-36v2: SF-6Dv2. Medical Care, 2020, 58, 557-565.	1.1	66
4	Predicting the 10-year risk of death from other causes in men with localized prostate cancer using patient-reported factors: Development of a tool. PLoS ONE, 2020, 15, e0240039.	1.1	11
5	A 12-item short form of the Knee injury and Osteoarthritis Outcome Score (KOOS-12): tests of reliability, validity and responsiveness. Osteoarthritis and Cartilage, 2019, 27, 762-770.	0.6	64
6	Improving CKD-Specific Patient-Reported Measures of Health-Related Quality of Life. Journal of the American Society of Nephrology: JASN, 2019, 30, 664-677.	3.0	26
7	Item selection for 12-item short forms of the Knee injury and Osteoarthritis Outcome Score (KOOS-12) and Hip disability and Osteoarthritis Outcome Score (HOOS-12). Osteoarthritis and Cartilage, 2019, 27, 746-753.	0.6	39
8	A 12-item short form of the Hip disability and Osteoarthritis Outcome Score (HOOS-12): tests of reliability, validity and responsiveness. Osteoarthritis and Cartilage, 2019, 27, 754-761.	0.6	47
9	Validity and Responsiveness of the Knee Injury and Osteoarthritis Outcome Score: A Comparative Study Among Total Knee Replacement Patients. Arthritis Care and Research, 2017, 69, 817-825.	1.5	25
10	Varying the item format improved the range of measurement in patient-reported outcome measures assessing physical function. Arthritis Research and Therapy, 2017, 19, 66.	1.6	11
11	Standardizing disease-specific quality of life measures across multiple chronic conditions: development and initial evaluation of the QOL Disease Impact Scale (QDIS®). Health and Quality of Life Outcomes, 2016, 14, 84.	1.0	53
12	The Validity of Disease-Specific Quality of Life Attributions Among Adults with Multiple Chronic Conditions. International Journal of Statistics in Medical Research, 2016, 5, 17-40.	0.5	16
13	Preliminary Evaluation of a New German Translated Tobacco Quality of Life Impact Tool to Discriminate Between Healthy Current and Former Smokers and to Explore the Effect of Switching Smokers to a Reduced Toxicant Prototype Cigarette. Nicotine and Tobacco Research, 2015, 17, 1456-1464.	1.4	3
14	Testing item response theory invariance of the standardized Quality-of-life Disease Impact Scale (QDISA®) in acute coronary syndrome patients: differential functioning of items and test. Quality of Life Research, 2015, 24, 1809-1822.	1.5	7
15	Energy, fatigue, or both? A bifactor modeling approach to the conceptualization and measurement of vitality. Quality of Life Research, 2015, 24, 81-93.	1.5	38
16	Evaluation of smoking-specific and generic quality of life measures in current and former smokers in Germany and the United States. Health and Quality of Life Outcomes, 2015, 13, 128.	1.0	8
17	Development of a Short Version of the Thyroid-Related Patient-Reported Outcome ThyPRO. Thyroid, 2015, 25, 1069-1079.	2.4	82
18	Treatment effectiveness of pasireotide on health-related quality of life in patients with Cushing's disease. European Journal of Endocrinology, 2014, 171, 89-98.	1.9	26

#	Article	IF	CITATIONS
19	Patient-reported Functional Health and Well-Being Outcomes With Drug Therapy. Medical Care, 2014, 52, 439-445.	1.1	135
20	Assessing health-related quality of life in patients with benign non-toxic goitre. Best Practice and Research in Clinical Endocrinology and Metabolism, 2014, 28, 559-575.	2.2	18
21	Difference in method of administration did not significantly impact item response: an IRT-based analysis from the Patient-Reported Outcomes Measurement Information System (PROMIS) initiative. Quality of Life Research, 2014, 23, 217-227.	1.5	57
22	The PROMIS Physical Function item bank was calibrated to a standardized metric and shown to improve measurement efficiency. Journal of Clinical Epidemiology, 2014, 67, 516-526.	2.4	301
23	Method of administration of PROMIS scales did not significantly impact score level, reliability, or validity. Journal of Clinical Epidemiology, 2014, 67, 108-113.	2.4	102
24	Using the bootstrap to establish statistical significance for relative validity comparisons among patient-reported outcome measures. Health and Quality of Life Outcomes, 2013, 11, 89.	1.0	49
25	Short and Precise Patient Self-Assessment of Heart Failure Symptoms Using a Computerized Adaptive Test. Circulation: Heart Failure, 2012, 5, 331-339.	1.6	6
26	Computerized Adaptive Testing—Ready for Ambulatory Monitoring?. Psychosomatic Medicine, 2012, 74, 338-348.	1.3	25
27	Development of an item bank and computer adaptive test for role functioning. Quality of Life Research, 2012, 21, 1625-1637.	1.5	2
28	Health-Related Quality-of-Life Findings for the Prostate Cancer Prevention Trial. Journal of the National Cancer Institute, 2012, 104, 1373-1385.	3.0	11
29	Validation testing of a three-component model of Short Form-36 scores. Journal of Clinical Epidemiology, 2011, 64, 301-308.	2.4	194
30	Assessing the factor structure of a role functioning item bank. Quality of Life Research, 2011, 20, 745-758.	1.5	11
31	Content validation of two SF-36 subscales for use in type 2 diabetes and non-dialysis chronic kidney disease-related anemia. Quality of Life Research, 2011, 20, 889-901.	1.5	18
32	Better assessment of physical function: item improvement is neglected but essential. Arthritis Research and Therapy, 2009, 11, R191.	1.6	90
33	Improvements in short-form measures of health status: Introduction to a series. Journal of Clinical Epidemiology, 2008, 61, 1-5.	2.4	63
34	Longitudinal Analysis of Sexual Function Reported by Men in the Prostate Cancer Prevention Trial. Journal of the National Cancer Institute, 2007, 99, 1025-1035.	3.0	80
35	Development and Initial Psychometric Evaluation of the Participation Measure for Post-Acute Care (PM-PAC). American Journal of Physical Medicine and Rehabilitation, 2007, 86, 57-71.	0.7	86
36	Health-Related Quality of Life of Heart Failure and Coronary Artery Disease Patients Improved During Participation in Disease Management Programs: A Longitudinal Observational Study. Disease Management: DM, 2007, 10, 164-178.	1.0	14

#	Article	IF	CITATIONS
37	Burden of restless legs syndrome on health-related quality of life. Quality of Life Research, 2007, 16, 617-24.	1.5	121
38	Item Response Theory Methods can Improve the Measurement of Physical Function by Combining the Modified Health Assessment Questionnaire and the SF-36 Physical Function Scale. Quality of Life Research, 2007, 16, 647-60.	1.5	39
39	An evaluation of a patient-reported outcomes found computerized adaptive testing was efficient in assessing osteoarthritis impact. Journal of Clinical Epidemiology, 2006, 59, 715-723.	2.4	35
40	Treatment of rheumatoid arthritis patients with abatacept and methotrexate significantly improved health-related quality of life. Journal of Rheumatology, 2006, 33, 681-9.	1.0	47
41	ltem response theory and computerized adaptive testing: Implications for outcomes measurement in rehabilitation. Rehabilitation Psychology, 2005, 50, 71-78.	0.7	56
42	Health-related quality of life associated with chronic conditions in eight countries: Results from the International Quality of Life Assessment (IQOLA) Project. Quality of Life Research, 2004, 13, 283-298.	1.5	623
43	Improving the Response Choices on the Veterans SF-36 Health Survey Role Functioning Scales. Journal of Ambulatory Care Management, 2004, 27, 263-280.	0.5	186
44	Psychometric evaluation of the SF-36 health survey in Medicare managed care. Health Care Financing Review, 2004, 25, 5-25.	1.8	132
45	Impact of efalizumab on psoriasis-specific patient-reported outcomes. Results from three randomized, placebo-controlled clinical trials of moderate to severe plaque psoriasis. Journal of Drugs in Dermatology, 2004, 3, 27-38.	0.4	57
46	The potential synergy between cognitive models and modern psychometric models. Quality of Life Research, 2003, 12, 261-274.	1.5	18
47	Applications of computerized adaptive testing (CAT) to the assessment of headache impact. Quality of Life Research, 2003, 12, 935-952.	1.5	150
48	Using item response theory to calibrate the Headache Impact Test (HIT) to the metric of traditional headache scales. Quality of Life Research, 2003, 12, 981-1002.	1.5	78
49	Calibration of an item pool for assessing the burden of headaches: an application of item response theory to the headache impact test (HIT). Quality of Life Research, 2003, 12, 913-933.	1.5	176
50	Usefulness of the SF-8 Health Survey for comparing the impact of migraine and other conditions. Quality of Life Research, 2003, 12, 1003-1012.	1.5	300
51	Conceptualization and measurement of health-related quality of life: Comments on an evolving field. Archives of Physical Medicine and Rehabilitation, 2003, 84, S43-S51.	0.5	199
52	Effect of Cilostazol on Treadmill Walking, Community-Based Walking Ability, and Health-Related Quality of Life in Patients with Intermittent Claudication Due to Peripheral Arterial Disease: Meta-Analysis of Six Randomized Controlled Trials. Journal of the American Geriatrics Society, 2002, 50, 1939-1946.	1.3	232
53	Health-related quality of life in early rheumatoid arthritis: impact of disease and treatment response. American Journal of Managed Care, 2002, 8, 231-40.	0.8	101
54	Sleep problems, health-related quality of life, work functioning and health care utilization among the chronically ill. Quality of Life Research, 2001, 10, 331-345.	1.5	160

#	Article	IF	CITATIONS
55	Interpreting SF-36 summary health measures: a response. , 2001, 10, 405-413.		476
56	Impact of Changes in Asthma Severity on Health-Related Quality of Life in Pediatric and Adult Asthma Patients: Results from The Asthma Outcomes Monitoring System. Allergy and Asthma Proceedings, 2000, 21, 151-158.	1.0	20
57	Editorial: Using Generic Measures of Functional Health and Well-Being to Increase Understanding of Disease Burden. Spine, 2000, 25, 1467.	1.0	21
58	SF-36 Health Survey Update. Spine, 2000, 25, 3130-3139.	1.0	3,125
59	A new tool for monitoring asthma outcomes: the ITG Asthma Short Form. Quality of Life Research, 2000, 9, 451-466.	1.5	30
60	Profile of Men Randomized to the Prostate Cancer Prevention Trial: Baseline Health-Related Quality of Life, Urinary and Sexual Functioning, and Health Behaviors. Journal of Clinical Oncology, 2000, 18, 1942-1953.	0.8	58
61	Health-related quality of life in chronic hepatitis C: Impact of disease and treatment response. Hepatology, 1999, 30, 550-555.	3.6	293
62	Overview of the SF-36 Health Survey and the International Quality of Life Assessment (IQOLA) Project. Journal of Clinical Epidemiology, 1998, 51, 903-912.	2.4	2,094
63	Translating Health Status Questionnaires and Evaluating Their Quality. Journal of Clinical Epidemiology, 1998, 51, 913-923.	2.4	761
64	Cross-Cultural Comparisons of the Content of SF-36 Translations across 10 Countries. Journal of Clinical Epidemiology, 1998, 51, 925-932.	2.4	250
65	Testing the Equivalence of Translations of Widely Used Response Choice Labels. Journal of Clinical Epidemiology, 1998, 51, 933-944.	2.4	90
66	Methods for Testing Data Quality, Scaling Assumptions, and Reliability. Journal of Clinical Epidemiology, 1998, 51, 945-952.	2.4	518
67	Methods for Validating and Norming Translations of Health Status Questionnaires. Journal of Clinical Epidemiology, 1998, 51, 953-959.	2.4	263
68	Psychometric and Clinical Tests of Validity of the Japanese SF-36 Health Survey. Journal of Clinical Epidemiology, 1998, 51, 1045-1053.	2.4	813
69	Tests of Data Quality, Scaling Assumptions, and Reliability of the SF-36 in Eleven Countries. Journal of Clinical Epidemiology, 1998, 51, 1149-1158.	2.4	359
70	The Factor Structure of the SF-36 Health Survey in 10 Countries. Journal of Clinical Epidemiology, 1998, 51, 1159-1165.	2.4	574
71	The Equivalence of SF-36 Summary Health Scores Estimated Using Standard and Country-Specific Algorithms in 10 Countries. Journal of Clinical Epidemiology, 1998, 51, 1167-1170.	2.4	513
72	Cross-Validation of Item Selection and Scoring for the SF-12 Health Survey in Nine Countries. Journal of Clinical Epidemiology, 1998, 51, 1171-1178.	2.4	2,428

#	Article	IF	CITATIONS
73	Use of Structural Equation Modeling to Test the Construct Validity of the SF-36 Health Survey in Ten Countries. Journal of Clinical Epidemiology, 1998, 51, 1179-1188.	2.4	210
74	Differential Item Functioning in the Danish Translation of the SF-36. Journal of Clinical Epidemiology, 1998, 51, 1189-1202.	2.4	173
75	Comparison of Rasch and Summated Rating Scales Constructed from SF-36 Physical Functioning Items in Seven Countries. Journal of Clinical Epidemiology, 1998, 51, 1203-1214.	2.4	143
76	Health-related quality of life among patients with metastatic prostate cancer. Urology, 1997, 49, 207-217.	0.5	136
77	Evaluation of the MOS SF-36 physical functioning scale (PF-40): II. Comparison of relative precision using Likert and Rasch scoring methods. Journal of Clinical Epidemiology, 1997, 50, 451-461.	2.4	177
78	Asian-American patient ratings of physician primary care performance. Journal of General Internal Medicine, 1997, 12, 237-42.	1.3	47
79	Health status in patients with chronic fatigue syndrome and in general population and disease comparison groups. American Journal of Medicine, 1996, 101, 281-290.	0.6	243
80	Usefulness of the SF-36 Health Survey in Measuring Health Outcomes in the Depressed Elderly. Journal of Geriatric Psychiatry and Neurology, 1996, 9, 13-21.	1.2	112
81	A 12-Item Short-Form Health Survey. Medical Care, 1996, 34, 220-233.	1.1	14,204
82	Evaluating Translations of Health Status Questionnaires: <i>Methods From the IQOLA Project</i> . International Journal of Technology Assessment in Health Care, 1995, 11, 525-551.	0.2	305
83	The Status of Health Assessment 1994. Annual Review of Public Health, 1995, 16, 327-354.	7.6	333
84	Measuring the Functional Status and Well-Being of Patients with Migraine Headache. Headache, 1994, 34, 337-343.	1.8	291
85	Evaluation of the mos SF-36 physical functioning scale (PF-10): I. Unidimensionality and reproducibility of the Rasch Item scale. Journal of Clinical Epidemiology, 1994, 47, 671-684.	2.4	255
86	Strategies for Improving and Expanding the Application of Health Status Measures in Clinical Settings. Medical Care, 1992, 30, MS210-MS218.	1.1	1
87	Comments on the Use of Health Status Assessment in Clinical Settings. Medical Care, 1992, 30, MS205-MS209.	1.1	9
88	The MOS 36-Item Short-Form Health Survey (SF-36). Medical Care, 1992, 30, 473-483.	1.1	29,313
89	Effects of cost sharing in health insurance on disability days. Health Policy, 1991, 18, 131-139.	1.4	6
90	Conceptualizing and measuring generic health outcomes. Cancer, 1991, 67, 774-779.	2.0	70

#	Article	IF	CITATIONS
91	Quality of life research in oncology. Past achievements and future priorities. Cancer, 1991, 67, 839-843.	2.0	180
92	4. The Patient Judgments of Hospital Quality (PJHQ) Questionnaire. Medical Care, 1990, 28, S17-S18.	1.1	62
93	6. The PJHQ Questionnaire Exploratory Factor Analysis and Empirical Scale Construction. Medical Care, 1990, 28, S22-S29.	1.1	57
94	3. Pilot Study Methods Design of Study. Medical Care, 1990, 28, S15-S17.	1.1	6
95	7. Further Evaluations of the PJHQ Scales. Medical Care, 1990, 28, S29-S39.	1.1	36
96	Development of a multidimensional scale of anxiety. Journal of Anxiety Disorders, 1990, 4, 99-115.	1.5	32
97	Finale Panel: Comments on the Conference on Advances in Health Status Assessment. Medical Care, 1989, 27, S282-S294.	1.1	11
98	Patients' participation in medical care. Journal of General Internal Medicine, 1988, 3, 448-457.	1.3	1,058
99	Methods For Measuring Patient Satisfaction With Specific Medical Encounters. Medical Care, 1988, 26, 393-402.	1.1	500
100	The MOS Short-form General Health Survey. Medical Care, 1988, 26, 724-735.	1.1	3,192
101	The Findings of the Rand Health Insurance Experiment??? A Response to Welch et al. Medical Care, 1987, 25, 157-179.	1.1	24
102	Standards for validating health measures: Definition and content. Journal of Chronic Diseases, 1987, 40, 473-480.	1.3	526
103	Advances in health assessment: Organization of the conference and of this monograph. Journal of Chronic Diseases, 1987, 40, 1S-5S.	1.3	16
104	Evaluating health measures. Commentary: Measuring overall health: An evaluation of three important approaches. Journal of Chronic Diseases, 1987, 40, 23S-26S.	1.3	13
105	Use of Outpatient Mental Health Services by a General Population With Health Insurance Coverage. Psychiatric Services, 1986, 37, 1119-1125.	1.1	9
106	A model for predicting the counseling practices of physicians. Journal of General Internal Medicine, 1986, 1, 14-19.	1.3	91
107	The Effect of Systematically Varying Components of Nursing Care on Satisfaction in Elderly Ambulatory Women. Western Journal of Nursing Research, 1984, 6, 367-386.	0.6	18
108	Conceptualizing Disease Impact and Treatment Outcomes. Cancer, 1984, 53, 2316-2323.	2.0	199

#	Article	IF	CITATIONS
109	Health status and the use of outpatient mental health services American Psychologist, 1984, 39, 1090-1100.	3.8	197
110	Defining and measuring patient satisfaction with medical care. Evaluation and Program Planning, 1983, 6, 247-263.	0.9	1,021
111	Behavioral consequences of consumer dissatisfaction with medical care. Evaluation and Program Planning, 1983, 6, 291-297.	0.9	338
112	Does Free Care Improve Adults' Health?. New England Journal of Medicine, 1983, 309, 1426-1434.	13.9	635
113	Controlling for Acquiescence Response Set in scale development Journal of Applied Psychology, 1982, 67, 555-561.	4.2	155
114	Effects of expressiveness, content coverage, and incentive on multidimensional student rating scales: New interpretations of the Dr. Fox effect Journal of Educational Psychology, 1982, 74, 126-134.	2.1	71
115	Psychosocial problems in chronically ill children. Journal of Community Health, 1982, 7, 250-261.	1.9	28
116	How to Survey Patient Satisfaction. Drug Intelligence & Clinical Pharmacy, 1981, 15, 892-899.	0.4	46
117	Channeling Health: A Review of the Evaluation of Televised Health Campaigns. Health Education Quarterly, 1980, 7, 56-89.	1.5	47
118	An Extended Visit with Dr. Fox: Validity of Student Satisfaction with Instruction Ratings after Repeated Exposures To A Lecturer. American Educational Research Journal, 1977, 14, 449-457.	1.6	54
119	Discriminant Analysis of Student Ratings as a Means for Identifying Lecturers who Differ in Enthusiasm or Information-Giving. Educational and Psychological Measurement, 1977, 37, 627-639.	1.2	29
120	Validity of student ratings of instruction under different incentive conditions: A further study of the Dr. Fox effect Journal of Educational Psychology, 1976, 68, 48-56.	2.1	61
121	A Behavioral and Clinical Evaluation of Two Psychotropic Agents: Doxepin - Hydrochloride & Perphenazine - Amitriptyline Hydrochloride. Psychosomatics, 1972, 13, 125-130.	2.5	5