

# Estanislao Navarro

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2811810/publications.pdf>

Version: 2024-02-01

25  
papers

615  
citations

759233

12  
h-index

580821

25  
g-index

26  
all docs

26  
docs citations

26  
times ranked

1166  
citing authors

#	ARTICLE	IF	CITATIONS
1	MiR-125b downregulates macrophage scavenger receptor type B1 and reverse cholesterol transport. <i>Biomedicine and Pharmacotherapy</i> , 2022, 146, 112596.	5.6	4
2	In vivo CD40 Silencing by siRNA Infusion in Rodents and Evaluation by Kidney Immunostaining. <i>Bio-protocol</i> , 2021, 11, e4032.	0.4	1
3	ncRNAs in Therapeutics: Challenges and Limitations in Nucleic Acid-Based Drug Delivery. <i>International Journal of Molecular Sciences</i> , 2021, 22, 11596.	4.1	20
4	Dynamic Variations of 3'UTR Length Reprogram the mRNA Regulatory Landscape. <i>Biomedicines</i> , 2021, 9, 1560.	3.2	21
5	Chronic Kidney Disease-Associated Inflammation Increases the Risks of Acute Kidney Injury and Mortality after Cardiac Surgery. <i>International Journal of Molecular Sciences</i> , 2020, 21, 9689.	4.1	10
6	Integrated miRNA/mRNA Counter-Expression Analysis Highlights Oxidative Stress-Related Genes CCR7 and FOXO1 as Blood Markers of Coronary Arterial Disease. <i>International Journal of Molecular Sciences</i> , 2020, 21, 1943.	4.1	13
7	Unveiling ncRNA regulatory axes in atherosclerosis progression. <i>Clinical and Translational Medicine</i> , 2020, 9, 5.	4.0	24
8	An Exonic Switch Regulates Differential Accession of microRNAs to the Cd34 Transcript in Atherosclerosis Progression. <i>Genes</i> , 2019, 10, 70.	2.4	6
9	The double edge of anti-CD40 siRNA therapy: It increases renal microcapillar density but favours the generation of an inflammatory milieu in the kidneys of ApoE <sup>-/-</sup> mice. <i>Journal of Inflammation</i> , 2019, 16, 25.	3.4	8
10	Progress in the Development and Challenges for the Use of Artificial Kidneys and Wearable Dialysis Devices. <i>Kidney Diseases (Basel, Switzerland)</i> , 2019, 5, 3-10.	2.5	25
11	ALUminating the Path of Atherosclerosis Progression: Chaos Theory Suggests a Role for Alu Repeats in the Development of Atherosclerotic Vascular Disease. <i>International Journal of Molecular Sciences</i> , 2018, 19, 1734.	4.1	19
12	Prenatal nutrition and the risk of adult obesity: Long-term effects of nutrition on epigenetic mechanisms regulating gene expression. <i>Journal of Nutritional Biochemistry</i> , 2017, 39, 1-14.	4.2	54
13	Datasets for the validation of the "in vivo" siRNA-silencing of CD40 and for the detection of new markers of atherosclerosis progression in ApoE-deficient mice. <i>Data in Brief</i> , 2016, 9, 1105-1112.	1.0	4
14	Silencing of CD40 in vivo reduces progression of experimental atherogenesis through an NF- $\kappa$ B/miR-125b axis and reveals new potential mediators in the pathogenesis of atherosclerosis. <i>Atherosclerosis</i> , 2016, 255, 80-89.	0.8	41
15	Mechanisms regulating cell membrane localization of the chemokine receptor CXCR4 in human hepatocarcinoma cells. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2015, 1853, 1205-1218.	4.1	18
16	Chronic Kidney Disease is associated with an increase of Intimal Dendritic cells in a comparative autopsy study. <i>Journal of Inflammation</i> , 2015, 12, 26.	3.4	10
17	The NADPH oxidase NOX4 inhibits hepatocyte proliferation and liver cancer progression. <i>Free Radical Biology and Medicine</i> , 2014, 69, 338-347.	2.9	78
18	Overactivation of the TGF- $\beta$ 2 pathway confers a mesenchymal-like phenotype and CXCR4-dependent migratory properties to liver tumor cells. <i>Hepatology</i> , 2013, 58, 2032-2044.	7.3	113

#	ARTICLE	IF	CITATIONS
19	Intragraft Expression of the IL-10 Gene Is Up-Regulated in Renal Protocol Biopsies with Early Interstitial Fibrosis, Tubular Atrophy, and Subclinical Rejection. <i>American Journal of Pathology</i> , 2010, 176, 1696-1704.	3.8	20
20	Role of CXCR4/SDF-1 $\beta$ in the migratory phenotype of hepatoma cells that have undergone epithelial $\rightarrow$ mesenchymal transition in response to the transforming growth factor- $\beta$ 2. <i>Cellular Signalling</i> , 2009, 21, 1595-1606.	3.6	68
21	Relationship Between Subclinical Rejection and Genotype, Renal Messenger RNA, and Plasma Protein Transforming Growth Factor- $\beta$ 1 Levels. <i>Transplantation</i> , 2006, 81, 1463-1466.	1.0	13
22	Angiotensin Converting Enzyme Genotype and Chronic Allograft Nephropathy in Protocol Biopsies. <i>Journal of the American Society of Nephrology: JASN</i> , 2004, 15, 2229-2236.	6.1	11
23	Dietary Habits and Fluid Intake of a Group of Elite Spanish Basketball Players: A Need for Professional Advice?. <i>European Journal of Sport Science</i> , 2004, 4, 1-15.	2.7	13
24	Splicing alterations in human renal allografts: detection of a new splice variant of protein kinase Par1/Emk1 whose expression is associated with an increase of inflammation in protocol biopsies of transplanted patients. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2004, 1689, 58-65.	3.8	8
25	Expressed sequence tag (EST) phenotyping of HT-29 cells: cloning of ser/thr protein kinase EMK1, kinesin KIF3B, and of transcripts that include Alu repeated elements. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 1999, 1450, 254-264.	4.1	10