Shin-Lian Doong

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2843400/publications.pdf

Version: 2024-02-01

623188 676716 22 893 14 22 citations g-index h-index papers 22 22 22 945 docs citations times ranked citing authors all docs

#	Article	IF	Citations
1	Autocleavage of the paracaspase MALT1 at Arg-781 attenuates NF- \hat{l}° B signaling and regulates the growth of activated B-cell like diffuse large B-cell lymphoma cells. PLoS ONE, 2018, 13, e0199779.	1.1	2
2	Maintenance of Epstein-Barr Virus Latent Status by a Novel Mechanism, Latent Membrane Protein 1-Induced Interleukin-32, via the Protein Kinase Cl´ Pathway. Journal of Virology, 2015, 89, 5968-5980.	1.5	19
3	Glycogen synthase kinase 3 negatively regulates IFN regulatory factor 3 transactivation through phosphorylation at its linker region. Innate Immunity, 2014, 20, 78-87.	1.1	16
4	Epstein-Barr Virus BGLF4 Kinase Downregulates NF-κB Transactivation through Phosphorylation of Coactivator UXT. Journal of Virology, 2012, 86, 12176-12186.	1.5	37
5	BCL10GFP fusion protein as a substrate for analysis of determinants required for Mucosa-Associated Lymphoid Tissue 1 (MALT1)-mediated cleavage. Journal of Biomedical Science, 2012, 19, 85.	2.6	2
6	Involvement of Recepteur d'Origine Nantais Receptor Tyrosine Kinase in Epstein-Barr Virus-Associated Nasopharyngeal Carcinoma and Its Metastasis. American Journal of Pathology, 2012, 181, 1773-1781.	1.9	12
7	Characterization of Epstein-Barr virus BGLF4 kinase expression control at the transcriptional and translational levels. Journal of General Virology, 2010, 91, 2186-2196.	1.3	7
8	Epstein-Barr Virus BGLF4 Kinase Suppresses the Interferon Regulatory Factor 3 Signaling Pathway. Journal of Virology, 2009, 83, 1856-1869.	1.5	130
9	Nuclear expression of BCL10 or nuclear factor kappa B helps predict Helicobacter pylori-independent status of low-grade gastric mucosa-associated lymphoid tissue lymphomas with or without t(11;18)(q21;q21). Blood, 2005, 106, 1037-1041.	0.6	74
10	Differential expression of osteoblast-specific factor 2 and polymeric immunoglobulin receptor genes in nasopharyngeal carcinoma. Head and Neck, 2005, 27, 873-882.	0.9	24
11	Expression of CD86 and increased infiltration of NK cells are associated withHelicobacter pylori-dependent state of early stage high-grade gastric MALT lymphoma. World Journal of Gastroenterology, 2005, 11, 4357.	1.4	17
12	Inhibition of the Epstein–Barr virus lytic cycle by Zta-targeted RNA interference. Journal of General Virology, 2004, 85, 1371-1379.	1.3	43
13	Nuclear Expression of BCL10 or Nuclear Factor Kappa B Predicts Helicobacter pylori–Independent Status of Early-Stage, High-Grade Gastric Mucosa-Associated Lymphoid Tissue Lymphomas. Journal of Clinical Oncology, 2004, 22, 3491-3497.	0.8	59
14	Hepatitis B Virus X Protein Activates a Survival Signaling by Linking Src to Phosphatidylinositol 3-Kinase. Journal of Biological Chemistry, 2003, 278, 31807-31813.	1.6	53
15	Thyroid hormone receptor $\hat{l}\pm 1$ (c-erb A $\hat{l}\pm 1$) suppressed transforming phenotype of nasopharyngeal carcinoma cell line. Cancer Letters, 2002, 184, 149-156.	3.2	5
16	Coumarins and Antiplatelet Constituents from the Root Bark of Zanthoxylum schinifolium. Planta Medica, 2000, 66, 618-623.	0.7	81
17	Hepatitis B Virus X Protein Inhibits Transforming Growth Factor- \hat{l}^2 -induced Apoptosis through the Activation of Phosphatidylinositol 3-Kinase Pathway. Journal of Biological Chemistry, 2000, 275, 25858-25864.	1.6	176
18	Transactivation of the human MDR1 gene by hepatitis B virus X gene product. Journal of Hepatology, 1998, 29, 872-878.	1.8	12

#	Article	IF	CITATION
19	Tax of the Human T-Lymphotropic Virus Type I Transactivates Promoter of the MDR-1 Gene. Biochemical and Biophysical Research Communications, 1997, 238, 482-486.	1.0	7
20	Coumarins and anti-HBV constituents from Zanthoxylum schinifolium. Phytochemistry, 1997, 45, 1419-1422.	1.4	74
21	Characterization of conditions for the activation of endogenous guinea pig retrovirus in cultured cells by 5-bromo-2′-deoxyuridine. Virus Genes, 1995, 9, 201-209.	0.7	4
22	Effect of anti-HIV 2′-β-fluoro-2′,3′-dideoxynucleoside analogs on the cellular content of mitochondrial DNA and on lactate production. Biochemical Pharmacology, 1994, 48, 1477-1481.	2.0	39