

Takahiro Higashibata

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2885497/publications.pdf>

Version: 2024-02-01

9
papers

54
citations

2258059

3
h-index

1720034

7
g-index

9
all docs

9
docs citations

9
times ranked

68
citing authors

#	ARTICLE	IF	CITATIONS
1	Effects of enteral nutrition and parenteral nutrition on survival in patients with advanced cancer cachexia: Analysis of a multicenter prospective cohort study. <i>Clinical Nutrition</i> , 2021, 40, 1168-1175.	5.0	33
2	Usefulness of painDETECT and S-LANSS in identifying the neuropathic component of mixed pain among patients with tumor-related cancer pain. <i>Supportive Care in Cancer</i> , 2020, 28, 279-285.	2.2	7
3	Effects of self-reported calorie restriction on correlations between SIRT1 polymorphisms and body mass index and long-term weight change. <i>Gene</i> , 2016, 594, 16-22.	2.2	4
4	Associations of smoking status with other lifestyle behaviors are modified by sex and occupational category among urban civil servants in Japan. <i>Environmental Health and Preventive Medicine</i> , 2016, 21, 539-546.	3.4	3
5	Differences among institutions in the prevalence of and indications for urinary catheterization of advanced cancer patients at palliative care units: A multicenter prospective cohort study (EASED). <i>Palliative Medicine</i> , 2021, 35, 799-805.	3.1	3
6	Does Urinary Catheterization Affect the Quality of Death in Patients with Advanced Cancer? A Secondary Analysis of a Multicenter Prospective Cohort Study. <i>Journal of Palliative Medicine</i> , 2022, 25, 205-212.	1.1	2
7	Barriers to inpatient palliative care consultation among patients with newly diagnosed cancer after emergency admission. <i>Annals of Palliative Medicine</i> , 2020, 9, 1571-1576.	1.2	1
8	Tapentadol Safety and Patient Characteristics Associated with Treatment Discontinuation in Cancer Therapy: A Retrospective Multicentre Study in Japan. <i>Pain and Therapy</i> , 2021, 10, 1635-1648.	3.2	1
9	Association of a home-based nursing service during chemotherapy with the transfer to home care immediately after the last chemotherapy treatment in patients with advanced cancer. <i>Japanese Journal of Clinical Oncology</i> , 0, , .	1.3	0