List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2909524/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Do suicide rates in children and adolescents change during school closure in Japan? The acute effect of the first wave of COVID-19 pandemic on child and adolescent mental health. Child Abuse and Neglect, 2020, 110, 104680.	1.3	151
2	Do educational materials change knowledge and behaviour about crying and shaken baby syndrome? A randomized controlled trial. Cmaj, 2009, 180, 727-733.	0.9	134
3	Does Social Capital Promote Physical Activity? A Population-Based Study in Japan. PLoS ONE, 2010, 5, e12135.	1.1	90
4	Do bonding and bridging social capital have differential effects on self-rated health? A community based study in Japan. Journal of Epidemiology and Community Health, 2012, 66, 557-562.	2.0	87
5	Pre-pregnancy BMI-specific optimal gestational weight gain for women in Japan. Journal of Epidemiology, 2017, 27, 492-498.	1.1	79
6	Association Between Adverse Childhood Experiences and Dementia in Older Japanese Adults. JAMA Network Open, 2020, 3, e1920740.	2.8	73
7	Childhood Socioeconomic Status and Onset of Depression among Japanese Older Adults: The JAGES Prospective Cohort Study. American Journal of Geriatric Psychiatry, 2016, 24, 717-726.	0.6	72
8	Infant Distress at Five Weeks of Age and Caregiver Frustration. Journal of Pediatrics, 2011, 159, 425-430.e2.	0.9	65
9	Income Inequality, Parental Socioeconomic Status, and Birth Outcomes in Japan. American Journal of Epidemiology, 2013, 177, 1042-1052.	1.6	57
10	Eight-year outcome of implementation of abusive head trauma prevention. Child Abuse and Neglect, 2018, 84, 106-114.	1.3	55
11	Effectiveness of educational materials designed to change knowledge and behavior about crying and shaken baby syndrome: A replication of a randomized controlled trial in Japan. Child Abuse and Neglect, 2012, 36, 613-620.	1.3	54
12	Association of childhood adversities with the first onset of mental disorders in Japan: Results from the World Mental Health Japan, 2002–2004. Journal of Psychiatric Research, 2011, 45, 481-487.	1.5	52
13	The Prevalence of COVID-19 Vaccination and Vaccine Hesitancy in Pregnant Women: An Internet-based Cross-sectional Study in Japan. Journal of Epidemiology, 2022, 32, 188-194.	1.1	47
14	Paternal involvement in childcare and unintentional injury of young children: a population-based cohort study in Japan. International Journal of Epidemiology, 2010, 39, 588-597.	0.9	46
15	Characteristics That Distinguish Abusive From Nonabusive Head Trauma Among Young Children Who Underwent Head Computed Tomography in Japan. Pediatrics, 2008, 122, e841-e847.	1.0	44
16	Multi-level, cross-sectional study of workplace social capital and smoking among Japanese employees. BMC Public Health, 2010, 10, 489.	1.2	43
17	Neighborhood social capital and infant physical abuse: a population-based study in Japan. International Journal of Mental Health Systems, 2016, 10, 13.	1.1	43
18	Clinically Significant Behavior Problems among Young Children 2 Years after the Great East Japan Earthquake. PLoS ONE, 2014, 9, e109342.	1.1	43

#	Article	IF	CITATIONS
19	Associations of Childhood Socioeconomic Status and Adulthood Height With Functional Limitations Among Japanese Older People: Results From the JAGES 2010 Project. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2014, 69, 852-859.	1.7	42
20	Experience of childhood abuse and later number of remaining teeth in older Japanese: a life ourse study from Japan Gerontological Evaluation Study project. Community Dentistry and Oral Epidemiology, 2016, 44, 531-539.	0.9	40
21	Intimate Partner Violence during Pregnancy and Postpartum Depression in Japan: A Cross-sectional Study. Frontiers in Public Health, 2017, 5, 81.	1.3	39
22	Adverse Childhood Experiences and Higher-Level Functional Limitations Among Older Japanese People: Results From the JAGES Study. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2018, 73, 261-266.	1.7	39
23	Neighborhood Food Environment and Dementia Incidence: the Japan Gerontological Evaluation Study Cohort Survey. American Journal of Preventive Medicine, 2019, 56, 383-392.	1.6	39
24	Self-Reported Prevalence and Risk Factors for Shaking and Smothering Among Mothers of 4-Month-Old Infants in Japan. Journal of Epidemiology, 2016, 26, 4-13.	1.1	37
25	Using International Classification of Diseases, 10th Edition, Codes to Estimate Abusive Head Trauma in Children. American Journal of Preventive Medicine, 2012, 43, 215-220.	1.6	36
26	Is a hilly neighborhood environment associated with diabetes mellitus among older people? Results from the JAGES 2010 study. Social Science and Medicine, 2017, 182, 45-51.	1.8	36
27	Association of sleep habits with behavior problems and resilience of 6-Âto 7-year-old children: results from the A-CHILD study. Sleep Medicine, 2018, 45, 62-68.	0.8	36
28	Cooking skills related to potential benefits for dietary behaviors and weight status among older Japanese men and women: a cross-sectional study from the JAGES. International Journal of Behavioral Nutrition and Physical Activity, 2020, 17, 82.	2.0	36
29	Childhood socioeconomic disadvantage is associated with lower mortality in older Japanese men: the JAGES cohort study. International Journal of Epidemiology, 2016, 45, 1226-1235.	0.9	35
30	Association between adverse childhood experiences and adult diseases in older adults: a comparative cross-sectional study in Japan and Finland. BMJ Open, 2019, 9, e024609.	0.8	33
31	Spanking and subsequent behavioral problems in toddlers: A propensity score-matched, prospective study in Japan. Child Abuse and Neglect, 2017, 69, 62-71.	1.3	32
32	Adachi Child Health Impact of Living Difficulty (A-CHILD) Study: Research Protocol and Profiles of Participants. Journal of Epidemiology, 2021, 31, 77-89.	1.1	32
33	Interplay between social isolation and loneliness and chronic systemic inflammation during the COVID-19 pandemic in Japan: Results from U-CORONA study. Brain, Behavior, and Immunity, 2021, 94, 51-59.	2.0	32
34	Neighborhood food environment and mortality among older Japanese adults: results from the JAGES cohort study. International Journal of Behavioral Nutrition and Physical Activity, 2018, 15, 101.	2.0	31
35	Association between maternal adverse childhood experiences and mental health problems in offspring: An intergenerational study. Development and Psychopathology, 2021, 33, 1041-1058.	1.4	30
36	Do home-visit programs for mothers with infants reduce parenting stress and increase social capital in Japan?. Journal of Epidemiology and Community Health, 2012, 66, 1167-1176.	2.0	29

#	Article	IF	CITATIONS
37	One year into COVID-19: What have we learned about child maltreatment reports and child protective service responses?. Child Abuse and Neglect, 2022, 130, 105473.	1.3	29
38	Associations between Malocclusion and Oral Health-Related Quality of Life among Mongolian Adolescents. International Journal of Environmental Research and Public Health, 2017, 14, 902.	1.2	28
39	Workaholism, Work Engagement and Child Well-Being: A Test of the Spillover-Crossover Model. International Journal of Environmental Research and Public Health, 2020, 17, 6213.	1.2	26
40	Association Between Maternal Postpartum Depression and Unintentional Injury Among 4-Month-Old Infants in Japan. Maternal and Child Health Journal, 2016, 20, 326-336.	0.7	25
41	Validation of a food frequency questionnaire for Japanese pregnant women with and without nausea and vomiting in early pregnancy. Journal of Epidemiology, 2017, 27, 201-208.	1.1	25
42	Pathway of the Association Between Child Poverty and Low Self-Esteem: Results From a Population-Based Study of Adolescents in Japan. Frontiers in Psychology, 2019, 10, 937.	1.1	25
43	Perioperative complications of anterior decompression with fusion versus laminoplasty for the treatment of cervical ossification of the posterior longitudinal ligament: propensity score matching analysis using a nation-wide inpatient database. Spine Journal, 2019, 19, 610-616.	0.6	24
44	Association between Lack of Social Support from Partner or Others and Postpartum Depression among Japanese Mothers: A Population-Based Cross-Sectional Study. International Journal of Environmental Research and Public Health, 2020, 17, 4270.	1.2	24
45	Do income inequality and social capital associate with measles-containing vaccine coverage rate?. Vaccine, 2012, 30, 7481-7488.	1.7	23
46	Association of adverse childhood experiences with shaking and smothering behaviors among Japanese caregivers. Child Abuse and Neglect, 2016, 57, 12-20.	1.3	23
47	Genetic and peripheral markers of the oxytocin system and parental care jointly support the cross-generational transmission of bonding across three generations. Psychoneuroendocrinology, 2019, 102, 172-181.	1.3	23
48	Associations of Sedentary and Physically-Active Behaviors With Cognitive-Function Decline in Community-Dwelling Older Adults: Compositional Data Analysis From the NEIGE Study. Journal of Epidemiology, 2020, 30, 503-508.	1.1	23
49	Poor parenting behaviours and dental caries experience in 6―To 7â€yearâ€old children. Community Dentistry and Oral Epidemiology, 2020, 48, 493-500.	0.9	23
50	lkigai and subsequent health and wellbeing among Japanese older adults: Longitudinal outcome-wide analysis. The Lancet Regional Health - Western Pacific, 2022, 21, 100391.	1.3	23
51	Prevalence of Self-Reported Shaking and Smothering and Their Associations with Co-Sleeping among 4-Month-Old Infants in Japan. International Journal of Environmental Research and Public Health, 2014, 11, 6485-6493.	1.2	22
52	Socioeconomic Status and the Risk of Suspected Autism Spectrum Disorders Among 18-Month-Old Toddlers in Japan: A Population-Based Study. Journal of Autism and Developmental Disorders, 2014, 44, 1323-1331.	1.7	22
53	Suicide risk among young children after the Great East Japan Earthquake: A follow-up study. Psychiatry Research, 2017, 253, 318-324.	1.7	22
54	Community-level social capital, parental psychological distress, and child physical abuse: a multilevel mediation analysis. Social Psychiatry and Psychiatric Epidemiology, 2018, 53, 1221-1229.	1.6	22

#	Article	IF	CITATIONS
55	Incidence and Age Distribution of Hospitalized Presumptive and Possible Abusive Head Trauma of Children Under 12 Months Old in Japan. Journal of Epidemiology, 2020, 30, 91-97.	1.1	21
56	Comparison of Perioperative Complications in Anterior Decompression With Fusion and Posterior Decompression With Fusion for Cervical Ossification of the Posterior Longitudinal Ligament. Spine, 2020, 45, E1006-E1012.	1.0	21
57	Association between maternal intimate partner violence victimization during pregnancy and maternal abusive behavior towards infants at 4 months of age in Japan. Child Abuse and Neglect, 2016, 55, 32-39.	1.3	20
58	Association between women's perceived ideal gestational weight gain during pregnancy and pregnancy outcomes. Scientific Reports, 2018, 8, 11574.	1.6	20
59	Relationship between medial meniscus extrusion and cartilage measurements in the knee by fully automatic three-dimensional MRI analysis. BMC Musculoskeletal Disorders, 2020, 21, 742.	0.8	20
60	Association of Birth Order With Mental Health Problems, Self-Esteem, Resilience, and Happiness Among Children: Results From A-CHILD Study. Frontiers in Psychiatry, 2021, 12, 638088.	1.3	20
61	Phenotypic characteristics of pediatric inflammatory bowel disease in Japan: results from a multicenter registry. Intestinal Research, 2020, 18, 412-420.	1.0	20
62	Does social capital reduce child behavior problems? Results from the Great East Japan Earthquake follow-up for Children Study. Social Psychiatry and Psychiatric Epidemiology, 2016, 51, 1117-1123.	1.6	19
63	Mediating effects of parental psychological distress and individual-level social capital on the association between child poverty and maltreatment in Japan. Child Abuse and Neglect, 2018, 83, 142-150.	1.3	19
64	Combined effect of adverse childhood experiences and young age on self-harm ideation among postpartum women in Japan. Journal of Affective Disorders, 2019, 253, 410-418.	2.0	19
65	Maternal and paternal indoor or outdoor smoking and the risk of asthma in their children: A nationwide prospective birth cohort study. Drug and Alcohol Dependence, 2015, 147, 103-108.	1.6	18
66	Association between maternal education and malocclusion in Mongolian adolescents: a cross-sectional study. BMJ Open, 2016, 6, e012283.	0.8	18
67	Association of Shorter Height with Increased Risk of Ischaemic Placental Disease. Paediatric and Perinatal Epidemiology, 2017, 31, 198-205.	0.8	18
68	Mac-2 binding protein glycosylation isomer as a novel predictive biomarker for patient survival after hepatitis C virus eradication by DAAs. Journal of Gastroenterology, 2020, 55, 990-999.	2.3	18
69	The Association between Oxytocin and Social Capital. PLoS ONE, 2012, 7, e52018.	1.1	18
70	Association between childhood socioeconomic status and fruit and vegetable intake among older Japanese: The JAGES 2010 study. Preventive Medicine, 2018, 106, 130-136.	1.6	17
71	Home Cooking and Child Obesity in Japan: Results from the A-CHILD Study. Nutrients, 2019, 11, 2859.	1.7	17
72	Neighborhood Sidewalk Environment and Incidence of Dementia in Older Japanese Adults. American Journal of Epidemiology, 2021, 190, 1270-1280.	1.6	17

#	Article	IF	CITATIONS
73	Association between malocclusion and headache among 12―to 15â€yearâ€old adolescents: a populationâ€based study. Community Dentistry and Oral Epidemiology, 2014, 42, 572-580.	0.9	16
74	Validity of a food frequency questionnaire to estimate long-chain polyunsaturated fatty acid intake among Japanese women in early and late pregnancy. Journal of Epidemiology, 2017, 27, 30-35.	1.1	16
75	Relationship Between Leaving Children at Home Alone and Their Mental Health: Results From the A-CHILD Study in Japan. Frontiers in Psychiatry, 2018, 9, 192.	1.3	16
76	Adverse Childhood Experiences and Dementia: Interactions With Social Capital in the Japan Gerontological Evaluation Study Cohort. American Journal of Preventive Medicine, 2021, 61, 225-234.	1.6	16
77	Neighborhood Characteristics and Cardiovascular Risk among Older People in Japan: Findings from the JAGES Project. PLoS ONE, 2016, 11, e0164525.	1.1	15
78	Pet Ownership and Children's Emotional Expression: Propensity Score-Matched Analysis of Longitudinal Data from Japan. International Journal of Environmental Research and Public Health, 2019, 16, 758.	1.2	15
79	Association between Childhood Maltreatment History and Premenstrual Syndrome. International Journal of Environmental Research and Public Health, 2021, 18, 781.	1.2	15
80	Association of maternal developmental disorder traits with child mistreatment: A prospective study in Japan. Child Abuse and Neglect, 2014, 38, 1283-1289.	1.3	14
81	Parental Time of Returning Home From Work and Child Mental Health Among First-Year Primary School Students in Japan: Result From A-CHILD Study. Frontiers in Pediatrics, 2018, 6, 179.	0.9	14
82	Impact of Parenting Style on Clinically Significant Behavioral Problems Among Children Aged 4–11 Years Old After Disaster: A Follow-Up Study of the Great East Japan Earthquake. Frontiers in Psychiatry, 2019, 10, 45.	1.3	14
83	Development of the Intimate Partner Violence During Pregnancy Instrument (IPVPI). Frontiers in Public Health, 2019, 7, 43.	1.3	14
84	Cohort Profile of the NEIGE Study in Tokamachi City, Japan. Journal of Epidemiology, 2020, 30, 281-287.	1.1	14
85	Associations of older adults' physical activity and bout-specific sedentary time with frailty status: Compositional analyses from the NEIGE study. Experimental Gerontology, 2021, 143, 111149.	1.2	14
86	Association between economic status and body mass index among adolescents: a community-based cross-sectional study in Japan. BMC Obesity, 2016, 3, 47.	3.1	13
87	Trajectory of social inequalities in the treatment of dental caries among preschool children in Japan. Community Dentistry and Oral Epidemiology, 2017, 45, 407-412.	0.9	12
88	Symptoms of Post-Traumatic Stress Disorder Among Young Children 2 Years After the Great East Japan Earthquake. Disaster Medicine and Public Health Preparedness, 2017, 11, 207-215.	0.7	12
89	Feasibility and psychometric properties of the UCLA PTSD reaction index for DSM-5 in japanese youth: A multi-site study. Asian Journal of Psychiatry, 2018, 33, 93-98.	0.9	12
90	Social participation and risk of influenza infection in older adults: a cross-sectional study. BMJ Open, 2018, 8, e016876.	0.8	12

#	Article	IF	CITATIONS
91	Selfâ€control and dental caries among elementary school children in Japan. Community Dentistry and Oral Epidemiology, 2018, 46, 465-471.	0.9	12
92	Association of early social environment with the onset of pediatric Kawasaki disease. Annals of Epidemiology, 2019, 29, 74-80.	0.9	12
93	Association between social capital and second dose of measles vaccination in Japan: Results from the A-CHILD study. Vaccine, 2019, 37, 877-881.	1.7	12
94	Seasonal impact on surgical site infections in hip fracture surgery: Analysis of 330,803 cases using a nationwide inpatient database. Injury, 2021, 52, 898-904.	0.7	12
95	Dietary n-3 Polyunsaturated Fatty Acids in Late Pregnancy and Postpartum Depressive Symptom among Japanese Women. Frontiers in Psychiatry, 2017, 8, 241.	1.3	11
96	Synergistic Effects of Unintended Pregnancy and Young Motherhood on Shaking and Smothering of Infants among Caregivers in Nagoya City, Japan. Frontiers in Public Health, 2017, 5, 245.	1.3	11
97	Subjective social status and trajectories of self-rated health status: a comparative analysis of Japan and the United States. Journal of Public Health, 2018, 40, 713-720.	1.0	11
98	Assessment of Additional Medical Costs Among Older Adults in Japan With a History of Childhood Maltreatment. JAMA Network Open, 2020, 3, e1918681.	2.8	11
99	Association between Hemiarthroplasty vs. Total Hip Arthroplasty and Major Surgical Complications among Patients with Femoral Neck Fracture. Journal of Clinical Medicine, 2020, 9, 3203.	1.0	11
100	Association between maternal adverse childhood experiences and child's self-rated academic performance: Results from the K-CHILD study. Child Abuse and Neglect, 2020, 104, 104478.	1.3	11
101	Objectively Measured Intensity-specific Physical Activity and Hippocampal Volume Among Community-dwelling Older Adults. Journal of Epidemiology, 2022, 32, 489-495.	1.1	11
102	Differential Effects of Multiple Dimensions of Poverty on Child Behavioral Problems: Results from the A-CHILD Study. International Journal of Environmental Research and Public Health, 2021, 18, 11821.	1.2	11
103	Prenatal Alcohol Exposure and Child Psychosocial Behavior: A Sibling Fixed-Effects Analysis. Frontiers in Psychiatry, 2018, 9, 570.	1.3	10
104	Sekentei and objectively-measured physical activity among older Japanese people: a cross-sectional analysis from the NEIGE study. BMC Public Health, 2019, 19, 1331.	1.2	10
105	Association between grandparent coresidence and weight change among firstâ€grade Japanese children. Pediatric Obesity, 2019, 14, e12524.	1.4	10
106	Oxytocin Response Following Playful Mother–Child Interaction in Survivors of the Great East Japan Earthquake. Frontiers in Psychiatry, 2020, 11, 477.	1.3	10
107	The association of community and individual parental social capital with behavior problems among children in Japan: results from A-CHILD longitudinal study. Social Psychiatry and Psychiatric Epidemiology, 2021, 56, 119-127.	1.6	10
108	Prospective Study of Engagement in Leisure Activities and All-Cause Mortality Among Older Japanese Adults. Journal of Epidemiology, 2022, 32, 245-253.	1.1	10

#	Article	IF	CITATIONS
109	Comparison of Perioperative Complications Between Anterior Fusion and Posterior Fusion for Osteoporotic Vertebral Fractures in Elderly Patients. Clinical Spine Surgery, 2020, 33, E586-E592.	0.7	10
110	5â€aminosalicylate–intolerant patients are at increased risk of colectomy for ulcerative colitis. Alimentary Pharmacology and Therapeutics, 2021, 53, 103-113.	1.9	10
111	Inverse Correlation of Parental Oxytocin Levels with Autonomy Support in Toddlers. Journal of Child and Family Studies, 2015, 24, 2620-2625.	0.7	9
112	Long-term Impact of Childhood Disadvantage on Late-Life Functional Decline Among Older Japanese: Results From the JAGES Prospective Cohort Study. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2018, 73, 973-979.	1.7	9
113	Association of Low Family Income With Lung Function Among Children and Adolescents: Results of the J-SHINE Study. Journal of Epidemiology, 2019, 29, 50-56.	1.1	9
114	Association between childhood socioeconomic status and subjective memory complaints among older adults: results from the Japan Gerontological Evaluation Study 2010. International Psychogeriatrics, 2019, 31, 1699-1707.	0.6	9
115	Validity of the Japanese Version of the Quick Mild Cognitive Impairment Screen. International Journal of Environmental Research and Public Health, 2019, 16, 917.	1.2	9
116	The association between father involvement in caregiving and early childhood overweight or obesity. Pediatric Obesity, 2020, 15, e12652.	1.4	9
117	Comparison of Disease Patterns and Outcomes Between Non-Japanese and Japanese Patients at a Single Tertiary Emergency Care Center in Japan. Journal of Epidemiology, 2022, 32, 80-88.	1.1	9
118	Online Peer Support and Well-being of Mothers and Children: Systematic Scoping Review. Journal of Epidemiology, 2022, 32, 61-68.	1.1	9
119	Association between adverse childhood experiences and brain volumes among Japanese community-dwelling older people: Findings from the NEIGE study. Child Abuse and Neglect, 2022, 124, 105456.	1.3	9
120	Validation of a food-frequency questionnaire for assessing vitamin intake of Japanese women in early and late pregnancy with and without nausea and vomiting. Journal of Nutritional Science, 2016, 5, e27.	0.7	8
121	It takes a village: Fixed-effects analysis of neighborhood collective efficacy and children's development. Journal of Epidemiology, 2017, 27, 368-372.	1.1	8
122	Maternal vegetable intake in early pregnancy and wheeze in offspring at the age of 2 years. European Journal of Clinical Nutrition, 2018, 72, 761-771.	1.3	8
123	Factors Associated With Family Member's Spanking of 3.5-year-old Children in Japan. Journal of Epidemiology, 2020, 30, 464-473.	1.1	8
124	Gender Difference in the Association Between Subjective Socioeconomic Mobility Across Life Course and Mortality at Older Ages: Results From the JAGES Longitudinal Study. Journal of Epidemiology, 2020, 30, 497-502.	1.1	8
125	Adverse childhood experiences and fruit and vegetable intake among older adults in Japan. Eating Behaviors, 2020, 38, 101404.	1.1	8
126	Association between maternity harassment and depression during pregnancy amid the COVID-19 state of emergency. Journal of Occupational Health, 2021, 63, e12196.	1.0	8

#	Article	IF	CITATIONS
127	Seasonality of mortality and inâ€hospital complications in hip fracture surgery: Retrospective cohort research using a nationwide inpatient database. Geriatrics and Gerontology International, 2021, 21, 398-403.	0.7	8
128	Validation of the Japanese version of the Childhood Trauma Questionnaire—Short Form (CTQ–J) Psychological Trauma: Theory, Research, Practice, and Policy, 2021, 13, 537-544.	1.4	8
129	Association of Existence of Third Places and Role Model on Suicide Risk Among Adolescent in Japan: Results From A-CHILD Study. Frontiers in Psychiatry, 2020, 11, 529818.	1.3	8
130	Differences in Brain Volume by Tooth Loss and Cognitive Function in Older Japanese Adults. American Journal of Geriatric Psychiatry, 2022, 30, 1271-1279.	0.6	8
131	Serum 25-hydroxyvitamin D levels showed strong seasonality but lacked association with vitamin D intake in 3-year-old Japanese children. British Journal of Nutrition, 2018, 120, 1034-1044.	1.2	7
132	Association between grandparent co-residence, socioeconomic status and dental caries among early school-aged children in Japan: A population-based prospective study. Scientific Reports, 2019, 9, 11345.	1.6	7
133	Changes in rural older adults' sedentary and physically-active behaviors between a non-snowfall and a snowfall season: compositional analysis from the NEIGE study. BMC Public Health, 2020, 20, 1248.	1.2	7
134	Home Cooking Is Related to Potential Reduction in Cardiovascular Disease Risk among Adolescents: Results from the A-CHILD Study. Nutrients, 2020, 12, 3845.	1.7	7
135	Change in Growth and Diet Quality Among Preschool Children in Tokyo, Japan. Nutrients, 2020, 12, 1290.	1.7	7
136	Associations between demographic factors and the academic trajectories of medical students in Japan. PLoS ONE, 2020, 15, e0233371.	1.1	7
137	Validity of Clinical Symptoms Score to Discriminate Patients with COVID-19 from Common Cold Out-Patients in General Practitioner Clinics in Japan. Journal of Clinical Medicine, 2021, 10, 854.	1.0	7
138	Association between Social Integration and Face Mask Use Behavior during the SARS-CoV-2 Pandemic in Japan: Results from U-CORONA Study. International Journal of Environmental Research and Public Health, 2021, 18, 4717.	1.2	7
139	Preoperative nutritional status is associated with the prognosis for lung cancer. Asian Cardiovascular and Thoracic Annals, 2021, 29, 021849232110140.	0.2	7
140	Seroprevalence of SARS oVâ€2 in Utsunomiya City, Greater Tokyo, after the first pandemic in 2020. Journal of General and Family Medicine, 2021, 22, 160-162.	0.3	7
141	Does Eating Vegetables at Start of Meal Prevent Childhood Overweight in Japan? A-CHILD Study. Frontiers in Pediatrics, 2018, 6, 134.	0.9	6
142	Does oral dryness influence pressure pain sensitivity in the oral mucosa of removable denture wearers?. Clinical Oral Investigations, 2020, 24, 2603-2609.	1.4	6
143	Is Japan's child allowance effective for the well-being of children? A statistical evaluation using data from K-CHILD study. BMC Public Health, 2020, 20, 1503.	1.2	6
144	Access to contraceptive services among Myanmar women living in Japan: A qualitative study. Contraception, 2021, 104, 538-546.	0.8	6

#	Article	IF	CITATIONS
145	The association between mobile devices use and behavior problems among fourth grade children in Japan. Psychiatry and Clinical Neurosciences, 2021, 75, 286-293.	1.0	6
146	Tracking Pattern of Total Cholesterol Levels from Childhood to Adolescence in Japan. Journal of Atherosclerosis and Thrombosis, 2022, 29, 38-49.	0.9	6
147	Association of Paternity Leave with Impaired Father–Infant Bonding: Findings from a Nationwide Online Survey in Japan. International Journal of Environmental Research and Public Health, 2022, 19, 4251.	1.2	6
148	Association between Frequency of Conversations and Suicidal Ideation among Medical Students during COVID-19 Pandemic in Japan. International Journal of Environmental Research and Public Health, 2022, 19, 6385.	1.2	6
149	Association Between Parental Social Interaction and Behavior Problems in Offspring: a Population-Based Study in Japan. International Journal of Behavioral Medicine, 2016, 23, 447-457.	0.8	5
150	Higher child-raising costs due to maternal social isolation: Large population-based study in Japan. Social Science and Medicine, 2019, 233, 71-77.	1.8	5
151	Disaster-related trauma and blood pressure among young children: a follow-up study after Great East Japan earthquake. Hypertension Research, 2019, 42, 1215-1222.	1.5	5
152	Multilevel analysis of the impact of neighborhood environment on postpartum depressive symptoms. Journal of Affective Disorders, 2020, 263, 593-597.	2.0	5
153	Degree of influence in class modifies the association between social network diversity and well-being: Results from a large population-based study in Japan. Social Science and Medicine, 2020, 260, 113170.	1.8	5
154	Toothbrushing and School Refusal in Elementary School: A Longitudinal Study. International Journal of Environmental Research and Public Health, 2020, 17, 7505.	1.2	5
155	Perinatal Determinants of Child Maltreatment in Japan. Frontiers in Pediatrics, 2020, 8, 143.	0.9	5
156	Differential Kinetics of Cycle Threshold Values during Admission by Symptoms among Patients with Mild COVID-19: A Prospective Cohort Study. International Journal of Environmental Research and Public Health, 2021, 18, 8181.	1.2	5
157	Leucine-rich alpha-2-glycoprotein 1 and angiotensinogen as diagnostic biomarkers for Kawasaki disease. PLoS ONE, 2021, 16, e0257138.	1.1	5
158	The Impact of Parental Personality on Birth Outcomes: A Prospective Cohort Study. PLoS ONE, 2016, 11, e0157080.	1.1	5
159	Association of ambient temperature and sun exposure with hip fractures in Japan: A time-series analysis using nationwide inpatient database. Science of the Total Environment, 2022, 807, 150774.	3.9	5
160	Impact of Subsidies and Socioeconomic Status on Varicella Vaccination in Greater Tokyo, Japan. Frontiers in Pediatrics, 2016, 4, 19.	0.9	4
161	Association between Parental Workaholism and Body Mass Index of Offspring: A Prospective Study among Japanese Dual Workers. Frontiers in Public Health, 2016, 4, 41.	1.3	4
162	Postpartum Depressive Symptoms as a Mediator Between Intimate Partner Violence During Pregnancy and Maternal-Infant Bonding in Japan. Journal of Interpersonal Violence, 2021, 36, NP10545-NP10571.	1.3	4

#	Article	IF	CITATIONS
163	Association of parental social network diversity with behaviour problems and resilience of offspring in a large population-based study of Japanese children. BMJ Open, 2020, 10, e035100.	0.8	4
164	The Association between Parental Involvement Behavior and Self-Esteem among Adolescents Living in Poverty: Results from the K-CHILD Study. International Journal of Environmental Research and Public Health, 2020, 17, 6277.	1.2	4
165	The Consumption of Sweets and Academic Performance among Mongolian Children. International Journal of Environmental Research and Public Health, 2020, 17, 8912.	1.2	4
166	Quality of supervisor behaviour, workplace social capital and psychological well-being. Occupational Medicine, 2020, 70, 243-250.	0.8	4
167	Association Between Caregiver's Perception of "Good―Dietary Habits and Food Group Intake Among Preschool Children in Tokyo, Japan. Frontiers in Pediatrics, 2019, 7, 554.	0.9	4
168	Effectiveness of using an educational video simulating the anatomical mechanism of shaking and smothering in a home-visit program to prevent self-reported infant abuse: A population-based quasi-experimental study in Japan. Child Abuse and Neglect, 2020, 101, 104359.	1.3	4
169	The Association of Passive Smoking and Dyslipidemia Among Adolescence in Japan: Results From A-CHILD Study. Journal of Clinical Endocrinology and Metabolism, 2021, 106, e2738-e2748.	1.8	4
170	Does caregiver's social bonding enhance the health of their children?: the association between social capital and child behaviors. Acta Medica Okayama, 2012, 66, 343-50.	0.1	4
171	Associations of Caregiver Cooking Skills with Child Dietary Behaviors and Weight Status: Results from the A-CHILD Study. Nutrients, 2021, 13, 4549.	1.7	4
172	Association of type 2 diabetes with periodontitis and tooth loss in patients undergoing hemodialysis. PLoS ONE, 2022, 17, e0267494.	1.1	4
173	Association between heat exposure and hospitalization for diabetic ketoacidosis, hyperosmolar hyperglycemic state, and hypoglycemia in Japan. Environment International, 2022, 167, 107410.	4.8	4
174	Parental Socioeconomic Status and Weight Faltering in Infants in Japan. Frontiers in Pediatrics, 2018, 6, 127.	0.9	3
175	Combined Effect of Marriage and Education on Mortality: A Cross-national Study of Older Japanese and Finnish Men and Women. Journal of Epidemiology, 2020, 30, 442-449.	1.1	3
176	Effectiveness of an Educational Video in Maternity Wards to Prevent Self-Reported Shaking and Smothering during the First Week of Age: A Cluster Randomized Controlled Trial. Prevention Science, 2020, 21, 1028-1036.	1.5	3
177	Sekentei as a Socio-Cultural Determinant of Cognitive Function among Older Japanese People: Findings from the NEIGE Study. International Journal of Environmental Research and Public Health, 2020, 17, 4480.	1.2	3
178	Adverse childhood experiences and bullying behaviours at work among workers in Japan. Occupational and Environmental Medicine, 2020, 77, 9-14.	1.3	3
179	Association between childhood socioeconomic position and sports group participation among Japanese older adults: A cross-sectional study from the JAGES 2010 survey. Preventive Medicine Reports, 2020, 18, 101065.	0.8	3
180	Preventing postpartum depressive symptoms using an educational video on infant crying: A cluster randomized controlled trial. Depression and Anxiety, 2020, 37, 449-457.	2.0	3

#	Article	IF	CITATIONS
181	Association between Childhood Suicidal Ideation and Geriatric Depression in Japan: A Population-Based Cross-Sectional Study. International Journal of Environmental Research and Public Health, 2020, 17, 2257.	1.2	3
182	The impact of public assistance on child mental health in Japan: results from A-CHILD study. Journal of Public Health Policy, 2021, 42, 98-112.	1.0	3
183	Association Between Parenting and School Refusal Among Elementary School Children in Japan: Results From A-CHILD Longitudinal Study. Frontiers in Pediatrics, 2021, 9, 640780.	0.9	3
184	Association of Visual Display Terminal Usage with Self-Rated Health and Psychological Distress among Japanese Office Workers during the COVID-19 Pandemic. International Journal of Environmental Research and Public Health, 2021, 18, 9406.	1.2	3
185	Association Between Procrastination in Childhood and the Number of Remaining Teeth in Japanese Older Adults. Journal of Epidemiology, 2022, 32, 464-468.	1.1	3
186	Do Social Ties Moderate the Association between Childhood Maltreatment and Gratitude in Older Adults? Results from the NEIGE Study. International Journal of Environmental Research and Public Health, 2021, 18, 11082.	1.2	3
187	Association between Adverse Childhood Experiences and Time Spent Playing Video Games in Adolescents: Results from A-CHILD Study. International Journal of Environmental Research and Public Health, 2021, 18, 10377.	1.2	3
188	Delay discounting in children exposed to disaster. PLoS ONE, 2020, 15, e0243994.	1.1	3
189	Child Maltreatment and Mental Health in Middle Childhood: A Longitudinal Study in Japan. American Journal of Epidemiology, 2021, , .	1.6	3
190	Leisure Activity Variety and Brain Volume Among Community-Dwelling Older Adults: Analysis of the Neuron to Environmental Impact Across Generations Study Data. Frontiers in Aging Neuroscience, 2021, 13, 758562.	1.7	3
191	Childhood socioeconomic status and social integration in later life: Results of the Japan Gerontological Evaluation Study. SSM - Population Health, 2022, 18, 101090.	1.3	3
192	Social media monitoring of suicidal content and change in trends of Japanese twitter content around the Zama suicide pact slayings. Psychiatry Research, 2022, 311, 114490.	1.7	3
193	Clinical Characteristics of Patients with SARS-CoV-2 N501Y Variants in General Practitioner Clinic in Japan. Journal of Clinical Medicine, 2021, 10, 5865.	1.0	3
194	Development of Social Life Impact for Mother (<scp>SLIM</scp>) scale at first trimester to identify mothers who need social support during postpartum: a hospitalâ€based prospective study in Japan. International Journal of Gynecology and Obstetrics, 2022, , .	1.0	3
195	Association of Oxytocin and Parental Prefrontal Activation during Reunion with Infant: A Functional Near-Infrared Spectroscopy Study. Frontiers in Pediatrics, 2017, 5, 271.	0.9	2
196	Association between Maternal Smoking during Pregnancy and Missing Teeth in Adolescents. International Journal of Environmental Research and Public Health, 2019, 16, 4536.	1.2	2
197	Impact of Alcohol Outlet Density on Reported Cases of Child Maltreatment in Japan: Fixed Effects Analysis. Frontiers in Public Health, 2019, 7, 265.	1.3	2
198	Differential effects of individual and school factors on the academic trajectories of Japanese dental students. Journal of Dental Education, 2020, 84, 792-798.	0.7	2

#	Article	IF	CITATIONS
199	Eating Vegetables First at Start of Meal and Food Intake among Preschool Children in Japan. Nutrients, 2020, 12, 1762.	1.7	2
200	Pulp survival after composite resin restoration of caries lesions in adults. Journal of Oral Science, 2021, 63, 27-30.	0.7	2
201	Association Between Serum Lipid Levels, Resilience, and Self-Esteem in Japanese Adolescents: Results From A-CHILD Study. Frontiers in Psychology, 2020, 11, 587164.	1.1	2
202	Prenatal Sociodemographic Factors Predicting Maltreatment of Children up to 3 Years Old: A Prospective Cohort Study Using Administrative Data in Japan. International Journal of Environmental Research and Public Health, 2021, 18, 2505.	1.2	2
203	Paternal childcare in early childhood and problematic behavior in children: a population-based prospective study in Japan. BMC Pediatrics, 2021, 21, 397.	0.7	2
204	Association between Immunoglobulin M and Steroid Resistance in Children with Nephrotic Syndrome: A Retrospective Multicenter Study in Japan. Kidney360, 2021, 2, 487-493.	0.9	2
205	Association of adverse childhood experiences with postpartum depression and anxiety in fathers: A prospective study. Psychiatry and Clinical Neurosciences, 2022, 76, 35-36.	1.0	2
206	Facilitators and barriers to implementing shared decision making: A cross-sectional study of physicians in Japan. Patient Education and Counseling, 2022, 105, 2546-2556.	1.0	2
207	Association of parental dissatisfaction and perceived inequality of post-disaster recovery process with child mental health. Social Science and Medicine, 2022, 296, 114723.	1.8	2
208	Association between gratitude, the brain and cognitive function in older adults: Results from the NEIGE study. Archives of Gerontology and Geriatrics, 2022, 100, 104645.	1.4	2
209	Longitudinal Analysis of Child Resilience Link to Dental Caries. Pediatric Dentistry (discontinued), 2020, 42, 308-315.	0.4	2
210	Association between maternal adverse childhood experiences and child resilience and self-esteem: Results from the K-CHILD study. Child Abuse and Neglect, 2022, 127, 105590.	1.3	2
211	Association Between Paternal Separation During Early Childhood and Pubertal Timing Among Girls Using Longitudinal Birth Cohort in Japan. Frontiers in Endocrinology, 2021, 12, 766728.	1.5	2
212	New Policy of the Journal of Epidemiology Regarding the Relationship With the Tobacco Industry. Journal of Epidemiology, 2018, 28, 1-2.	1.1	1
213	Adult Attachment Patterns Modify the Association Between Social Support and Psychological Distress. Frontiers in Public Health, 2018, 6, 249.	1.3	1
214	Response to the Letter to Editor: "Do Inter-Country Differences in the Frequency of Abusive Head Trauma Reflect Different Proportions of Overdiagnosis of Abuse or True Differences in Abuse?― Journal of Epidemiology, 2020, 30, 278-279.	1.1	1
215	Association of Infertility Treatment with Perception of Infant Crying, Bonding Impairment and Abusive Behavior towards One's Infant: A Propensity-Score Matched Analysis. International Journal of Environmental Research and Public Health, 2020, 17, 6099.	1.2	1
216	Pitfalls and Tips for Statistical Methods in Epidemiology: A New Series of Special Articles Has Started. Journal of Epidemiology, 2020, 30, 151-152.	1.1	1

#	Article	IF	CITATIONS
217	Association between dietary intake and serum biomarkers of long-chain PUFA in Japanese preschool children. Public Health Nutrition, 2021, 24, 593-603.	1.1	1
218	Association Between Maternal Working Status and Unintentional Injuries Among 3 to 4-Month-Old Infants in Japan. Maternal and Child Health Journal, 2021, 25, 414-427.	0.7	1
219	Association Between Malocclusion and Academic Performance Among Mongolian Adolescents. Frontiers in Dental Medicine, 2021, 1, .	0.5	1
220	Association between positive grandparental involvement during childhood and generativity in late life among communityâ€dwelling, cognitively intact, older adults in Japan. Geriatrics and Gerontology International, 2021, 21, 331-337.	0.7	1
221	Relative deprivation and educational aspirations of 15-year-old adolescents in Japan. Social Psychology of Education, 2021, 24, 573-588.	1.2	1
222	Association of home cooking with caregiver–child interaction and child mental health: results from the Adachi Child Health Impact of Living Difficulty (A-CHILD) study. Public Health Nutrition, 2021, 24, 4257-4267.	1.1	1
223	Incidence of hospitalization for abusive head trauma in Chiba City, Japan. Pediatrics International, 2022, 64, .	0.2	1
224	Association of Nursery School-Level Promotion of Vegetable Eating with Caregiver-Reported Vegetable Consumption Behaviours among Preschool Children: A Multilevel Analysis of Japanese Children. Nutrients, 2021, 13, 2236.	1.7	1
225	Role of Libraries in Human Flourishing: Adolescents' Motivational Orientation for Occupation. International Journal of Environmental Research and Public Health, 2021, 18, 11209.	1.2	1
226	Being left alone at home and dental caries of children aged 6–7 years. Journal of Epidemiology, 2021, , .	1.1	1
227	Association between Smoking during Pregnancy and Short Root Anomaly in Offspring. International Journal of Environmental Research and Public Health, 2021, 18, 11662.	1.2	1
228	Association Between Accumulation of Child Maltreatment and Salivary Oxytocin Level Among Japanese Adolescents. Frontiers in Pediatrics, 2021, 9, 710718.	0.9	1
229	Impact of orthogeriatric care management by orthopedic surgeons and physicians on inâ€hospital clinical outcomes: A differenceâ€inâ€difference analysis. Geriatrics and Gerontology International, 2022, 22, 138-144.	0.7	1
230	Characteristics of SARS-CoV-2 super-spreaders in Japan. Journal of Infection, 2022, 84, e6-e9.	1.7	1
231	Association between nationwide introduction of public-access defibrillation and sudden cardiac death in Japan: An interrupted time-series analysis. International Journal of Cardiology, 2022, 351, 100-106.	0.8	1
232	The impact of interprofessional communication through ICT on health outcomes of older adults receiving home care in Japan – A retrospective cohort study. Journal of General and Family Medicine, 2022, 23, 233-240.	0.3	1
233	Association between Children's Engagement in Community Cultural Activities and Their Mental Health during the COVID-19 Pandemic: Results from A-CHILD Study. International Journal of Environmental Research and Public Health, 2021, 18, 13404.	1.2	1
234	Investigation of Age-Associated Cognitive Functional Homophily in Community-Dwelling Older Adults' Confidant Social Networks Using Exponential Random Graph Model. International Journal of Environmental Research and Public Health, 2022, 19, 4574.	1.2	1

#	Article	IF	CITATIONS
235	Association of Adverse Childhood Experiences Including Low Household Income and Peer Isolation With Obesity Among Japanese Adolescents: Results From A-CHILD Study. Frontiers in Public Health, 2022, 10, 754765.	1.3	1
236	School- and community-level protective factors for resilience among chronically maltreated children in Japan. Social Psychiatry and Psychiatric Epidemiology, 2023, 58, 477-488.	1.6	1
237	Reply to Shakira et al.: Validation of a food frequency questionnaire for Japanese pregnant women in mid to late pregnancy. European Journal of Clinical Nutrition, 2019, 73, 155-156.	1.3	0
238	Estimation of the Total Number of SARS-CoV-2-infected Individuals and the Necessary Tests and Cost During the First Wave of the COVID-19 Pandemic in Japan. Journal of Epidemiology, 2021, 31, 554-555.	1.1	0
239	Association between childhood parental involvement and lateâ€life cognitive function: A populationâ€based crossâ€sectional study among cognitively intact communityâ€dwelling older adults in Japan. Geriatrics and Gerontology International, 2021, 21, 794-801.	0.7	0
240	513Ophthalmic disease and older adults' sedentary and physically-active behaviors: Findings from the NEIGE study. International Journal of Epidemiology, 2021, 50, .	0.9	0
241	Impact of a governmental intervention to improve access to child psychiatric services in Japan. Annals of Clinical Epidemiology, 2020, 2, 51-60.	0.3	0
242	Response to the Letter to the Editor on "Comparison of disease patterns and outcomes between non-Japanese and Japanese patients at a single tertiary emergency care center in Japan― Journal of Epidemiology, 2021, , .	1.1	0
243	Association of Paternal Workplace and Community Social Capital With Paternal Postnatal Depression and Anxiety: A Prospective Study. Frontiers in Psychiatry, 2022, 13, 782939.	1.3	0
244	Optimism and Longevity Among Japanese Older Adults. Journal of Happiness Studies, 0, , 1.	1.9	0
245	Number of siblings and social capital among parents rearing schoolchildren: Results from the A-CHILD study. Journal of Epidemiology, 2022, , .	1.1	Ο