
Huishu Liu

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2968277/publications.pdf Version: 2024-02-01



НизниТи

#	Article	IF	CITATIONS
1	Residual risk associations between initial hyperglycemia and adverse pregnancy outcomes in a large cohort including 6709 women with gestational diabetes. Diabetes and Metabolism, 2022, 48, 101320.	1.4	5
2	Characterization of the Myometrial Transcriptome of Long Non-coding RNA Genes in Human Labor by High-Throughput RNA-seq. Reproductive Sciences, 2022, 29, 2885-2893.	1.1	3
3	Uterine electromyography (EMG) measurements to predict preterm caesarean section in patients with complete placenta previa. Journal of Obstetrics and Gynaecology, 2021, 41, 532-535.	0.4	2
4	Persistent hypoxia induced autophagy leading to invasiveness of trophoblasts in placenta accreta. Journal of Maternal-Fetal and Neonatal Medicine, 2021, 34, 1297-1303.	0.7	7
5	A study of uterine inertia on the spontaneous of labor using uterine electromyography. Taiwanese Journal of Obstetrics and Gynecology, 2021, 60, 449-453.	0.5	7
6	Elevated inflammatory mediators from the maternal-fetal interface to fetal circulation during labor. Cytokine, 2021, 148, 155707.	1.4	12
7	Effect of nicotine on placental inflammation and apoptosis in preeclampsia-like model. Life Sciences, 2020, 261, 118314.	2.0	8
8	Evaluation of cervical maturity by cervical collagen measurement using light-induced fluorescence (LIF) during pregnancy. Journal of International Medical Research, 2020, 48, 030006052096400.	0.4	3
9	Nicotine Alleviates Cortical Neuronal Injury by Suppressing Neuroinflammation and Upregulating Neuronal PI3K-AKT Signaling in an Eclampsia-Like Seizure Model. Neurotoxicity Research, 2020, 38, 665-681.	1.3	5
10	Cyclosporin A ameliorates eclampsia seizure through reducing systemic inflammation in an eclampsia-like rat model. Hypertension Research, 2020, 43, 263-270.	1.5	7
11	Activation of Autophagy in Human Uterine Myometrium During Labor. Reproductive Sciences, 2020, 27, 1665-1672.	1.1	5
12	AQP8 and AQP9 expression in patients with polycystic ovary syndrome and its association with in vitro fertilizationâ€embryo transfer outcomes. Experimental and Therapeutic Medicine, 2019, 18, 755-760.	0.8	7
13	Nicotine protects fetus against LPS-induced fetal growth restriction through ameliorating placental inflammation and vascular development in late pregnancy in rats*. Bioscience Reports, 2019, 39, .	1.1	14
14	Measurement of Uterine and Abdominal Muscle Electromyography in Pregnant Women for Estimation of Expulsive Activities during the 2nd Stage of Labor. Gynecologic and Obstetric Investigation, 2019, 84, 555-561.	0.7	2
15	Activation of Autophagy in Human Uterine Myometrium During Labor. Reproductive Sciences, 2019, , 193371911983435.	1.1	0
16	Interventions to reduce the cesarean delivery rate in a tertiary hospital in China. Journal of Maternal-Fetal and Neonatal Medicine, 2019, , 1-9.	0.7	2
17	Rare copy number variants in the genome of Chinese female children and adolescents with Turner syndrome. Bioscience Reports, 2019, 39, .	1.1	9
18	Choline Supplementation During Pregnancy Protects Against Gestational Lipopolysaccharide-Induced Inflammatory Responses. Reproductive Sciences, 2018, 25, 74-85.	1.1	34

Ниізни Liu

#	Article	IF	CITATIONS
19	Effects of Ropivacaine in Patient-Controlled Epidural Analgesia on Uterine Electromyographic Activities during Labor. BioMed Research International, 2018, 2018, 1-7.	0.9	9
20	Neuroimaging findings in women who develop neurologic symptoms in severe preeclampsia with or without eclampsia. Hypertension Research, 2018, 41, 598-604.	1.5	9
21	Changes in the Expression of AQP4 and AQP9 in the Hippocampus Following Eclampsia-Like Seizure. International Journal of Molecular Sciences, 2018, 19, 300.	1.8	13
22	Activation of the cholinergic anti-inflammatory pathway by nicotine ameliorates lipopolysaccharide-induced preeclampsia-like symptoms in pregnant rats. Placenta, 2017, 49, 23-32.	0.7	33
23	Uterine and Abdominal Muscle Electromyographic Activities in Control and PCEA-Treated Nulliparous Women During the Second Stage of Labor. Reproductive Sciences, 2017, 24, 1214-1220.	1.1	9
24	Simultaneous Recording and Analysis of Uterine and Abdominal Muscle Electromyographic Activity in Nulliparous Women During Labor. Reproductive Sciences, 2017, 24, 471-477.	1.1	17
25	Magnesium Sulfate Provides Neuroprotection in Eclampsia-Like Seizure Model by Ameliorating Neuroinflammation and Brain Edema. Molecular Neurobiology, 2017, 54, 7938-7948.	1.9	32
26	Increased neuronal seizure activity correlates with excessive systemic inflammation in a rat model of severe preeclampsia. Hypertension Research, 2016, 39, 701-708.	1.5	20
27	Cyclosporin A significantly improves preeclampsia signs and suppresses inflammation in a rat model. Cytokine, 2016, 81, 77-81.	1.4	11
28	Changes in ectocervical surface area in women throughout pregnancy compared to non-pregnant and postpartum states. Journal of Maternal-Fetal and Neonatal Medicine, 2016, 29, 3677-3681.	0.7	3
29	Nicotine increases eclampsia-like seizure threshold and attenuates microglial activity in rat hippocampus through the α7 nicotinic acetylcholine receptor. Brain Research, 2016, 1642, 487-496.	1.1	26
30	Nicotine inhibits LPS-induced cytokine production and leukocyte infiltration in rat placenta. Placenta, 2016, 39, 77-83.	0.7	19
31	Effects of Patient-Controlled Epidural Analgesia on Uterine Electromyography During Spontaneous Onset of Labor in Term Nulliparous Women. Reproductive Sciences, 2015, 22, 1350-1357.	1.1	20
32	Decreased Seizure Threshold in an Eclampsia-Like Model Induced in Pregnant Rats with Lipopolysaccharide and Pentylenetetrazol Treatments. PLoS ONE, 2014, 9, e89333.	1.1	45
33	Nicotine, an α7 nAChR agonist, reduces lipopolysaccharide-induced inflammatory responses andÂprotects fetuses in pregnant rats. American Journal of Obstetrics and Gynecology, 2014, 211, 538.e1-538.e7.	0.7	23
34	Aquaporins in development a review. Reproductive Biology and Endocrinology, 2005, 3, 18.	1.4	56