

Witold Stankiewicz

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/2992766/witold-stankiewicz-publications-by-year.pdf>
Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

10 papers	141 citations	7 h-index	11 g-index
12 ext. papers	160 ext. citations	2.7 avg, IF	2.61 L-index

#	Paper	IF	Citations
10	DETERMINING THE EFFECT OF DIABETES DURATION ON RETINAL AND CHOROIDAL THICKNESSES IN CHILDREN WITH TYPE 1 DIABETES MELLITUS. <i>Retina</i> , 2020 , 40, 421-427	3.6	6
9	Nighttime Hypoglycemia in Children with Type 1 Diabetes after one Day of Football Tournament. <i>International Journal of Sports Medicine</i> , 2020 , 41, 972-980	3.6	
8	Enlargement of the foveal avascular zone detected by optical coherence tomography angiography in diabetic children without diabetic retinopathy. <i>Graefes Archive for Clinical and Experimental Ophthalmology</i> , 2019 , 257, 689-697	3.8	29
7	Sex-Related Variations of Retinal and Choroidal Thickness and Foveal Avascular Zone in Healthy and Diabetic Children Assessed by Optical Coherence Tomography Imaging. <i>Ophthalmologica</i> , 2019 , 241, 173-178	3.7	8
6	Serum leptin and adiponectin levels in children with type 1 diabetes mellitus - Relation to body fat mass and disease course. <i>Advances in Medical Sciences</i> , 2016 , 61, 117-22	2.8	10
5	Urinary angiotensinogen and urinary sodium are associated with blood pressure in normoalbuminuric children with diabetes. <i>Pediatric Nephrology</i> , 2014 , 29, 2373-8	3.2	14
4	Neutrophil gelatinase-associated lipocalin and Cathepsin L as early predictors of kidney dysfunction in children with type 1 diabetes. <i>Endokrynologia Polska</i> , 2014 , 65, 479-84	1.1	6
3	Polymorphisms in 5'flanking regions of genes encoding adiponectin, leptin, and resistin are not associated with obesity of Polish children and adolescents. <i>Molecular Biology Reports</i> , 2011 , 38, 1793-8	2.8	14
2	Missense mutations and polymorphisms of the MC4R gene in Polish obese children and adolescents in relation to the relative body mass index. <i>Journal of Applied Genetics</i> , 2011 , 52, 319-23	2.5	12
1	Normal-range albuminuria does not exclude nephropathy in diabetic children. <i>Pediatric Nephrology</i> , 2010 , 25, 1445-51	3.2	41