

Tomasz Hauschild

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2999675/publications.pdf>

Version: 2024-02-01

52
papers

1,340
citations

304743

22
h-index

361022

35
g-index

52
all docs

52
docs citations

52
times ranked

1700
citing authors

#	ARTICLE	IF	CITATIONS
1	Dehydroepiandrosterone derived imidazolium salts and their antimicrobial efficacy. <i>Bioorganic Chemistry</i> , 2021, 108, 104550.	4.1	8
2	Biodiversity of <i>Ligilactobacillus salivarius</i> Strains from Poultry and Domestic Pigeons. <i>Animals</i> , 2021, 11, 972.	2.3	11
3	Phenotypic and genotypic characterization of <i>Enterococcus</i> spp. from yolk sac infections in broiler chicks with a focus on virulence factors. <i>Poultry Science</i> , 2021, 100, 100985.	3.4	9
4	Antimicrobial resistance and genetic diversity of <i>Enterococcus faecalis</i> from yolk sac infections in broiler chicks. <i>Poultry Science</i> , 2021, 100, 101491.	3.4	9
5	Steroid-Functionalized Imidazolium Salts with an Extended Spectrum of Antifungal and Antibacterial Activity. <i>International Journal of Molecular Sciences</i> , 2021, 22, 12180.	4.1	6
6	Plasmid Mediated mcr-1.1 Colistin-Resistance in Clinical Extraintestinal <i>Escherichia coli</i> Strains Isolated in Poland. <i>Frontiers in Microbiology</i> , 2021, 12, 547020.	3.5	10
7	Infection caused by <i>Klebsiella pneumoniae</i> ST11 in a patient after craniectomy. <i>Folia Microbiologica</i> , 2020, 65, 205-209.	2.3	0
8	Expression of AraC/XylS stress response regulators in two distinct carbapenem-resistant <i>Enterobacter cloacae</i> ST89 biotypes. <i>Journal of Antimicrobial Chemotherapy</i> , 2020, 75, 1146-1150.	3.0	7
9	Biofilm formation capacity and presence of virulence factors among commensal <i>Enterococcus</i> spp. from wild birds. <i>Scientific Reports</i> , 2019, 9, 11204.	3.3	46
10	Clonal Structure and Antibiotic Resistance of <i>Enterococcus</i> spp. from Wild Birds in Poland. <i>Microbial Drug Resistance</i> , 2019, 25, 1227-1237.	2.0	17
11	Synthesis and antimicrobial properties of steroid-based imidazolium salts. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2019, 189, 65-72.	2.5	32
12	Characterization of mecC gene-carrying coagulase-negative <i>Staphylococcus</i> spp. isolated from various animals. <i>Veterinary Microbiology</i> , 2019, 230, 138-144.	1.9	38
13	WILD BIRDS AS A POTENTIAL SOURCE OF KNOWN AND NOVEL MULTILOCUS SEQUENCE TYPES OF ANTIBIOTIC-RESISTANT <i>ENTEROCOCCUS FAECALIS</i> . <i>Journal of Wildlife Diseases</i> , 2018, 54, 219.	0.8	24
14	Surface properties of <i>Enterococcus faecalis</i> cells isolated from chicken hearts determine their low ability to form biofilms. <i>Biofouling</i> , 2018, 34, 149-161.	2.2	3
15	Nasal and pharyngeal carriage of methicillin-resistant <i>Staphylococcus sciuri</i> among hospitalised patients and healthcare workers in a Serbian university hospital. <i>PLoS ONE</i> , 2017, 12, e0185181.	2.5	11
16	MALDI-TOF Mass Spectrometry as a Useful Tool for Identification of <i>Enterococcus</i> spp. from Wild Birds and Differentiation of Closely Related Species. <i>Journal of Microbiology and Biotechnology</i> , 2017, 27, 1128-1137.	2.1	31
17	Emergence of <i>Pseudomonas aeruginosa</i> with class 1 integron carrying blaVIM-2 and blaVIM-4 in the University Clinical Hospital of Białystok (northeastern Poland). <i>Postępy Higieny i Medycyny Doswiadczalnej</i> , 2017, 71, 0-0.	0.1	4
18	Identification of strains with phenotypes similar to those of <i>Staphylococcus aureus</i> isolated from table chicken eggs using MALDI-TOF MS and genotyping methods. <i>Bulletin of the Veterinary Institute in Pulawy = Biuletyn Instytutu Weterynarii W Pulawach</i> , 2015, 59, 235-239.	0.4	3

#	ARTICLE	IF	CITATIONS
19	Identification of plasmid OXA and other β -lactamase genes among carbapenem-resistant isolates of <i>Pseudomonas aeruginosa</i> from the Clinical University Hospital in northeastern Poland. <i>New Microbiologica</i> , 2015, 38, 271-5.	0.1	1
20	Characterisation of <i>Staphylococcus aureus</i> and <i>Staphylococcus aureus</i> "like strains isolated from table eggs. <i>Bulletin of the Veterinary Institute in Pulawy = Biuletyn Instytutu Weterynarii W Pulawach</i> , 2014, 58, 57-63.	0.4	7
21	The ecological importance of the <i>Staphylococcus sciuri</i> species group as a reservoir for resistance and virulence genes. <i>Veterinary Microbiology</i> , 2014, 171, 342-356.	1.9	109
22	Detection of a new <i>mecC</i> allotype, <i>mecC2</i> , in methicillin-resistant <i>Staphylococcus saprophyticus</i> . <i>Journal of Antimicrobial Chemotherapy</i> , 2014, 69, 2003-2005.	3.0	33
23	Expression of <i>MexAB-OprM</i> efflux pump system and susceptibility to antibiotics of different <i>Pseudomonas aeruginosa</i> clones isolated from patients hospitalized in two intensive care units at University Hospital in Bialystok (northeastern Poland) between January 2002 and December 2009. <i>Apmis</i> , 2014, 122, 931-940.	2.0	5
24	Distribution of <i>AdeABC</i> efflux system genes in genotypically diverse strains of clinical <i>Acinetobacter baumannii</i> . <i>Diagnostic Microbiology and Infectious Disease</i> , 2013, 77, 106-109.	1.8	6
25	Susceptibility of canine and feline bacterial pathogens to pradofloxacin and comparison with other fluoroquinolones approved for companion animals. <i>Veterinary Microbiology</i> , 2013, 162, 119-126.	1.9	28
26	Detection of the novel <i>vga(E)</i> gene in methicillin-resistant <i>Staphylococcus aureus</i> CC398 isolates from cattle and poultry. <i>Journal of Antimicrobial Chemotherapy</i> , 2012, 67, 503-504.	3.0	41
27	Target gene mutations among methicillin-resistant <i>Staphylococcus aureus</i> and methicillin-susceptible <i>S. aureus</i> with elevated MICs of enrofloxacin obtained from diseased food-producing animals or food of animal origin. <i>Journal of Antimicrobial Chemotherapy</i> , 2012, 67, 1791-1793.	3.0	17
28	Plasmid-mediated resistance to protein biosynthesis inhibitors in staphylococci. <i>Annals of the New York Academy of Sciences</i> , 2011, 1241, 82-103.	3.8	45
29	Characterization of Methicillin-Resistant <i>Staphylococcus aureus</i> Isolates from Food and Food Products of Poultry Origin in Germany. <i>Applied and Environmental Microbiology</i> , 2011, 77, 7151-7157.	3.1	193
30	Profiles of phenotype resistance to antibiotic other than β -lactams in <i>Klebsiella pneumoniae</i> ESBLs-producers, carrying <i>blaSHV</i> genes.. <i>Folia Histochemica Et Cytobiologica</i> , 2011, 48, 663-6.	1.5	2
31	<i>Staphylococcus stepanovicii</i> sp. nov., a novel novobiocin-resistant oxidase-positive staphylococcal species isolated from wild small mammals. <i>Systematic and Applied Microbiology</i> , 2010, 33, 183-187.	2.8	20
32	Species distribution of staphylococci from small wild mammals. <i>Systematic and Applied Microbiology</i> , 2010, 33, 457-460.	2.8	22
33	Macrolide resistance in <i>Staphylococcus</i> spp. from free-living small mammals. <i>Veterinary Microbiology</i> , 2010, 144, 530-531.	1.9	15
34	Occurrence of chloramphenicol resistance and corresponding resistance genes in members of the <i>Staphylococcus sciuri</i> group. <i>International Journal of Antimicrobial Agents</i> , 2009, 33, 383-384.	2.5	9
35	The <i>aac(6')Ib</i> gene in <i>Proteus mirabilis</i> strains resistant to aminoglycosides.. <i>Folia Histochemica Et Cytobiologica</i> , 2009, 46, 531-3.	1.5	6
36	Identification and Antimicrobial Susceptibility Testing of <i>Staphylococcus vitulinus</i> by the BD Phoenix Automated Microbiology System. <i>Current Microbiology</i> , 2008, 57, 158-160.	2.2	4

#	ARTICLE	IF	CITATIONS
37	Metallo-beta-lactamases of <i>Pseudomonas aeruginosa</i> --a novel mechanism resistance to beta-lactam antibiotics.. <i>Folia Histochemica Et Cytobiologica</i> , 2008, 46, 137-42.	1.5	50
38	Evaluation of the BD Phoenix Automated Microbiology System for detecting methicillin-resistant <i>Staphylococcus aureus</i> . <i>International Journal of Antimicrobial Agents</i> , 2008, 32, 94-95.	2.5	2
39	Identification of <i>Staphylococcus</i> spp. by PCR-Restriction Fragment Length Polymorphism Analysis of <i>dnaj</i> Gene. <i>Journal of Clinical Microbiology</i> , 2008, 46, 3875-3879.	3.9	26
40	Aminoglycosides resistance in clinical isolates of <i>Staphylococcus aureus</i> from a University Hospital in Białystok, Poland.. <i>Folia Histochemica Et Cytobiologica</i> , 2008, 46, 225-8.	1.5	31
41	Multidrug resistant <i>Acinetobacter baumannii</i> --the role of AdeABC (RND family) efflux pump in resistance to antibiotics.. <i>Folia Histochemica Et Cytobiologica</i> , 2008, 46, 257-67.	1.5	92
42	Aminoglycoside Resistance in Members of the <i>Staphylococcus sciuri</i> Group. <i>Microbial Drug Resistance</i> , 2007, 13, 77-84.	2.0	26
43	Species distribution and properties of staphylococci from canine dermatitis. <i>Research in Veterinary Science</i> , 2007, 82, 1-6.	1.9	42
44	Tetracycline resistance and distribution of tet genes in members of the <i>Staphylococcus sciuri</i> group isolated from humans, animals and different environmental sources. <i>International Journal of Antimicrobial Agents</i> , 2007, 29, 356-358.	2.5	12
45	Supplementary biochemical tests useful for the differentiation of oxidase positive staphylococci. <i>Systematic and Applied Microbiology</i> , 2007, 30, 316-318.	2.8	7
46	Characterization of a novel type of MLSB resistance plasmid from <i>Staphylococcus saprophyticus</i> carrying a constitutively expressed erm(C) gene. <i>Veterinary Microbiology</i> , 2006, 115, 258-263.	1.9	17
47	Evaluation of Phenotypic and Molecular Methods for Detection of Oxacillin Resistance in Members of the <i>Staphylococcus sciuri</i> Group. <i>Journal of Clinical Microbiology</i> , 2006, 44, 934-937.	3.9	24
48	Survey of Genes Encoding Staphylococcal Enterotoxins, Toxic Shock Syndrome Toxin 1, and Exfoliative Toxins in Members of the <i>Staphylococcus sciuri</i> Group. <i>Journal of Clinical Microbiology</i> , 2005, 43, 4875-4876.	3.9	11
49	Staphylococcal tetracycline--MLSB resistance plasmid pSTE2 is the product of an RSA-mediated in vivo recombination. <i>Journal of Antimicrobial Chemotherapy</i> , 2005, 56, 399-402.	3.0	24
50	Identification and Characterization of Clinical Isolates of Members of the <i>Staphylococcus sciuri</i> Group. <i>Journal of Clinical Microbiology</i> , 2005, 43, 956-958.	3.9	59
51	Isolation and Molecular Characterization of <i>Staphylococcus sciuri</i> in the Hospital Environment. <i>Journal of Clinical Microbiology</i> , 2005, 43, 2782-2785.	3.9	66
52	Phenotypic and Genotypic Identification of Staphylococci Isolated from Wild Small Mammals. <i>Systematic and Applied Microbiology</i> , 2001, 24, 411-416.	2.8	19