

Philipp Meyer-Marcotty

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3023599/publications.pdf>

Version: 2024-02-01

12
papers

353
citations

1040056

9
h-index

1199594

12
g-index

12
all docs

12
docs citations

12
times ranked

366
citing authors

#	ARTICLE	IF	CITATIONS
1	The adult orthodontic patient over 40 years of age: association between periodontal bone loss, incisor irregularity, and increased orthodontic treatment need. <i>Clinical Oral Investigations</i> , 2021, 25, 6357-6364.	3.0	8
2	Stereophotogrammetric head shape assessment in neonates is feasible and can identify distinct differences between term-born and very preterm infants at term equivalent age. <i>Scientific Reports</i> , 2021, 11, 21155.	3.3	3
3	Interest in orthodontic tooth alignment in adult patients affected by periodontitis: A questionnaire-based cross-sectional pilot study. <i>Journal of Periodontology</i> , 2019, 90, 957-965.	3.4	22
4	Cranial growth in infants – A longitudinal three-dimensional analysis of the first months of life. <i>Journal of Cranio-Maxillo-Facial Surgery</i> , 2018, 46, 987-993.	1.7	26
5	Expansion patterns in surgically assisted rapid maxillary expansion. <i>Journal of Orofacial Orthopedics</i> , 2016, 77, 357-365.	1.3	17
6	3D stereophotogrammetric analysis of operative effects after broad median craniectomy in premature sagittal craniosynostosis. <i>Child's Nervous System</i> , 2014, 30, 313-318.	1.1	15
7	Spectrum of positional deformities – Is there a real difference between plagiocephaly and brachycephaly?. <i>Journal of Cranio-Maxillo-Facial Surgery</i> , 2014, 42, 1010-1016.	1.7	21
8	Three-dimensional analysis of positional plagiocephaly before and after molding helmet therapy in comparison to normal head growth. <i>Child's Nervous System</i> , 2013, 29, 1155-1161.	1.1	18
9	The impact of spur therapy in dentoalveolar open bite. <i>Australian Orthodontic Journal</i> , 2013, 29, 145-52.	0.3	4
10	Face perception in patients with unilateral cleft lip and palate and patients with severe Class III malocclusion compared to controls. <i>Journal of Cranio-Maxillo-Facial Surgery</i> , 2011, 39, 158-163.	1.7	59
11	Three-dimensional perception of facial asymmetry. <i>European Journal of Orthodontics</i> , 2011, 33, 647-653.	2.4	90
12	Bridging of the sella turcica in skeletal Class III subjects. <i>European Journal of Orthodontics</i> , 2010, 32, 148-153.	2.4	70